

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 63-34565

Priority: July 02, 2018

Maximum Diversion Rate: 0.05 CFS

Maximum Diversion Volume: 8.3 AF

It is hereby certified that:

MEARL GENE FOSTER OR CINDY SUE FOSTER 28205 RIVER RIDGE RD WILDER ID 83676
has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated
July 02, 2018, and has submitted Proof of Beneficial Use on July 17, 2023. An examination confirms
water is diverted from:

Source : GROUND WATER

<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>	<u>Annual Volume</u>
IRRIGATION	03/01 to 11/15	0.05 CFS	7.7 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF

Location of Point(s) of Diversion

GROUND WATER SE¼ NE¼, Sec. 20, Twp 04N, Rge 05W, B.M. CANYON County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
04N	05W	20				1.7													1.7

Total Acres: 1.7

Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
04N	05W	20				X													

Conditions of Approval

1. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor exceed a combined annual maximum diversion volume of 7.7 af at the field headgate for the place of use.
2. The right holder shall make full beneficial use of all surface water available to the right holder for irrigation of lands within the authorized place of use for this right. The right holder may divert ground water under this right to irrigate land with appurtenant surface water rights when the surface water supply is not reasonably sufficient to irrigate the place of use for this water right or is not available due to drought, curtailment by priority, or the seasonal startup and shutoff or maintenance schedule for canal company deliveries. The right holder shall not divert ground water for irrigation purposes under this right if use of the surface water supply is intentionally discontinued or reduced (for example abandoned, forfeited, sold, disallowed by court decree, or leased to the Water Supply Bank), or is not deliverable due to non-payment of annual assessments, without an approved transfer pursuant to Idaho Code § 42-222 or other Department approval.
3. When ordered by the Director, the right holder shall provide mitigation acceptable to the Director to offset depletion of lower Snake River flows needed for migrating anadromous fish. The amount of water required for mitigation, which is to be released into the Snake River or a tributary for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this right. Any order of the Director issued in accordance with this paragraph shall be in conformance with applicable rules allowing the right holder due process as the need for mitigation and the amount of mitigation are determined.

SCANNED


AUG 02 2023

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 63-34565

4. Domestic use is for 1 home. Irrigation of lawn, garden and landscaping associated with the home is authorized under the irrigation component of this right.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 2 day of AUGUST, 2023.



CODY PARKER
Water Rights Supervisor




SCANNED

AUG 03 2023

State of Idaho
Department of Water Resources
Attachment to Water Right
63-34565

This map depicts the DOMESTIC & IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

05W



0 400 800 Feet

-  Domestic Place of Use
-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion



SCANNED
AUG 03 2023

RECEIVED

JUL 17 2023

DEPARTMENT OF
WATER RESOURCESSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY

Amt. of Fee \$ 50
Receipt No. C116741
Received By KM
Date Received 7.17.23

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 63-34565 Name of Permit Holder(s) Mearl and Cindy Foster
Telephone No. 208.443-7200 Email geneandcindyfoster@outlook.com
Mailing Address 28205 River Ridge Rd City Wilder State ID Zip 83676
2. Source of Water well If Ground Water (well) Date Drilled mo. ____ / yr. ____ (on record)
Drilling Permit/Tag No. ____ Drilling Company's Name ____ on record
3. Extent of use(s) completed **as authorized by the water right permit:**
Domestic (No. households) 0.040 cfs Irrigation (No. acres) 0.100 cfs Stockwater (No. and stock type) n/a
Other ____
4. Total diversion rate or volume (storage only) for which proof is submitted ____ cfs OR ____ af
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.
5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)
Well water w/pump and/or pressurized irrigation Wilder irrigation district
6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:
Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)
- | | | | |
|--------------------------|--------------------------|--------------------------|---|
| ☐ | ☐ | ☐ | Ground water level data, pumping information, or other diversion data |
| ☐ | ☐ | ☐ | Mitigation plan |
| ☐ | ☐ | ☐ | Lockable controlling works |
| ☐ | ☐ | ☐ | Measuring device |
| ☐ | ☐ | ☐ | Fish screen |
| ☐ | ☐ | ☐ | Other requirements of the water right permit <u>R61, WB7, 943, 046, WB5, 26A, 121</u> |
| ☐ | ☐ | ☐ | Reasonably Anticipated Future Needs ("RAFN") Municipal use |
- If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No
7. Fee Enclosed \$ 50.00 or ☐ CWRE field report attached or ☐ No fee required
See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.
8. Person to contact to accompany a Department representative during the field examination of the water system:
Name: CINDY FOSTER Telephone No. 208.442.7200 Email same as above
Mailing Address same as above City ____ State ____ Zip ____

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

Cindy Foster
SIGNATURE OF PERMIT HOLDER*

Cindy Foster Homeowner
PRINTED NAME AND TITLE

7/7/2023
DATE

*Attach power of attorney if completing on behalf of permit holder.

SCANNED

AUG 03 2023

check # 1580 mailed 7/14/2023



Governor Brad Little

Director Gary Spackman

August 03, 2023

CINDY SUE FOSTER
MEARL GENE FOSTER
28205 RIVER RIDGE RD
WILDER ID 83676

RE: License No. 63-34565

ISSUANCE OF LICENSE

Dear Water Right Holder(s):

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4910.

Sincerely,

Jean Hersley

For

Cody Parker
Water Rights Supervisor

Enclosure(s)

SCANNED

AUG 03 2023

CERTIFICATE OF SERVICE

I hereby certify that on August 03, 2023, I served a true and correct copy of Water Right License No. 63-34565 by U.S. Mail, postage prepaid, to the following:

CINDY SUE FOSTER (Current Owner)
28205 RIVER RIDGE RD
WILDER ID 83676

MEARL GENE FOSTER (Current Owner)
28205 RIVER RIDGE RD
WILDER ID 83676

WATER DISTRICT #63
MIKE MEYERS (Watermaster)
PO BOX 767
STAR ID 83669-4500



Jean Hersley
Technical Records Specialist 2

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) The petition for reconsideration is disposed of; or
- (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Exam Date: 08/02/2023

1. Does this qualify for an in-office field exam (IDAPA 37.03.02.035.01.r)? X Y ___ N

- a. X Irrigation of 5 acres or less
 b. ___ Storage of up to 14.6 AF for stockwater purposes only
 c. X Any use other than irrigation or storage if the combined diversion rate is 0.24 cfs or less.
 d. ___ Other < >

2. Current Owner: **Mearl Gene Foster or Cindy Sue Foster**3. Beneficial Use Fees have been paid: X Y ___ N Receipt No: C1167414. Source: **Ground Water** Tributary: **NA**

Method of Determination:

Change in Source: ___ Y X N**B. OVERLAP REVIEW**

1. Other water rights with the same place of use: ___ No Overlap

Water Right No.	Source	Purpose of Use	Basis
63-136, 63-137B, 63-200A, et al.	Boise River, Wastewater, Indian Cr, Ten Mile Cr	IRRIGATION	Decreed
63-2106, 63-2388A, 63-251A et.al.	Boise River, Five Mile Creek	IRRIGATION	License

Comments: Several rights owned by the Wilder Irrigation District (Boise Project Board of Control) overlap the permit place of use (POU). However, the Wilder Irrigation district is cited as the primary source of water for irrigation within the permit POU on the application for permit and Statement of Completion submitted by the permit holder. The only other overlapping rights are surface water irrigation rights owned by the Bureau of Reclamation for irrigation water distribution. There are no concerns regarding conflict or injury, as the license will carry conditions on the permit dictating surface water will be the primary source for irrigation in the permit POU and ground water is to be supplemental.

2. Other water rights with the same point of diversion: X NO Overlap

Water Right No.	Source	Purpose of Use	Basis
NONE	NA	NA	NA

Comments: No rights share the well point of diversion (POD) with the permit.

C. DIVERSION AND DELIVERY SYSTEM

1. Location of Point(s) of Diversion:

Source	Govt. Lot	¼	¼	¼	Sec.	Twp.	Rge.		County
Well- D0053585			SE	NE	20	04N	05W	B.M.	ADA

Method of Determination: GIS and Taxlot data.

Change in POD? ___ Y X N Amendment Required? ___ Y X N

2. Place of Use: IRRIGATION

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
04N	05W	20				1.7												1.7	
		Lot #																	
Total Acres =																	1.7		

Place of Use: DOMESTIC

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
04N	05W	20				D													
		Lot #																	

Method of Determination: GIS and Tax lot data

Change in POU? ___ Y X N Amendment Required? ___ Y X N

___ Delivery System Diagram Attached (required). Indicate all major components and distances between components.

SCANNED

400 J 3 2023

Indicate weir size/pipe as applicable:

☒ Aerial Photo Attached (required for irrigation of 10+ acres).☐ Photo of Diversion and System Attached

3. Diversion Id No.*	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
D0053585	Grundfos	2Hp	Unknown	Grundfos	20 GPM Pump

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1. Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurement Comments: No measurements are necessary for an in-office examination. However, a theoretical calculation and current guidance were referenced to determine a reasonable rate.

E. FLOW CALCULATIONS☐ Additional Computation Sheets Attached

Measured Method:

A theoretical calculation based on the pump detail submitted by the permit holder indicate that the 2 Hp, 3 phase Grundfos motor/pump is capable of 0.05cfs. However, Administrative Memo #17 allows a rate of 0.03cfs per acre for up to 5 acres, and Administrative Memo #22 allows a rate of 0.04cfs for domestic use in 1 home. A phone conversation with the permit holder on July 19th, 2023, confirmed that they do not irrigate both sprinkler systems at the same time, or combined with use in the house it can burn up the pump. Based on the current guidance, the system limitations, and the information provided by the permit holder, I am recommending the license be issued with a combined rate of 0.05cfs.

$$Q = (2\text{Hp})(8.8)(0.90) / 240(\text{lift in ft}) + (2.31) * 40(\text{pressure psi}) = 0.05 \text{ cfs}$$

Recommendation = 0.05cfs

Permit allowed = 0.14cfs

Comments:

The irrigated areas were evaluated using GIS imagery and Google Earth approximately 1.65 acres exhibit evidence of irrigation within the permit POU. Reasonable rates of diversion were calculated for domestic, and irrigation uses based on the current guidance and the GIS measured areas of irrigation.

F. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.7 \text{ acres} \times 4.5 \text{ AFA} = 7.7 \text{ AF}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation season}) \times 1.9835 = 0.05\text{cfs} \times 259 \text{ days} \times 1.9835 = 25.7 \text{ AF}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 7.7 \text{ AF}$$

2. Volume Calculations for Other Uses:

The annual volume for domestic use with a separate irrigation component is 0.6AF, as per Administrative Memo #22.

G. PURPOSE OF USEIrrigation ☒ Y ☐ N # Stock _____ Domestic # of Homes 1

Other: < >

Change in Purpose of Use? ☐ Y ☒ N

Method of Determination:

If Yes: From Use _____ To Use _____ Amount _____ CFS _____ AFA _____

SCANNED

AUG 03 2023

H. NARRATIVE/REMARKS/COMMENTS

This permit for domestic use and the irrigation of 3.3 acres qualifies for an in-office examination. The ground water allocation is supplemental to surface water diverted from the Wilder Irrigation District for irrigation at the place of use, as outlined on the permit. After reviewing GIS and Google Earth imagery I was able to confirm approximately 1.65 acres of irrigation within the POU (see Figures 1 & 2). On the Statement of completion section #3, the permit holder stated that the full 3.3 acres the permit was issued for was developed. I called the permit holder on July 19th, 2023, and asked how much irrigation is occurring within the POU. The permit holder confirmed verbally that the approximate 1.65 acres of irrigation (rounded to 1.7 acres) visible in aerial imagery is correct, stating that the southern portion of the property is on a steep hill which is not irrigated. I asked for details of the system and the permit holder said she did not know any details of the pump but would see if she still has the pictures of when the new one was installed last year. She further stated that they use a variety of rotary sprinklers, fan sprinklers and driplines to irrigate the landscaping surrounding the home and the area bordered by the roadway to the north. I requested photos of the system from the permit holder. The permit holder stated that she did not think this was all necessary and felt it was invasive. I explained that if we came out for the field examination, we would be taking photos and collecting any details of the system on site. The permit holder stated that she feels that we should not need to document all of that, and that she does not believe she should need a right to irrigate her property.

The permit holder called back on July 19th, 2023, and emailed pump details (2Hp Grundfos, 3 phase pump, CR3, max output 23 GPM). In our phone conversation the permit holder explained that there are 2 sprinkler systems. The underground Rainbird system at the house (see photos 1-3) has 9 zones with 4-5 sprinklers each (rotary under the trees, umbrella style in the yard, and driplines in a small garden area). The second underground Hunter system runs on a solar battery and is covers the northern portion of the property closer to the road (see photos 3-6). The Hunter system has 5 zones approximately 3 rotary sprinklers each. The Hunter system operates from only in the northern half of the irrigated areas. The Hunter system runs on a solar battery, as there is no power available near the road. The permit holder stated that the system is limited, and she cannot and does not run more than one sprinkler system at a time at risk of burning up the pump, which was just replaced last year.

Administrative Memo #17 allows a rate of 0.03cfs per acre for irrigation of up to 5 acres, and Administrative Memo #22 allows a rate of 0.04cfs for domestic use in one home. The irrigation system diverts well water on separate supply lines from the well and is only used supplemental to the surface water for irrigation. The permit holder stated that the reason they developed this right is because they have had problems in the past with errors made diverting the surface water to the ditch for the irrigation at several homes, including theirs, causing pump damage and drying up the landscape at the permit holder's home. Based on the agreed irrigated area of 1.7 acres (see Figure 3), current guidance, and the system limitations. I am recommending the license be issued with a total rate of 0.05cfs, the elements have rates of 0.05cfs for supplemental irrigation use, and 0.4cfs for domestic use.

The field headgate requirements in Basin 63 allows an annual volume of 4.5 AF per acre, and Administrative Memo #22 allows an annual volume of 0.6 AF for domestic use in 1 home with a separate irrigation component. Based on the agreed irrigated areas and current guidance, I am recommending the license be issue with an annual volume of 8.3 AF.

I am recommending the license be issued with conditions WB7, 943, 103, and 132. Condition R61 was dropped at licensing, as the combined limits stated in WB7, and the elements of the right make it redundant and confusing.

Have conditions of permit approval been met? ☒ Yes ☐ No

I. RECOMMENDATIONS**1. Recommended Amounts:**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
Domestic	01/01 to 12/31	0.04cfs	0.6 AF
Irrigation	03/01 to 11/15	0.05cfs	7.7 AF
<u>Totals:</u>		0.05cfs	8.3 AF

2. Recommended Amendments:

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ None

Other: < >

J. AUTHENTICATION- Bob Howe- Water Resource Agent

Field Examiner's [Signature] Date 8-2-23
 Reviewer [Signature] Date 8-2-23

SCANNED
AUG 03 2023




Figure 1- GIS image of POU, 2021. Permit POU's for domestic and irrigation are outlined in blue.

SCANNED

AUG 03 2022



Figure 2- Google Earth image of the POUs, 2022. Irrigation is evident in landscaped areas.

SCANNED

AUG 03 2023



Figure 3- GIS image of the irrigation POU as confirmed by the permit holder on a July 19, 2023, phone conversation. Areas to the south are on a steep slope which is not irrigated.

SCANNED

AUG 03 2023



Photos 1 & 2- From left to right. The control panel for the home Rainbird sprinkler system with 9 zones. Photo 2, Umbrella sprinklers used around the home in the lawn.



Photo 3- Home System-Rainbird rotary sprinklers, in the trees on the west side and back of the home.

SCANNED
AUG 03 2023



Photos 4 & 5- From left to right. Control panel for the Hunter sprinkler system (5 zones) on norther property and up to the roadway. Photo 5- Hunter rotary sprinklers used to water north side of property up to the roadway.



Photo 6- Hunter rotary sprinklers at the northwest corner of the driveway near the shoulder of the road (mailbox in lower right corner of image).

SCANNED
AUG 03 2023

Howe, Bob

From: GeneandCindy Foster <GeneandCindyFoster@outlook.com>
Sent: Wednesday, July 19, 2023 3:53 PM
To: Howe, Bob
Subject: Fw: pic as requested permit #63-34565, pic #2
Attachments: Resized_20230719_152007.jpeg

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

by the road way underground sprinkler system, pic #2

From: 2084427200@mms.att.net <2084427200@mms.att.net>
Sent: Wednesday, July 19, 2023 3:27 PM
To: geneandcindyfoster@outlook.com <geneandcindyfoster@outlook.com>
Subject:

SCANNED

AUG 03 2023

Howe, Bob

From: GeneandCindy Foster <GeneandCindyFoster@outlook.com>
Sent: Wednesday, July 19, 2023 3:52 PM
To: Howe, Bob
Subject: Fw: pic as requested permit #63-34565, pic#1
Attachments: Resized_20230719_152307.jpeg

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

underground sprinkler system, pic #1

From: 2084427200@mms.att.net <2084427200@mms.att.net>
Sent: Wednesday, July 19, 2023 3:28 PM
To: geneandcindyfoster@outlook.com <geneandcindyfoster@outlook.com>
Subject:

SCANNED
AUG 03 2023

Howe, Bob

From: GeneandCindy Foster <GeneandCindyFoster@outlook.com>
Sent: Wednesday, July 19, 2023 3:47 PM
To: Howe, Bob; GeneandCindy Foster
Subject: Re: Additional Information Requested for Permit 63-34565

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

Pump info: its a Grundfos, 2 horse, 3 phase motor. 1 horse 20 gallons a minute pump.
I will send pictures as requested, separately, since I don't know how to consolidate them.

Cindy Foster
28205 River Ridge Road Wilder, ID

From: Howe, Bob <Bob.Howe@idwr.idaho.gov>
Sent: Tuesday, July 18, 2023 5:14 PM
To: geneandcindyfoster@outlook.com <geneandcindyfoster@outlook.com>
Subject: Additional Information Requested for Permit 63-34565

Dear Gene & Cindy Foster,

The Department received the Proof of Beneficial Use you submitted for permit #63-34565. I am currently reviewing the permit eligibility for an in-office examination for licensing. In-office examination expedites the licensing process by using information and documentation submitted by the permit holder(s) and GIS images to process the examination without the need for a field examination to be scheduled and conducted later. The permit issued provided a scope for the development of future uses. The purpose of the examination is to record the details for the uses that have been developed.

After reviewing your Proof of Beneficial Use, there are a couple items that need further information or clarification. After review of the GIS and Aerial imagery I am able to confirm approximately 1.65 acres of irrigation within the place of use. If you feel that this assessment is not accurate, or If you are irrigating areas that are not apparent on the most current aerial imagery, please submit photos of the areas irrigated to document any additional areas.

First, I have attached 2 aerial images of the permitted place of use, one Google Earth image and one ArcGIS image. The GIS image also outlines the place of use area in blue (as submitted on the permit). Please label to identify the actual area(s) irrigated on one of the images attached. Then draw a diagram of the system for irrigation and domestic uses, including a written description with details for the pump (Hp, make, and model), pipe (size and material), and sprinklers (type and make) and return these to me (via email). The diagram illustrates how the water is conveyed from the well to the points of delivery (such as the home, sprinklers, and/or driplines). It can be drawn on a blank page or on one of the images attached if that is helpful.

Please feel free to reach out to me with any questions or concerns.

Regards,

Bob Howe

SCANNED
AUG 03 2023

Beneficial Use Proof Evaluation

Permit Number: 63-34565 Reviewer: AVEibell Review Date: 7/18/2023

Acceptability

- 1) Is the contact on the request the current permit holder? Yes
- 2) Does the address of record need to be updated? No
- 3) Proof Submitted Date: 7/17/2023
- 4) Proof Due Date: 9/1/2023
- 5) Days added for weekend due date?
- 6) Days added for holiday due date?
- 7) Number of days late: -46
- 8) Proof received timely? Yes

Analysis

- 1) Are the water uses correct? Yes
- 2) Are one of the following items required?
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- No
- 3) Are the required items installed? Yes
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- No
- 4) Is there a request to waive the required items? No
- 5) Drilling Permit Number: 856664
- 6) Is a drilling permit upgrade needed? No
- 7) Was a well drillers report filed? Yes
- 8) Is proof accepted? Yes

Fees

- 1) Is a licensing exam fee required? Yes
- 2) Was proof submitted with an exam report from a CWE? No
- 3) Filing fee due: \$50.00
- 4) Filing fee submitted: \$50.00
- 5) Remaining fee or (refund): \$0.00

Receipt IDs

W046300, W046501, W046501, W046501

Comments

Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing.

SCANNED
AUG 13 2023



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

June 30, 2023

MEARL GENE FOSTER
CINDY SUE FOSTER
28205 RIVER RIDGE RD
WILDER ID 83676

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit No. 63-34565

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holder(s):

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **September 01, 2023**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a \$50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this department on or before the above proof due date. If neither is received, the department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Water Rights Section

Enclosure(s)

CERTIFIED MAIL

7016 1370 0000 2018 4745

NO

SCANNED

JUL 03 2023