

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 63-34806

Priority: October 09, 2019

Maximum Diversion Rate: 0.05 CFS

Maximum Diversion Volume: 11.3 AF

It is hereby certified that:

JAMES A KISSLER
825 N TROUTNER WAY
BOISE ID 83712-7552

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 09, 2019, and has submitted Proof of Beneficial Use on December 22, 2022. An examination confirms water is diverted from:

Source : GROUND WATER

Beneficial Use

IRRIGATION

Period of Use

03/01 to 11/15

Rate of Diversion

0.05 CFS

Annual Volume

11.3 AF

Location of Point(s) of Diversion

GROUND WATER SW¼ NE¼, Sec. 12, Twp 03N, Rge 02E, B.M. ADA County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
03N	02E	12			2.5														2.5

Total Acres: 2.5

Conditions of Approval

1. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the place of use.
2. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.
3. To prevent injury to prior water rights appropriating water from the underlying shallow aquifer, the well used as a point of diversion for this water right shall be constructed and maintained with unperforated casing and sealed into the first significant confining layer located 200 feet or more below ground surface.
4. Water bearing zone to be appropriated is 345 to 445 feet.
5. Diversion and use of water with a temperature greater than 85 degrees Fahrenheit is not authorized under this right.
6. When ordered by the Director, the right holder shall provide mitigation acceptable to the Director to offset depletion of lower Snake River flows needed for migrating anadromous fish. The amount of water required for mitigation, which is to be released into the Snake River or a tributary for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this right. Any order of the Director issued in accordance with this paragraph shall be in conformance with applicable rules allowing the right holder due process as the need for mitigation and the amount of mitigation are determined.

SCANNED

AUG 21 2023


State of Idaho
Department of Water Resources
Water Right License
Water Right No. 63-34806

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 18th day of August, 20 23.




COREY SKINNER
Southern Regional Manager



State of Idaho
Department of Water Resources
Attachment to Water Right
63-34806

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

02E



0 0.035 0.07 0.14 Miles

-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion



SCANNED
AUG 21 2023

RECEIVED

RECEIVED

DEC 27 2022

DEC 22 2022

WATER RESOURCES
WESTERN REGIONDEPARTMENT OF
WATER RESOURCES

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

STATEMENT OF COMPLETION

FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY

 Amt. of Fee \$ 50.00
 Receipt No. W050942
 Received By LE
 Date Received 12/22/22

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

- Permit No. 63 34806 Name of Permit Holder(s) James Kissler
 Telephone No. 208 336-1643 Email jimk@norco-inc.com
 Mailing Address 825 N Troutner Wy City Boise State ID Zip 83712
- Source of Water well If Ground Water (well), Date Drilled mo. 4 / yr. 2020
 Drilling Permit/Tag No. D0085268 Drilling Company's Name Dennis Phipps Well Drilling
- Extent of use(s) completed as authorized by the water right permit:
 Domestic (No. households) _____ Irrigation (No. acres) 7.3 Stockwater (No. and stock type) _____
 Other _____
- Total diversion rate or volume (storage only) for which proof is submitted .140 cfs OR _____ af
 If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.
- Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)
pump

- Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

- | | | | |
|--------------------------|--------------------------|--------------------------|---|
| ☐ | ☐ | ☐ | Ground water level data, pumping information, or other diversion data |
| ☐ | ☐ | ☐ | Mitigation plan |
| ☐ | ☐ | ☐ | Lockable controlling works |
| ☐ | ☐ | ☐ | Measuring device |
| ☐ | ☐ | ☐ | Fish screen |
| ☐ | ☐ | ☐ | Other requirements of the water right permit _____ |

- | | | |
|--------------------------|--------------------------|--|
| ☐ | ☐ | Reasonably Anticipated Future Needs ("RAFN") Municipal use |
|--------------------------|--------------------------|--|

 If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

- Fee Enclosed \$ 50.00 or ☐ CWRE field report attached or ☐ No fee required
 See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

- Person to contact to accompany a Department representative during the field examination of the water system:

 Name: Jim Kissler Telephone No. 208 336-1643 Email jimk@norco-inc.com
 Mailing Address 825 N Troutner Way City Boise State ID Zip 83712

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

James Kissler
 SIGNATURE OF PERMIT HOLDER*

James Kissler
 PRINTED NAME AND TITLE

12/22/22
 DATE

*Attach power of attorney if completing on behalf of permit holder.

 SCANNED
 JAN 03 2023



Southern Region • 650 Addison Ave W, Suite 500 • Twin Falls, ID 83301-5858

Phone: 208-736-3033 • Fax: 208-736-3037 • Email: southerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

August 21, 2023

JAMES A KISSLER
825 N TROUTNER WAY
BOISE ID 83712-7552

RE: License No. 63-34806

ISSUANCE OF LICENSE

Dear Water Right Holder(s):

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 736-3033.

Sincerely,

Corey Skinner
Southern Regional Manager

Enclosure(s)

CERTIFICATE OF SERVICE

I hereby certify that on August 21, 2023, I served a true and correct copy of Water Right License No. 63-34806 by U.S. Mail, postage prepaid, to the following:

JAMES A KISSLER (Current Owner)
825 N TROUTNER WAY
BOISE ID 83712-7552



Denise Maline
Administrative Assistant 1

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) The petition for reconsideration is disposed of; or
- (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No: 63-34806
Exam Date: 08/14/2023

1. Current Owner:
JAMES A KISSLER 825 N TROUTNER WAY BOISE ID 83712-7552
2. Accompanied by: Mr. Kissler gave permission to visit property and conduct field exam
Phone No: (208) 336-1643
Address: 825 N Troutner Way Boise ID 83712-7552
Relationship to permit Holder: Permit Holder

3. SOURCE:
GROUND WATER

Method of Determination: On-site Inspection

B. OVERLAP REVIEW

1. Other water rights with the same place of use: YES Overlap

Water Right No.	Source	Purpose of Use	Basis
N/A			

Comments: Place of use is within Veola Water Idaho Inc. & Boise municipal service areas

2. Other water rights with the same point-of-diversion: NO Overlap

Water Right No.	Source	Purpose of Use	Basis
N/A			

Comments:

C. DIVERSION AND DELIVERY SYSTEM

1. LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER SW¼ NE¼, Sec. 12, Twp 03N, Rge 02E, B.M. ADA County

Method of Determination: On-site inspection

PLACE OF USE: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
03N	02E	12			2.5														2.5

Total Acres: 2.5

Method of Determination: On-site inspection

3. Delivery System Diagram Attached (required). Indicate all major components and distances between components.
X Indicate weir size/pipe as applicable.

- _____ Map Attached Showing Location(s) of point(s) of diversion and place(s) of use (required). Scale must be 1:24,000 or greater.
- X Aerial Photo Attached (required for irrigation of 10+ acres).
- X Photo of Diversion and System Attached

4.

Well or Diversion ID No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
D0085268					

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A						

2. Measurements: No measurement required per IDAPA 37.03.02 Beneficial Use Examination Rules as the flow rate for the total diversion (0.05 cfs) falls below the 0.24 cfs or greater flow rate requiring measurement.

E. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

F. VOLUME CALCULATIONS

1. Volume Calculations for irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2.5 \text{ acres} \times 4.5 \text{ afa} = 11.25 \approx 11.3 \text{ af}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation season}) \times 1.9835 = 0.05 \text{ cfs} \times 260 \text{ days} \times 1.9835 = 25.79 \text{ af}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \mathbf{11.3 \text{ af}}$$

2. Volume Calculations for Other Uses: N/A

G. NARRATIVE/REMARKS/COMMENTS

With Mr. Kissler's permission, I stopped by his property on the morning of 8/14/23 to conduct the field exam for this right. What I found was a beautifully landscaped home with lawn that sits on a hill above majority of his parcel. On the hillside and below, the only irrigation to be found were drip lines that water the trees that line mostly the north and west perimeter of his property. In all, I estimated there are 2.5 acres of irrigation on the 7.3 acre parcel. Recommend licensing 0.05 cfs and 11.3 af for irrigation use.

Have conditions of permit approval been met? X Yes No

H. RECOMMENDATIONS**1. Recommended Amounts**

<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>	<u>Annual Volume</u>
IRRIGATION	03/01 to 11/15	0.05 CFS	11.3 AF
<u>Totals:</u>		0.05 CFS	11.3 AF

2. Recommended Amendments

 Change P.D. as reflected above Add P.D. as reflected above X None

 Change P.U. as reflected above Add P.U. as reflected above X None

I. AUTHENTICATION

Bill Mills -

Field Examiner's Name

Date

Reviewer

Date



Figure 1: Front Lawn & Landscaping



Figure 2: Backyard



Figure 3: Side yard on south side



Figure 4: Looking south across the non-irrigated portion of the parcel. Trees on the right are irrigated with drip lines.



Figure 5: Trees along the west perimeter of the parcel that are irrigated with drip lines



Figure 6: Well head

System Diagram



IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

1. WELL TAG NO. D D0085268

Drilling Permit No. 63-34806 893443
Water right or injection well # _____

2. OWNER:

Name James A. Kissler
Address 1591 Sendero Ln.
City Boise State Idaho Zip 83712

3. WELL LOCATION:

Twp. 3 North ☒ or South ☐ Rge. 2 East ☒ or West ☐
Sec. 12 1/4 SW 1/4 NE 1/4Gov't Lot _____ County Ada
Lat. 43 36.870'N (Deg. and Decimal minutes)
Long. 116 09.744'W (Deg. and Decimal minutes)
Address of Well Site 825 N. Troutner WayCity Boise
(Give at least name of road + Distance to Road or Landmark)
Lot 1,2 Blk. 1 Sub. Name Mariposa Ridge Sub.

4. USE:

☐ Domestic ☐ Municipal ☐ Monitor ☒ Irrigation ☐ Thermal ☐ Injection
☐ Other _____

5. TYPE OF WORK:

☒ New well ☐ Replacement well ☐ Modify existing well
☐ Abandonment ☐ Other _____

6. DRILL METHOD:

☒ Air Rotary ☐ Mud Rotary ☐ Cable ☐ Other _____

7. SEALING PROCEDURES:

Seal material	From (ft)	To (ft)	Quantity (lbs or ft ³)	Placement method/procedure
3/8" Bentonite	0	237	5700 lbs.	10" Overbore

8. CASING/LINER:

Diameter (nominal)	From (ft)	To (ft)	Gauge/Schedule	Material	Casing	Liner	Threaded	Welded
6"	2	24	.250	Steel	☒	☐	☐	☒
6"	24	345	SD17	PVC	☐	☒	☒	☐

Was drive shoe used? ☐ Y ☒ N Shoe Depth(s) _____

9. PERFORATIONS/SCREENS:

Perforations ☐ Y ☒ N Method _____Manufactured screen ☒ Y ☐ N Type Certa-Lock PVC ScreensMethod of installation Set In

From (ft)	To (ft)	Slot size	Number/ft	Diameter (nominal)	Material	Gauge or Schedule
345	445	.020	100'	6"	PVC	SDR17

Length of Headpipe 321' Length of Tailpipe N/APacker ☐ Y ☒ N Type _____

10. FILTER PACK:

Filter Material	From (ft)	To (ft)	Quantity (lbs or ft ³)	Placement method
3/8 Pea Gravel	237	445	5 YRDS	10" Overbore

11. FLOWING ARTESIAN:

Flowing Artesian? ☐ Y ☒ N Artesian Pressure (PSIG) _____

Describe control device _____

12. STATIC WATER LEVEL and WELL TESTS:

Depth first water encountered (ft) _____ Static water level (ft) 180'
Water temp. (°F) 68 Bottom hole temp. (°F) 62
Describe access port 6" Turtle Cap

Well test:

Drawdown (feet)	Discharge or yield (gpm)	Test duration (minutes)
350'	100 + GPM	1 HR.

Test method:

Pump	Bailer	Air	Flowing artesian
☐	☐	☒	☐

Water quality test or comments: _____

13. LITHOLOGIC LOG and/or repairs or abandonment:

Bore Dia. (in)	From (ft)	To (ft)	Remarks, lithology or description of repairs or abandonment, water temp.	Water	
				Y	N
10"	0	2	Top Soil		X
	2	8	Hard Pan		X
	8	91	Decomposed Granite		X
	91	183	Black Lava		X
	183	197	Blue Clay		X
	197	220	Black Lava	X	
	220	322	Broken Lava	X	
	322	422	Black Lava		X
6"	422	445	Decomposed Granite	X	

Completed Depth (Measurable): 445'Date Started: Apr 6, 2020Date Completed: Apr 15, 2020

14. DRILLER'S CERTIFICATION:

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name Dennis Phipps Well Drilling Inc Co. No. 332Principal Driller [Signature] Date Apr 16, 2020

Driller _____ Date _____

Operator II _____ Date Apr 16, 2020

Operator I _____ Date _____

* Signature of Principal Driller and rig operator are required.

SCANNED
05/13/2020SCANNED
AUG 21 2023



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little
December 30, 2022

Director Gary Spackman

JAMES A KISSLER
825 N TROUTNER WAY
BOISE ID 83712-7552

PROOF ACKNOWLEDGEMENT LETTER

RE: Permit No. 63-34806

Dear Permit Holder:

The Department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the Department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that Idaho Code § 42-248, requires you or the owner of this water right to maintain current ownership and address records on file with the Department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any Department office or at the Department's website at www.idwr.idaho.gov.

If you have any questions concerning the field examination, please contact the Western Region Office of the Department located in Boise at (208) 334-2190.

Sincerely,

Debbi Judd
Technical Records Specialist

Enclosures

SCANNED
JAN 3 2023

Beneficial Use Proof Evaluation

Permit Number: 63-34806 Reviewer: djudd Review Date: 12/27/2022

Acceptability

- 1) Is the contact on the request the current permit holder? Yes
- 2) Does the address of record need to be updated? No
- 3) Proof Submitted Date: 12/22/2022
- 4) Proof Due Date: 1/1/2023
- 5) Days added for weekend due date? 0
- 6) Days added for holiday due date? 0
- 7) Number of days late: -10
- 8) Proof received timely? Yes

Analysis

- 1) Are the water uses correct? Yes
- 2) Are one of the following items required?
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- No
- 3) Are the required items installed?
 - a. Measuring Device --
 - b. Lockable Device --
 - c. Fish Screen --
- 4) Is there a request to waive the required items?
- 5) Drilling Permit Number: 893443
- 6) Is a drilling permit upgrade needed? No
- 7) Was a well drillers report filed? Yes
- 8) Is proof accepted? Yes

Fees

- 1) Is a licensing exam fee required? Yes
- 2) Was proof submitted with an exam report from a CWE? No
- 3) Filing fee due: \$50.00
- 4) Filing fee submitted: \$50.00
- 5) Remaining fee or (refund): \$0.00

Receipt IDs

W047801

Comments

Proof acknowledged

RECEIVED

Rev. 02/14

DEC 22 2022

WATER RESOURCES
WESTERN REGION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only
Updated by 104
Date 12.27.22

CHANGE IN ADDRESS

This form can be used to notify the Department of a change in
address of the owners of record for the listed water rights.
(Please print or type)

RECEIVED

DEC 27 2022

DEPARTMENT OF
WATER RESOURCES

Water Right Number(s): 63-34806

Name(s): James Kissler

Old Mailing Address: 1591 Sendero Lane
Boise ID 83712

New Mailing Address: 825 N Troutner Way
Boise ID 83712

Telephone Number: 208 336-1643

Email: _____

Signature(s) of Owner(s) James Kissler

(Include your title if on behalf of company or organization.)

Date: 12/22/22

Send a signed original to your closest regional office:

IDWR Northern Region
7600 N. Mineral Dr., Suite 100
Coeur d'Alene, ID 83815-7763
(208) 762-2800

IDWR Western Region
2735 Airport Way
Boise, ID 83705-5082
(208) 334-2190

IDWR Eastern Region
900 N. Skyline Dr., Suite A
Idaho Falls, ID 83402-1718
(208) 525-7161

IDWR Southern Region
650 Addison Ave W, Suite 500
Twin Falls, ID 83301-5858
(208) 736-3033

SCANNED

JAN 27 2023



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

October 31, 2022

JAMES A KISSLER
1591 E SENDERO LN
BOISE ID 83712-6692

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit No. 63-34806

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holder(s):

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **January 01, 2023**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a \$50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this department on or before the above proof due date. If neither is received, the department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Debbi Judd
Technical Records Specialist

Enclosure(s)

CERTIFIED MAIL

7022 1670 0001 2370 9010

NO _____

SCANNED

NOV 02 2022