

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 63-35146

Priority: November 04, 2021

Maximum Diversion Rate: 0.08 CFS

Maximum Diversion Volume: 5.2 AF

It is hereby certified that:

KEN SANGHA
1307 W FORT ST
BOISE ID 83702-5004

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 21, 2021, and has submitted Proof of Beneficial Use on February 24, 2023. An examination confirms water is diverted from:

Source : GROUND WATER

Source : GROUND WATER

<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>	<u>Annual Volume</u>
STOCKWATER	01/01 to 12/31	0.04 CFS	2.3 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	2.9 AF

Location of Point(s) of Diversion

GROUND WATER SW¼ SE¼, Sec. 36, Twp 05N, Rge 02W, B.M. CANYON County
GROUND WATER SE¼ SW¼, Sec. 36, Twp 05N, Rge 02W, B.M. CANYON County

Place of Use: STOCKWATER

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
05N	02W	36												X			X		

Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
05N	02W	36												X					


Conditions of Approval

- Domestic use is for 1 home.
- Stockwater use under rights 63-35145 and 63-35146 when combined shall not exceed a total annual maximum diversion volume of 2.3 af.
- When ordered by the Director, the right holder shall provide mitigation acceptable to the Director to offset depletion of lower Snake River flows needed for migrating anadromous fish. The amount of water required for mitigation, which is to be released into the Snake River or a tributary for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this right. Any order of the Director issued in accordance with this paragraph shall be in conformance with applicable rules allowing the right holder due process as the need for mitigation and the amount of mitigation are determined.

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 63-35146

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 19th day of June, 2023.





COREY SKINNER
Southern Regional Manager

State of Idaho
Department of Water Resources
Attachment to Water Right
63-35146

This map depicts the STOCKWATER place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



0 0.0475 0.095 0.19 Miles

-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion



SCANNED
JUN 26 2023

State of Idaho
Department of Water Resources
Attachment to Water Right
63-35146

This map depicts the DOMESTIC place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



- Point of Diversion
- Place Of Use Boundary
- Townships
- PLS Sections
- Quarter Quarters



SCANNED
JUN 26 2023



IDAHO DEPARTMENT OF
WATER RESOURCES

Southern Region • 650 Addison Ave W, Suite 500 • Twin Falls, ID 83301-5858

Phone: 208-736-3033 • Fax: 208-736-3037 • Email: southerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

June 20, 2023

KEN SANGHA
1307 W FORT ST
BOISE ID 83702-5004

RE: License No(s). 63-35145 and 63-35146

*Corr. &
Field Exam*

ISSUANCE OF LICENSE

Dear Water Right Holder(s):

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 736-3033.

Sincerely,


Corey Skinner
Southern Regional Manager

Enclosure(s)

CERTIFICATE OF SERVICE

I hereby certify that on June 20, 2023, I served a true and correct copy of Water Right License No(s). 63-35145 and 63-35146 by U.S. Mail, postage prepaid, to the following:

KEN SANGHA (Current Owner)
1307 W FORT ST
BOISE ID 83702-5004

A handwritten signature in blue ink that reads "Denise Maline". The signature is written in a cursive style and is positioned above a horizontal line.

Denise Maline
Administrative Assistant 1

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) The petition for reconsideration is disposed of; or
- (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

State of Idaho
Department of Water Resources
Application for Amendment
(For Licensing Purposes)
Water Right No. 63-35146

RECEIVED

JUN 14 2023

DEPT OF WATER RESOURCES
SOUTHERN REGION

Priority: November 04, 2021

Maximum Diversion Rate: 0.08 CFS

Maximum Diversion Volume: 5.2 AF

The owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 63-35146

KEN SANGHA 1307 W FORT ST BOISE ID 83702-5004

requests the permit be changed as follows:

Source : GROUND WATER

<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>	<u>Annual Volume</u>
STOCKWATER	01/01 to 12/31	0.04 CFS	2.3 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	2.9 AF

Location of Point(s) of Diversion

GROUND WATER SW¼ SE¼, Sec. 36, Twp 05N, Rge 02W, B.M. CANYON County

GROUND WATER SE¼ SW¼, Sec. 36, Twp 05N, Rge 02W, B.M. CANYON County

Place of Use: STOCKWATER

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
05N	02W	36												X			X		

Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
05N	02W	36												X					

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed this 3rd day of June, 2023

(Signature)

SCANNED

JUN 26 2023

State of Idaho
Department of Water Resources
Application for Amendment
(For Licensing Purposes)
Water Right No. 63-35146

FOR DEPARTMENT USE ONLY

Preliminary check by SG Fee = \$100 Received by SG # 5039821 Date 6/14/2023

ACTION OF THE DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources hereby approves the above Application for Amendment for Permit No. 63-35146 with the following:

Conditions of Approval

1. Domestic use is for 1 home.
2. Stockwater use under rights 63-35145 and 63-35146 when combined shall not exceed a total annual maximum diversion volume of 2.3 af.
3. When ordered by the Director, the right holder shall provide mitigation acceptable to the Director to offset depletion of lower Snake River flows needed for migrating anadromous fish. The amount of water required for mitigation, which is to be released into the Snake River or a tributary for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this right. Any order of the Director issued in accordance with this paragraph shall be in conformance with applicable rules allowing the right holder due process as the need for mitigation and the amount of mitigation are determined.

This amendment is issued pursuant to the provisions of Idaho Code § 42-211.

Signed this 19th day of June, 2023.



COREY SKINNER
Southern Regional Manager

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No: 63-35146
Exam Date: 04/27/2023

1. Current Owner:
KEN SANGHA 1307 W FORT ST BOISE ID 83702-5004
2. Accompanied by: Randi McCallum
Phone No: 208-870-0519
Address: 6780 Willis Rd, Star ID 83669
Relationship to permit Holder: Facility Manager

3. **SOURCE:**
GROUND WATER
GROUND WATER

Method of Determination: On-site inspection

B. OVERLAP REVIEW

1. Other water rights with the same place of use: YES Overlap

Water Right No.	Source	Purpose of Use	Basis
63-35145	Ground Water	Stockwater; Commercial & Irrigation	Permit/License

Comments: The developed Stockwater system combines both water rights

2. Other water rights with the same point-of-diversion: NO Overlap

Water Right No.	Source	Purpose of Use	Basis
63-35145	Ground Water	Stockwater; Commercial & Irrigation	Permit/License

Comments: The Stockwater system utilizes both the domestic and the commercial well

C. DIVERSION AND DELIVERY SYSTEM1. **LOCATION OF POINT(S) OF DIVERSION:**

GROUND WATER SW¼ SE¼, Sec. 36, Twp 05N, Rge 02W, B.M. CANYON County
GROUND WATER SE¼ SW¼, Sec. 36, Twp 05N, Rge 02W, B.M. CANYON County

Method of Determination: on-site inspection

PLACE OF USE: STOCKWATER

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
05N	02W	36												X			X		

PLACE OF USE: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
05N	02W	36												X					

Method of Determination: On-site Inspection

3.

Delivery System Diagram Attached (required). Indicate all major components and distances between components.

X

Indicate weir size/pipe as applicable.

X

Map Attached Showing Location(s) of point(s) of diversion and place(s) of use (required). Scale must be 1:24,000 or greater.

X

Aerial Photo Attached (required for irrigation of 10+ acres).

X

Photo of Diversion and System Attached

4.

Well or Diversion ID No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
D0052893					
3-89-W-200 (Drilling Permit)					

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A						

2. Measurements: No measurement required per IDAPA 37.03.02 Beneficial Use Examination Rules as the flow rate for the diversion (0.08 CFS) falls below the 0.24 cfs or greater flow rate requiring measurement.

E. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method: N/A

F. VOLUME CALCULATIONS

1. Volume Calculations for irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 0.5 \text{ acres} \times 4.5 \text{ afa} = 2.25 \approx 2.3 \text{ af}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$$

2. Volume Calculations for Other Uses:

Domestic:

Standard domestic in-house culinary use 0.6 af + 2.3 af domestic irrigation = **2.9 af**

Stockwater:

Manager indicated that 40 horses are kept on premises year round and up to 300 head (200 cattle & 100 horses) are kept at the facility up to six months a year:

40 head x 12 gpd x 365 days = 175,200 gallons/325,850 = 0.5376 af ≈ 0.54 af

300 head – 40 head = 260 head livestock

260 head x 12 gpd x 183 days = 570,960 gallons/325,850 = 1.75 af

0.54 af + 1.75 af = 2.29 af ≈ **2.3 af**

G. NARRATIVE/REMARKS/COMMENTS

On 4/27/2023 I met with Randi McCallum, Facility Manager at the High Desert Station, to conduct a field exam. What I found was a domestic/stockwater well that had been identified in the wrong location and stockwater use that had been developed in an additional location than as recorded on the application for permit and the approved permit.

The well was originally described as located in the SESW of Sec. 36, but was actually located in the SWSE of Sec. 36. The stockwater use was originally described and permitted as in the SESW of Sec. 36, but was also developed in the SWSE of Sec. 36. On a return trip to the facility on 5/17/2023, a schematic for the stockwater system was requested and emailed to me that day (attached, labeled as High Desert Station Facility Layout). The schematic indicated the stockwater system for this and permit 36-35145 was combined and so, the well used under that right needed to be added to this right prior to licensing. An Amendment has been processed to make the necessary changes that will now be reflected on the permit. Since both rights have stock water use in a combined system, I have added a condition that will limit both rights to a total stockwater diversion volume of 2.3 af.

Recommend licensing 0.04 cfs and 2.3 acre feet for stockwater use, 0.04 cfs and 2.9 acre feet for domestic use, with a total diversion of 0.08 cfs and 5.2 af.

Have conditions of permit approval been met? X Yes No

H. RECOMMENDATIONS**1. Recommended Amounts**

<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>	<u>Annual Volume</u>
STOCKWATER	01/01 to 12/31	0.04 CFS	2.3 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	2.9 AF

Totals: 0.08 CFS 5.2 AF

2. Recommended Amendments

 Change P.D. as reflected above X Add P.D. as reflected above None

 Change P.U. as reflected above X Add P.U. as reflected above None

I. AUTHENTICATION

Bill Mills -

Field Examiner's Name

Date

Reviewer

Date



Figure 1: The domestic place of use



Figure 2: Domestic/stockwater well (just behind hydrant)





Figure 3: Stalls that were developed in the SWSE quarter



Figure 4: More stalls (SESW) and indoor arena

System Diagram





HIGH DESERT STATION FACILITY LAYOUT

Please observe all signage

No trailer parking near stalls please park in trailer parking areas

NO horses in RV parking

Please leave your dogs at home or they must be on Leash at all times

Do not block any driveways so other trailers may get through

Restrooms located in main indoor arena and adjacent to private arena

Showers located in main indoor arena restrooms

If your horse digs a hole please fill in the hole

If you like it clean, keep it clean and pick up after your horse manure carts provided

Dumpsters available for stall cleaning please use them



Enjoy your show!

RECEIVED

FEB 24 2023

DEPARTMENT OF
WATER RESOURCESSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY

Amt. of Fee \$ 200-
Receipt No. C115391
Received By KM
Date Received 2.24.23

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 63-35146 Name of Permit Holder(s) KEN SANGHA
Telephone No. 510 760 3063 Email CCNRASSISTANT@gmail.com
Mailing Address 1307 W FORT ST City BOISE State ID Zip 83702
2. Source of Water Ground Water If Ground Water (well), Date Drilled mo. 1989 / yr. 1989
Drilling Permit/Tag No. 3-89-W200 Drilling Company's Name Canada well
3. Extent of use(s) completed as authorized by the water right permit:
Domestic (No. households) 1 Irrigation (No. acres) Stockwater (No. and stock type) 200 Horses/kattle
Other
4. Total diversion rate or volume (storage only) for which proof is submitted 0.08 cfs OR af
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.
5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)
Well & Pump

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

- ☐ ☐ ☐ Ground water level data, pumping information, or other diversion data
☐ ☐ ☐ Mitigation plan
☐ ☐ ☐ Lockable controlling works
☐ ☐ ☐ Measuring device
☐ ☐ ☐ Fish screen
☐ ☐ ☐ Other requirements of the water right permit
☐ ☐ Reasonably Anticipated Future Needs ("RAFN") Municipal use

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

7. Fee Enclosed \$ 50 or ☐ CWRE field report attached or ☐ No fee required
See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: Ken Telephone No. 510 760 3063 Email Ygi FARMER13@gmail
Mailing Address 1307 W. FORT ST City BOISE State ID Zip 83702

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

SIGNATURE OF PERMIT HOLDER*

PRINTED NAME AND TITLE

DATE

*Attach power of attorney if completing on behalf of permit holder.

SCANNED
MAR 01 2023

Idaho Dept. of Water Resources
Attn: Debby

PO Box 83720

BOISE, ID - 83720-0098



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little
February 28, 2023

Director Gary Spackman

KEN SANGHA
1307 W FORT ST
BOISE ID 83702-5004

PROOF ACKNOWLEDGEMENT LETTER

RE: Permit Nos. 63-35145, 63-35146, and 63-35147

Dear Permit Holder:

The Department acknowledges receipt of the proofs of beneficial use form submitted for the above referenced permits. The next step in the process of developing a water right is for the Department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that Idaho Code § 42-248, requires you or the owner of this water right to maintain current ownership and address records on file with the Department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any Department office or at the Department's website at www.idwr.idaho.gov.

If you have any questions concerning the field examination, please contact the Western Region Office of the Department located in Boise at (208) 334-2190.

Sincerely,

Debbi Judd
Technical Records Specialist

Enclosures

SCANNED
MAR 01 2023

Beneficial Use Proof Evaluation

Permit Number: 63-35146 Reviewer: djudd Review Date: 2/24/2023

Acceptability

- 1) Is the contact on the request the current permit holder? Yes
- 2) Does the address of record need to be updated? No
- 3) Proof Submitted Date: 2/24/2023
- 4) Proof Due Date: 3/1/2023
- 5) Days added for weekend due date? 0
- 6) Days added for holiday due date? 0
- 7) Number of days late: -5
- 8) Proof received timely? Yes

Analysis

- 1) Are the water uses correct? Yes
- 2) Are one of the following items required?
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- No
- 3) Are the required items installed?
 - a. Measuring Device --
 - b. Lockable Device --
 - c. Fish Screen --
- 4) Is there a request to waive the required items?
- 5) Drilling Permit Number: 723412
- 6) Is a drilling permit upgrade needed? No
- 7) Was a well drillers report filed? Yes
- 8) Is proof accepted? Yes

Fees

- 1) Is a licensing exam fee required? Yes
- 2) Was proof submitted with an exam report from a CWE? No
- 3) Filing fee due: \$50.00
- 4) Filing fee submitted: \$50.00
- 5) Remaining fee or (refund): \$0.00

Receipt IDs

W049908

Comments

Proof acknowledged.



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098

Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little
December 30, 2022

Director Gary Spackman

KEN SANGHA
1309 W FORT ST
BOISE ID 83702-5004

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit Nos. 63-35145, 63-35146, & 63-35147

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **March 01, 2023**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Idaho Code § 42-204. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a \$50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this Department on or before the above proof due date. If neither is received, the Department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Debbi Judd
Technical Records Specialist

Enclosures



SCANNED

JAN 03 2023