State of Idaho
Department of Water Resources

Water Right License

Water Right No. 63-35185

Priority: December 22, 2021

Maximum Diversion Rate: 0.66 CFS
Maximum Diversion Volume: 40.2 AF

It is hereby certified that:

CANYON CATTLE FEEDERS C/O SARAH JANE SMITH
7511 WARREN SPUR RD MELBA ID 83641-5231

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 22, 2021, and has submitted Proof of Beneficial Use on April 06, 2023. An examination confirms water is diverted from:

Source : GROUND WATER

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
STOCKWATER	01/01 to 12/31	0.66 CFS	40.2 AF

Location of Point(s) of Diversion

GROUND WATER SE¼ SW¼, Sec. 14, Twp 01S, Rge 02W, B.M. CANYON County
GROUND WATER NE¼ NW¼, Sec. 23, Twp 01S, Rge 02W, B.M. CANYON County
GROUND WATER NE¼ NW¼, Sec. 23, Twp 01S, Rge 02W, B.M. CANYON County

Place of Use: STOCKWATER

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01S	02W	14											X	X					
01S	02W	23					X	X	X	X	X	X							

Conditions of Approval

1. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.
2. When ordered by the Director, the right holder shall provide mitigation acceptable to the Director to offset depletion of lower Snake River flows needed for migrating anadromous fish. The amount of water required for mitigation, which is to be released into the Snake River or a tributary for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this right. Any order of the Director issued in accordance with this paragraph shall be in conformance with applicable rules allowing the right holder due process as the need for mitigation and the amount of mitigation are determined.

SCANNED
MAY 26 2023

State of Idaho
Department of Water Resources

Water Right License

Water Right No. 63-35185

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 23rd day of May, 2023.

SCOTT STORMS
Water Rights Supervisor

SCANNED
MAY 26 2023

State of Idaho
Department of Water Resources

Attachment to Water Right

63-35185

This map depicts the STOCKWATER place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



SCANNED
MAY 26 2023

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No: 63-35185
Exam Date: 04/27/2023

1. Current Owner:
   CANYON CATTLE FEEDERS C/O SARAH JANE SMITH
   7511 WARREN SPUR RD MELBA ID 83641-5231

2. Accompanied by: Sara Jane Smith
   Phone No: 208-850-1797
   Address:
   Relationship to permit Holder:

3. **SOURCE:**
GROUND WATER

Method of Determination: Site visit, aerial imagery

B. OVERLAP REVIEW

1. Other water rights with the same place of use: YES Overlap

Water Right No.	Source	Purpose of Use	Basis
63-7539	Ground Water	Stockwater	Decreed

Comments: Overlapping water right is stockwater use for 5000 cattle

2. Other water rights with the same point-of-diversion: YES Overlap

Water Right No.	Source	Purpose of Use	Basis
63-7539	Ground Water	Stockwater	Decreed

C. DIVERSION AND DELIVERY SYSTEM

1. **LOCATION OF POINT(S) OF DIVERSION:**
GROUND WATER SE¼ SW¼, Sec. 14, Twp 01S, Rge 02W, B.M. CANYON County (1967)
GROUND WATER NE¼ NW¼, Sec. 23, Twp 01S, Rge 02W, B.M. CANYON County (2018 - Primary)
GROUND WATER NE¼ NW¼, Sec. 23, Twp 01S, Rge 02W, B.M. CANYON County (1980)

Method of Determination: (1967) GPS at 43° 19' 47.39" N, 116° 32' 29.69" W
(2018) GPS at 43° 19' 44.83" N, 116° 32' 37.46" W
(1980) GPS at 43° 19' 44.64" N, 116° 32' 37.57" W

PLACE OF USE: STOCKWATER

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01S	02W	14											X	X					
01S	02W	23					X	X	X	X	X	X							

Method of Determination: Field photos and aerial photography used to verify stockwater use site.

SCANNED
MAY 26 2023

3.

X Delivery System Diagram Attached (required). Indicate all major components and distances between components. Indicate weir size/pipe as applicable.

X Map Attached Showing Location(s) of point(s) of diversion and place(s) of use (required). Scale must be 1:24,000 or greater.

N/A Aerial Photo Attached (required for irrigation of 10+ acres).

X Photo of Diversion and System Attached

4.

Well or Diversion ID No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
2018 - Primary	UNK	20		Cerus – Titan P Series	
1980	UNK	10		Cerus – Titan P Series	
1967	UNK	6.5	Gas motor		

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A	N/A	N/A	N/A	N/A	N/A	N/A

2. Measurements: The submersed pumps and conveyance system did not provide suitable circumstances to directly measure the diversion rate.

E. FLOW CALCULATIONS

X Additional Computation Sheets Attached

Measured Method: Pump and motor specification information for the 2018 - primary well provided by the applicant was used to estimate flow. Using the theoretical horsepower equation worksheet and friction head loss calculator, the maximum pump performance at approximately 112' total head and 20hp yields 308 gpm (0.69 cfs) capacity.

This right and water right 63-7539 use the same wells and diversion system, with a combined rate of 1.06 cfs. To test the capacity of the overall system, estimated flow was calculated for the 1980 well. Using pump and motor specification information provided by the applicant, the theoretical horsepower equation worksheet, and friction head loss calculator, the maximum pump performance at approximately 38' total head and 10hp yields 265 gpm (0.59 cfs) capacity. The estimated overall capacity of the system is 1.28 cfs, therefore, this water right does not require combined limits.

Theoretical Irrigation Use = 0.69 cfs

Permitted Total Rate 0.66 cfs

License Recommendation 0.66 cfs

F. VOLUME CALCULATIONS

1. Volume Calculations for irrigation: N/A
2. Volume Calculations for Other Uses: Annual Use of Water for Stockwater Purposes using Processing Memo #3

3000 Cattle x 0.0134 = 40.2 AF

SCANNED

MAY 26 2023

G. NARRATIVE/REMARKS/COMMENTS

A field exam was conducted on 04/27/23 by Senior Water Right Agent Laura McSherry and was accompanied by the applicant, Ms. Sara Jane Smith. The permit was approved on May 31, 2022, and proof of beneficial use was submitted on April 6, 2023.

The three point of diversion (POD) locations were confirmed at ground water well heads in the SESW of Sec 14, T01S, R02W and the NENW of Sec 23, T01S, R02W and are accurately described by the permit. The wells located in the NENW QQ use 20hp and 10hp motors and Cerus – Titan P Series pumps to divert water entirely underground to multiple watering troughs throughout the POU. The well located in the SESW QQ, built in 1967, uses a 6.5 hp motor. The well drilled in 2018 is the primary well. The remaining two wells are connected to the system as a backup if needed. Water right overlap identified water right 63-7539 associated with the ground water PODs. No amendment required to correct the legal descriptions.

The permit authorizes 0.66 cfs for stockwater use within the SWSW and SESW of Sec 14, T01S, R02W and NESW, NWSW, NENW, NWNW, SWNW, SENW of Sec 23, T01S, R02W. ArcMap tools and aerial imagery, supported by photos taken during the field exam, were used to verify the area of stockwater use and 3000 cattle head count. No amendment required to correct the legal description of the POU.

Pump and motor information was provided by the applicant. Using primary well system specifications for the 20 hp motor and Cerus pump with likely discharge pressure range of 20-40 psi, 112 ft of head, and assuming 70% efficiency, a theoretical flow rate of 0.69 cfs was calculated which is more than the permitted rate. The recommended licensed flow rate for stockwater use is 0.66 cfs and the maximum diversion volume for stockwater use is 40.2 AF.

Condition 103 replaced condition 121 per department standards. Condition 046 was removed as construction of the wells is complete and condition X02 was removed per condition use description. Conditions 01M was carried forward to license.

Have conditions of permit approval been met? __X__ Yes _____ No

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
STOCKWATER	01/01 to 12/31	0.66 CFS	40.2 AF
	Totals:	0.66 CFS	40.2 AF

2. Recommended Amendments

_____ Change P.D. as reflected above _____ Add P.D. as reflected above __x__ None

_____ Change P.U. as reflected above _____ Add P.U. as reflected above __x__ None

SCANNED
MAY 26 2023

I. **AUTHENTICATION** Laura McSherry – Water Resource Agent, Sr.

Field Examiner's Name_____ Date 5.22.2023


Reviewer_____ Date 5/23/2023

SCANNED

MAY 26 2023

DELIVERY SYSTEM DIAGRAM

Water Right No. 63-35185



SCANNED
MAY 2 6 2025



SCANNED
MAY 2 6 2023

THEORETICAL HORSEPOWER EQUATION WORKSHEET

Water Right No.:	63-35185				
Examiner:	Laura M	Stockwater Use - Well (POD - 2018)			
Date of Field Exam:	8/23/2022				
		OPTION 1	OPTION 2	OPTION 3	
P/D No.:					
PUMP HORSEPOWER		20	20	20	
BOOSTER HORSEPOWER		0	0	0	
PUMPING LEVEL		112	112	112	
DISCHARGE PRESSURE		20	30	40	
FRICTION		0.15	0.15	0.15	
					AVE
RATE OF FLOW (cfs)		0.78	0.68	0.60	0.69
(gpm)		349.2	304.7	270.3	

The above calculates the formula = $Q = \frac{8.8 * (\text{Efficiency}) * hp}{\text{depth to water} + 2.31*(\text{psi}) + \text{friction}}$

Assumptions: %70 efficiency

SCANNED
MAY 26 2023

Friction Head Loss Calculator

Read Me

Hazen-Williams Method

$$h_f = \frac{10.44(L)(Q)^{1.85}}{(C)^{1.85} d^{4.8655}}$$

Required Input

L =	140	feet (length of pipe)
Q =	300	gpm (flow rate)
d =	10	inches (inside diameter of pipe)

Select Pipe Material Type

steel, welded and seamless

C = 100 unitless (Hazen-Williams Roughness Coeff.)

Output

h_f =	**0.15**	feet (frictional head loss)
	or	
h_f =	**0.07**	psi (frictional head loss)

SCANNED
MAY 2 6 2023

THEORETICAL HORSEPOWER EQUATION WORKSHEET

Water Right No.: 63-35185
Examiner: Laura M
Date of Field Exam: 8/23/2022

Stockwater Use - Well (POD - 1980)

P/D No.:	OPTION 1	OPTION 2	OPTION 3	
PUMP HORSEPOWER	10	10	10	
BOOSTER HORSEPOWER	0	0	0	
PUMPING LEVEL	38	38	38	
DISCHARGE PRESSURE	20	30	40	
FRICTION	0.13	0.13	0.13	
				AVE
RATE OF FLOW (cfs)	0.73	0.57	0.47	0.59
(gpm)	327.9	257.4	211.8	

The above calculates the formula =

$$Q = \frac{8.8 * (\text{Efficiency}) * hp}{\text{depth to water} + 2.31*(\text{psi}) + \text{friction}}$$

Assumptions: %70 efficiency

SCANNED
MAY 2 6 2023

Friction Head Loss Calculator

Read Me

Hazen-Williams Method

$$h_f = \frac{10.44(L)(Q)^{1.85}}{(C)^{1.85} d^{4.8655}}$$

Required Input

L =	92	feet (length of pipe)
Q =	340	gpm (flow rate)
d =	10	inches (inside diameter of pipe)

Select Pipe Material Type


steel, welded and seamless

C = 100 unitless (Hazen-Williams Roughness Coeff.)


Output

h_f =	**0.13**	feet (frictional head loss)
	or	
h_f =	**0.05**	psi (frictional head loss)

SCANNED
MAY 2 6 2023



SCANNED
MAY 26 2023


VFD-2
10 HP
90 GPM
1980
DRV▶T/K 0.0 A
00 STP 60.0 PSI
CERUS
MODE
ENTER
SHIFT
TITAN
P SERIES
SCANNED
MAY 6 2023

Form 238-7
6/07

63

2018

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

1. WELL TAG NO. D 0080034
Drilling Permit No. 887235 ✓
Water right or injection well # 63-7539

2. OWNER:
Name Canyon Cattle Feeders
Address 7511 Warren Spur Rd
City Melba State Id Zip 83641

3.WELL LOCATION:
Twp. 1 North ☐ or South ☒ Rge. 2 East ☐ or West ☒
Sec. 23 ____ 1/4 (10 acres) ne 1/4 (40 acres) nw 1/4 (160 acres)
Gov't Lot ____ County Canyon
Lat. 43 ° 19,747 (Deg. and Decimal minutes)
Long. 116 ° 32.623 (Deg. and Decimal minutes)
Address of Well Site 7511 Warren Spur Rd
(Give at least name of road + Distance to Road or Landmark) City Melba
Lot. ____ Blk. ____ Sub. Name ____

4. USE:
☐ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation ☐ Thermal ☐ Injection
☐ Other live stock

5. TYPE OF WORK:
☒ New well ☐ Replacement well ☐ Modify existing well
☐ Abandonment ☐ Other ____

6. DRILL METHOD:
☒ Air Rotary ☐ Mud Rotary ☐ Cable ☐ Other ____

7. SEALING PROCEDURES:

Seal material	From (ft)	To (ft)	Quantity (lbs or ft³)	Placement method/procedure
3/8 bentonite	0	93	1250.lbs	pour

8. CASING/LINER:

Diameter (nominal)	From (ft)	To (ft)	Gauge/ Schedule	Material	Casing	Liner	Threaded	Welded
10	1	118	.250	steel	☒	☐	☐	☒
					☐	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 118

9. PERFORATIONS/SCREENS:
Perforations ☐ Y ☒ N Method ____
Manufactured screen ☐ Y ☒ N Type ____
Method of installation ____

From (ft)	To (ft)	Slot size	Number/ft	Diameter (nominal)	Material	Gauge or Schedule

Length of Headpipe ____ Length of Tailpipe ____
Packer ☐ Y ☒ N Type ____

10.FILTER PACK:

Filter Material	From (ft)	To (ft)	Quantity (lbs or ft³)	Placement method

11. FLOWING ARTESIAN:
Flowing Artesian? ☐ Y ☒ N Artesian Pressure (PSIG) ____
Describe control device ____

12. STATIC WATER LEVEL and WELL TESTS:
Depth first water encountered (ft) 63 Static water level (ft) 32
Water temp. (°F) 57 Bottom hole temp. (°F) ____
Describe access port ____

Well test:

Drawdown (feet)	Discharge or yield (gpm)	Test duration (minutes)	Test method: Pump	Bailer	Air	Flowing artesian
80	300	5 hr	☐	☐	☒	☐
			☐	☐	☐	☐

Water quality test or comments: ____

13. LITHOLOGIC LOG and/or repairs or abandonment:

Bore Dia. (in)	From (ft)	To (ft)	Remarks, lithology or description of repairs or abandonment, water temp.	Water Y	Water N
15	0	63	black cinders		X
15	63	92	brown and blue clay w/sand strips	X	
15	92	98	blue clay		X
10	98	120	blue and brown clay		X
10	120	140	concreted gravel and lava	X	

RECEIVED
OCT 26 2018
WATER RESOURCES
WESTERN REGION

Completed Depth (Measurable): 138
Date Started: 8-20-18 Date Completed: 9-24-18

14. DRILLER'S CERTIFICATION:
I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name Waterpro Well Drilling Co. No. 626
*Principal Driller Monte Post Date 10-10-18
*Driller ____ Date ____
*Operator II [signature] Date 10-10-18
Operator I ____ Date ____

* Signature of Principal Driller and rig operator are required.

SCANNED
MAY 26 2023

1980

USE TYPEWRITER OR BALL POINT PEN

State of Idaho
Department of Water Resources

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name E.T. Evans
Address 9990 Roan Meadows Dr. Boise, ID 83709

Owner's Permit No. _____

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement

☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Other (specify type)

☐ Municipal ☐ Industrial ☒ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED

☒ Cable ☐ Rotory ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 10 inches Total depth 92 feet
Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
.250 inches	10 inches	+ 1.5 feet	92 feet
.250 inches	8 inches	89 feet	92 feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☒ Yes ☐ No
Perforated? ☒ Yes ☐ No
How perforated? ☒ Factory ☐ Knife ☐ Torch
Size of perforation 3 inches by .125 inches

Number		From	To
24 per ft	perforations	20 feet	82 feet
" " "	perforations	89 feet	92 feet
_____	perforations	_____ feet	_____ feet


Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter ___ Slot size ___ Set from _____ feet to _____ feet
Diameter ___ Slot size ___ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal depth 20 Material used in seal ☐ Cement grout ☒ Puddling clay ☐ Well cuttings
Sealing procedure used ☒ Slurry pit ☐ Temporary surface casing ☐ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____
Lot No. _____ Block No. _____
County Canyon
S.E.¼ S.W.¼ Sec. 14, T. 1 S. N/S, R. 2 W. E/W

7. WATER LEVEL

Static water level 30 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature _____ ° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☒ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped
340	8	6

9. LITHOLOGIC LOG 88927

Hole Diam.	Depth From	Depth To	Material	Water Yes	Water No
10	0	69	black cinders	X	
10	69	95	cinders with clay	X	
10	95		blue clay		X

RECEIVED
DEC 22 1980
Department of Water Resources
Western Regional Office

DEC 24 1980
Department of Water Resources

10.
Work started 4/30/80 finished 8/12/80

11. DRILLERS CERTIFICATION

Firm Name Engleman Well Drilling Firm No. 47
Address Rt. 3 Box 3397A Nampa, ID 83651 Date 8/14/80
Signed by (Firm Official) Tony Engleman
and
(Operator) Tony Engleman

USE ADDITIONAL SHEETS IF NECESSARY FORWARD THE WHITE COPY TO THE DEPARTMENT

MICROFILMED

SCANNED
MAY 26 2023

1967

#4

RECEIVED
DEC 26 1967
Department of Reclamation


REPORT OF WELL DRILLER
State of Idaho

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:
Name Rex Jennsen
Address Melba Idaho

Owner's Permit No.
NATURE OF WORK (check): Replacement well ☐
New well ☑ Deepened ☐ Abandoned ☐
Water is to be used for: stock water
METHOD OF CONSTRUCTION: Rotary ☐ Cable ☑
Dug ☐ Other
(explain)
CASING SCHEDULE: Threaded __ Welded __
10 "Diam. from +1 ft. to 35 ft.
"Diam. from ft. to ft.
"Diam. from ft. to ft.
"Diam. from ft. to ft.
Thickness of casing: ¼" Material:
Steel ☑ concrete ☐ wood ☐ other ☐
(explain)
PERFORATED? Yes ☑ No ☐ Type of perforator used: Torch
Size of perforations: ¾" by 6"
100 perforations from 14 ft. to 34 ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
WAS SCREEN INSTALLED? Yes ☐ No ☑
Manufacturer's name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.
CONSTRUCTION: Well gravel packed? Yes ☐
No. ☑ size of gravel Gravel placed from ft. to ft. Surface seal provided? Yes ☐ No ☐ To what depth? ft. Material used in seal:
Did any strata contain unusable water? Yes ☐
No. ☑ Type of water:
Depth of strata ft. Method of sealing strata off:
Surface casing used? Yes ☐ No. ☑
Cemented in place? Yes ☐ No ☐

Locate well in section



LOCATION OF WELL: County CANYON
SE¼ SW¼ Sec. 14 T. 1 ☐N/S R. 2 ☐E/W
SE SW

Size of drilled hole: 10" Total depth of well: 64' Standing water level below ground: 19' Temp. Fahr. 58° Test delivery: 350 gpm or cfs Pump? ☑ Bail ☐
Size of pump and motor used to make test: 8" - 65 HP GAS MOTOR.
Length of time of test: 3 Hrs. Min.
Drawdown: 24 ft. Artesian pressure: ft. above land surface Give flow cfs or gpm. Shutoff pressure:
Controlled by: Valve ☐ Cap ☐ Plug ☐
No control ☐ Does well leak around casing? Yes ☐ No ☐

DEPTH FROM FEET	DEPTH TO FEET	MATERIAL 31827	WATER YES OR NO
0	2	Soil Sandy	
2	6	Clay BROWN	
6	34	Clay with Boulders	Yes
34	60	Rock BLACK HARD	NO
60	64	BROKEN ROCK	Yes

Work started: Dec-2-67
Work finished: 12-13-67
Well Driller's Statement: This well was drilled under my supervision and this report is true to the best of my knowledge.
Name: Holloway Drilling Co.
Address: ONTARIO ORE.
Signed by: Max Holloway
License No. 53 Date: 12-23-67

Use other side for additional remarks

USGS SCANNED
MAY 26 2023




Fig. 1 – Location of two wells located in the NENW QQ. View looking SW towards the POU.



Fig. 2 – Location of primary well constructed in 2018.

GPS'd at:

43° 19' 44.83" N

116° 32' 37.46" W

SCANNED

MAY 2 6 2023



Fig. 3 – Primary well tag no 0080034.




Fig. 4 – One of two backup wells located in the small underground pumphouse.

GPS'd at:

43° 19' 44.64" N

116° 32' 37.57" W

SCANNED

MAY 26 2023




Fig. 5 – One of two backup wells located in the SESW QQ. View looking SW towards the POU. Other POD locations pointed to in foreground.




Fig. 6 – Well accessible by cellar entrance. View looking SE.

GPS'd at:

43° 19' 47.39" N

116° 32' 29.69" W

SCANNED

MAY 26 2023




Fig. 7 – Photos of the POU boundaries circumvent the area starting at the NE corner, travelling counterclockwise.

Lots within the NENW and NWNW sections of the POU. View looking W.




Fig. 8 – Lots within the SESW and SWSW section of the POU. View looking N.

SCANNED
MAY 2 6 2023



Fig. 9 – Lot within the NWNW section of the POU. View looking N.




Fig. 10 – Lots within the NENW and SENW sections of the POU. View looking SE.

SCANNED
MAY 2 6 2023




Fig. 10 – Lots within the SENW and NESW sections of the POU. View looking S.




Fig. 11 – Lots within the SWNW and NWSW sections of the POU. View looking SW.

SCANNED
MAY 2 6 2023

Form 42-217 Rev. 6/22

RECEIVED

APR 0 6 2023

DEPARTMENT OF WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEMENT OF COMPLETION

FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY	
Amt. of Fee $	100
Receipt No.	C115804
Receipted By	RM
Date Receipted	4.6.23

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 63-35185 Name of Permit Holder(s) Canyon Cattle Feeders
   Telephone No. 208-550-5044 Email canyoncattlefeeders@gmail.com
   Mailing Address 7511 Warren Spur Rd City Melba State ID Zip 83641
2. Source of Water Ground Water If Ground Water (well), Date Drilled mo. 10 / yr. 2018
   Drilling Permit/Tag No. 887235 Drilling Company's Name Water Pro Well Drilling
3. Extent of use(s) completed **as authorized by the water right permit**:
   Domestic (No. households) 3 Irrigation (No. acres) _____ Stockwater (No. and stock type) 8000 head
   Other _____
4. Total diversion rate or volume (storage only) for which proof is submitted .66 cfs OR _____ af
   If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.
5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)
   Pump
6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required?	Yes	No	(If "Yes", attach required data, evidence of compliance, or evidence of installation)
☐	☐	☐	Ground water level data, pumping information, or other diversion data
☐	☐	☐	Mitigation plan
☐	☐	☐	Lockable controlling works
☐	☐	☐	Measuring device
☐	☐	☐	Fish screen
☐	☐	☐	Other requirements of the water right permit _____
	☐	☐	Reasonably Anticipated Future Needs ("RAFN") Municipal use

   If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No
7. Fee Enclosed $ 100.00 or ☐ CWRE field report attached or ☐ No fee required
   See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.
8. Person to contact to accompany a Department representative during the field examination of the water system:
   Name Sarah Jane Smith Telephone No 208-850-1797 Email canyoncattlefeeders@gmail.com
   Mailing Address 7511 Warren Spur Rd City Melba State ID Zip 83641

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

Sarah Jane Smith — Sarah Jane Smith — 4/3/23

SIGNATURE OF PERMIT HOLDER* PRINTED NAME AND TITLE DATE

*Attach power of attorney if completing on behalf of permit holder.

SCANNED
APR 10 2023

IDAHO DEPARTMENT OF
WATER RESOURCES

Western Region • 2735 W Airport Way • Boise, ID 83705-5082
Phone: 208-334-2190 • Fax: 208-334-2348 • Email: westerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little **Director Gary Spackman**

May 24, 2023

CANYON CATTLE FEEDERS
C/O SARAH JANE SMITH
7511 WARREN SPUR RD
MELBA ID 83641-5231

RE: License No. 63-35185

ISSUANCE OF LICENSE

Dear Water Right Holder(s):

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 605-4624.

Sincerely,

Lynne Evans

for Scott Storms
Water Rights Supervisor

Enclosure(s)

SCANNED
MAY 26 2023

CERTIFICATE OF SERVICE

I hereby certify that on May 24, 2023, I served a true and correct copy of Water Right License No. 63-35185 by U.S. Mail, postage prepaid, to the following:

CANYON CATTLE FEEDERS
C/O SARAH JANE SMITH
7511 WARREN SPUR RD
MELBA ID 83641-5231

Lynne Evans
Administrative Assistant I

SCANNED
MAY 26 2023

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

SCANNED
MAY 26 2023

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

> Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:
>
> (a) The petition for reconsideration is disposed of; or
> (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

i. A hearing was held,
ii. The final agency action was taken,
iii. The party seeking review of the order resides, or
iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

SCANNED
MAY 26 2023

IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little **Director Gary Spackman**

April 7, 2023

CANYON CATTLE FEEDERS
C/O SARAH JANE SMITH
7511 WARREN SPUR RD
MELBA ID 83641-5231

PROOF ACKNOWLEDGEMENT LETTER

RE: Permit No. 63-35185

Dear Permit Holder:

The Department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the Department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that Idaho Code § 42-248, requires you or the owner of this water right to maintain current ownership and address records on file with the Department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any Department office or at the Department's website at www.idwr.idaho.gov.

If you have any questions concerning the field examination, please contact the Western Region Office of the Department located in Boise at (208) 334-2190.

Sincerely,

Debbi Judd
Technical Records Specialist

Enclosures

SCANNED
APR 10 2023

Beneficial Use Proof Evaluation

Permit Number: 63-35185 Reviewer: djudd Review Date: 4/6/2023

Acceptability

1) Is the contact on the request the current permit holder? Yes
2) Does the address of record need to be updated? No
3) Proof Submitted Date: 4/6/2023
4) Proof Due Date: 6/1/2023
5) Days added for weekend due date? 0
6) Days added for holiday due date? 0
7) Number of days late: -56
8) Proof received timely? Yes

Analysis

1) Are the water uses correct? Yes
2) Are one of the following items required?
    a. Measuring Device -- No
    b. Lockable Device --No
    c. Fish Screen -- No
3) Are the required items installed?
    a. Measuring Device --
    b. Lockable Device --
    c. Fish Screen --
4) Is there a request to waive the required items?
5) Drilling Permit Number: 887235
6) Is a drilling permit upgrade needed? No
7) Was a well drillers report filed? Yes
8) Is proof accepted? Yes

Fees

1) Is a licensing exam fee required? Yes
2) Was proof submitted with an exam report from a CWE? No
3) Filing fee due: $100.00
4) Filing fee submitted: $100.00
5) Remaining fee or (refund): $0.00

Receipt IDs

W050000, W050000

Comments

Proof acknowledged

IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little
Director Gary Spackman

March 31, 2023

CANYON CATTLE FEEDERS
C/O SARAH JANE SMITH
7511 WARREN SPUR RD
MELBA ID 83641-5231

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit No. 63-35185

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **June 01, 2023**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Idaho Code § 42-204. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a $50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this Department on or before the above proof due date. If neither is received, the Department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Debbi Judd
Technical Records Specialist

Enclosures

CERTIFIED MAIL
7021 1970 0000 0024 4281
NO

SCANNED
MAR 31 2023