State of Idaho
Department of Water Resources

Water Right License

Water Right No. 65-23736

Priority: October 18, 2017 **Maximum Diversion Rate:** 0.05 CFS

It is hereby certified that:

TERRY HEWITT 14523 W ELMSPRINGS ST BOISE ID 83713-1290 AND/OR
JAMES S HEWITT 14523 W ELMSPRINGS ST BOISE ID 83713-1290

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 18, 2017, and has submitted Proof of Beneficial Use on November 03, 2022. An examination confirms water is diverted from:

Source : NORTH FORK PAYETTE RIVER **Tributary:** PAYETTE RIVER

Beneficial Use	Period of Use	Rate of Diversion
IRRIGATION	04/01 to 10/31	0.05 CFS

Location of Point(s) of Diversion
NORTH FORK PAYETTE RIVER L5 (SE¼ SE¼), Sec. 3, Twp 11N, Rge 03E, B.M. VALLEY County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
11N	03E	3													0.9 L5			0.7 L5	1.6

Total Acres: 1.6

Conditions of Approval

1. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the place of use.
2. Diversion works shall be limited to pump installations that do not create an obstruction in the river.
3. Use of water under this right may be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 65.
4. The right holder shall contact the watermaster by June 15 each year for authorization to continue diverting and using water. The right holder shall not divert water after June 15 each year unless the watermaster authorizes continued diversion and use of water under this water right. When the watermaster informs the right holder that water is not available to fill this right, the right holder shall cease diversion, shall rent water from the Payette River Rental Pool, or shall otherwise mitigate for the depletion of water caused by this water use. The department may amend the contact date listed in this administrative provision to more closely coincide with the date when water is not available to fill this water right.
5. When notified by the Department, the right holder shall install and maintain a measuring device of a type acceptable to the Department as part of the diverting works.
6. When ordered by the Director, the right holder shall provide mitigation acceptable to the Director to offset depletion of lower Snake River flows needed for migrating anadromous fish. The amount of water required for mitigation, which is to be released into the Snake River or a tributary for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of

SCANNED
DEC 02 2022

State of Idaho
Department of Water Resources

Water Right License

Water Right No. 65-23736

water pursuant to this right. Any order of the Director issued in accordance with this paragraph shall be in conformance with applicable rules allowing the right holder due process as the need for mitigation and the amount of mitigation are determined.

7. A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.
8. This right does not grant any right-of-way or easement across the land of another.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 30th day of November, 2022.

PHILL HUMMER
Water Rights Supervisor

SCANNED
DEC 02 2022

State of Idaho
Department of Water Resources

Attachment to Water Right License

65-23736

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

03E

11N



Place Of Use Boundary
Townships
PLS Sections
Quarter Quarters
Point of Diversion

0 0.035 0.07 0.14 Miles

N

SCANNED
DEC 02 2022

Form 42-217 Rev. 6/22

RECEIVED
NOV 03 2022
DEPARTMENT OF WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEMENT OF COMPLETION

FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY	
Amt. of Fee $	50.00
Receipt No.	C114548
Receipted By	KH
Date Receipted	11.3.22

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 65-23736 Name of Permit Holder(s) James + Terry Hewitt

Telephone No. 208-861-8157 Email TJHHEWITT@Hotmail.Com

Mailing Address 14523 W. Elmsprings St. City Boise State ID Zip 83713

2. Source of Water No. Fork Payette River If Ground Water (well), Date Drilled mo. N/A / yr. _____

Drilling Permit/Tag No N/A Drilling Company's Name N/A

3. Extent of use(s) completed **as authorized by the water right permit**:

Domestic (No. households) _____ Irrigation (No. acres) 2.0 Stockwater (No. and stock type) _____

Other Water used to Sprinkle/Water Meadow in Front of Cabins

4. Total diversion rate or volume (storage only) for which proof is submitted 0.03 cfs OR _____ af

If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.

5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)

1 hp Pump with 2" PVC Pipe to Hose Bibs to use a Regular Hose & Sprinklers.

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required?	Yes	No	(If "Yes", attach required data, evidence of compliance, or evidence of installation)
☐	☐	☒	Ground water level data, pumping information, or other diversion data
☐	☐	☒	Mitigation plan
☒	☒	☐	Lockable controlling works - Cable Locking Pump to Post next to Pump System.
☐	☐	☒	Measuring device
☒	☒	☐	Fish screen
☐	☐	☒	Other requirements of the water right permit _____
	☐	☒	Reasonably Anticipated Future Needs ("RAFN") Municipal use

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

7. Fee Enclosed $ 50.00 or ☐ CWRE field report attached ? or ☐ No fee required ?

See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: Terry Hewitt or Jim Hewitt Telephone No. 208 861-8157 Email TJHHEWITT@hotmail.com

Mailing Address 14523 W Elmsprings St City Boise State ID Zip 83713

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

Terry Hewitt — Terry Hewitt - Land Owner — Oct. 4, 2022

SIGNATURE OF PERMIT HOLDER* PRINTED NAME AND TITLE DATE

*Attach power of attorney if completing on behalf of permit holder.

SCANNED DEC 02 2022 Nov. 1, 2022

Close

Water Permit Report: 65-23736(Active)

Water Right Owners

Owner Type	Name	Address	City	State	Postal Code
Current Owner	HEWITT, JAMES S	14523 W ELMSPRINGS ST	BOISE	ID	83713
Current Owner	HEWITT, TERRY	14523 W ELMSPRINGS ST	BOISE	ID	83713
Representative	HDR INC	C/O LORI GRAVES 300 E MALLARD DR STE 350	BOISE	ID	83706-6660

Water Permit Status

Priority Date : 10/18/2017
Status : Active

Water Source

Source	Tributary	Tributary Qualifier
NORTH FORK PAYETTE RIVER	PAYETTE RIVER	

Points Of Diversion (Location)

Source	Township	Range	Section	QQQ	QQ	Q	County	Diversion Type
NORTH FORK PAYETTE RIVER	11N	03E	3		SE	SE	VALLEY	

Water Uses

Beneficial Use	From	To	Diversion Rate	Volume
IRRIGATION	04/01	10/31	0.06 CFS	

Places of Use

Printable View | Paged View

Place of Use Legal Description : IRRIGATION (VALLEY county)

Township	Range	Section	Lot	QQQ	QQ	Q	Acres
11N	03E	3	5		NE	SE	2.5
11N	03E	3	5		SE	SE	1.5

Irrigation Totals

Total Acres	Acre Limit
4.00	2.00

Conditions

Code	Condtions
X27	This right is limited to the irrigation of 2.0 acres within the authorized place of use in a single irrigation season.
R66	This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the place of use. Diversion works shall be limited to pump installations that do not create an obstruction in the river.
R05	Use of water under this right may be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 65.

SCANNED
DEC 02 2022

01H Prior to diversion of water under this right, the right holder shall install a lockable device, subject to the approval of the Department, in a manner that will provide the watermaster suitable control of the diversion.

01R When notified by the Department, the right holder shall install and maintain a measuring device of a type acceptable to the Department as part of the diverting works.

185 The right holder shall contact the watermaster by June 15 each year for authorization to continue diverting and using water. The right holder shall not divert water after June 15 each year unless the watermaster authorizes continued diversion and use of water under this water right. When the watermaster informs the right holder that water is not available to fill this right, the right holder shall cease diversion, shall rent water from the Payette River Rental Pool, or shall otherwise mitigate for the depletion of water caused by this water use. The department may amend the contact date listed in this administrative provision to more closely coincide with the date when water is not available to fill this water right.

26A Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.

121 The Director retains jurisdiction to require the right holder to provide purchased or leased natural flow or stored water to offset depletion of Lower Snake River flows if needed for salmon migration purposes. The amount of water required to be released into the Snake River or a tributary, if needed for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this permit.

Dates

Licensed Date :
Decreed Date :
Permit Proof Due Date : 12/1/2022
Permit Proof Made Date :
Permit Approved Date : 12/12/2017
Permit Moratorium Expiration Date :
Enlargment Use Priority Date :
Enlargement Statute Priority Date :
Water Supply Bank Enrollment Date Accepted :
Water Supply Bank Enrollment Date Removed :
Application Recevied Date: 10/18/2017
Protest Deadline Date: 12/4/2017

Other Information

State or Federal :
Water District Number : 65
Generic Max Rate Per Acre : 0.03
Generic Max Volume Per Acre : 3
Civil Case Number :
Decree Plantiff :
Decree Defendant :
Swan Falls Trust or Nontrust :
Swan Falls Dismissed :
DLE Act Number :
Cary Act Number :
Mitigation Plan: False

IDAHO DEPARTMENT OF WATER RESOURCES 8/24/2022

© 2021 - ExternalSearch - Privacy


SCANNED
DEC 02 2022

State of Idaho
Department of Water Resources

Attachment to Permit to Appropriate Water

65-23736

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



0 0.035 0.07 0.14 Miles

- Point of Diversion
- Place Of Use Boundary
- Townships
- PLS Sections

N

SCANNED
DEC 02 2022

We are Watering just this Small area in Front of the Cabin.

210 ft Wide

90 ft Deep

INVOICE

GROVER Electric and Plumbing Supply



5730 West Frank[illegible] Road
Boise, ID. 83705
(208) 342-6576
M-F 8:00 am - 6:00 pm
SAT 8:00 am - 5:00 pm
SUN 9:00 am - 4:30 pm

BB30761
Page 1 of 1
Date: August 15, 2022

Sold To:
NON-CHARGE ACCOUNT

Receipt of Equipment

Sold By: MERLE

					PO/Job
1	EA	97101001	FRANKLIN E - RL-SPRK100 1 HORSE CENTRIFUGAL PUMP 120/240	369.51	369.51
1	EA	FVNL200	MERRILL MA - 2" BRASS FOOT VALVE WITH STAINLESS STEEL	61.62	61.62
2	EA	436 020	DURA PLAST - 2" PVC MALE ADAPTER	2.39	4.78
1	LGTH	50830	CRESLINE N - 2" X 10FT LGTH SCH 40	20.61	20.61
1	EA	406 020	DURA PLAST - 2" PVC 90 ELBOW	3.72	3.72
1	EA	76001	MILL-ROSE - 4 OZ 1/4 PINT BLUE MONSTER INDUSTRIAL GRADE THRE	9.08	9.08
1	EA	13754	IPS CORPOR - #750 4 OZ. PVC BLUE HOT WELD MEDIUM BODIED	6.39	6.39
1	EA	4347000260	ASC ENGINE - 1 1/2" IPS FUSAN GATE VALVE 200 LB. WOG	36.46	36.46
2	EA	4631611270	ASC ENGINE - 1 1/2" GALV TEE	14.89	29.78
5	EA	4366001680	ASC ENGINE - 3/4" MALE HOSE BIBB LD NOT FOR POTABLE WATER INSTALLATION OR REPAIR	9.37	46.85
4	EA	4630912410	ASC ENGINE - 1 X 2 GALV NIPPLE	2.40	9.60
3	EA	4630913210	ASC ENGINE - 1 1/2 X 2 GALV NIPPLE	3.12	9.36
3	EA	4631610260	ASC ENGINE - 1" X 3/4" X 1" GALV TEE	9.47	28.41
1	EA	4631610030	ASC ENGINE - 1" X 3/4" GALV 90 DEGREE REDUCING ELBOW	5.69	5.69
1	EA	4631608220	ASC ENGINE - 1 1/2" X 3/4" GALV REDUCE BUSHING	8.41	8.41
1	EA	4631608230	ASC ENGINE - 1 1/2" X 1" GALV REDUCING BUSHING	8.41	8.41

SubTotal	658.68
Tax	39.52
Total	698.20

Do It Yourself and Save

Save this Invoice for Refunds or Adjustments
For Details go to www.GroverElectric.com

SCANNED
DEC 02 2022

RED LION

EN ENGLISH

SPRINKLER PUMPS
RL-SPRK Series

Owner's Manual



1 HP AND 1-1/2 HP MODELS ARE DUAL VOLTAGE (115/230 VOLTS) AND FACTORY SET FOR 230 VOLTS.

SEE VOLTAGE SETTING INSTRUCTIONS TO SET FOR 115 VOLTS.

redlionproducts.com

Table of Contents

Before Getting Started 2
Introduction 3
Plug Descriptions and Socket Sizes 3
Voltage Setting Instructions 3
Installation 4
Operation 6
Maintenance 7
Troubleshooting 8
Replacement Parts 9
Limited Warranty 10

SCANNED
DEC 12 2022

Fwd: Hewitt Water Rights Smiths Ferry. Fwd: WATER METER QUOTE

terry hewitt <tjhhewitt@hotmail.com>
Tue 8/30/2022 7:00 PM
To: terry hewitt <tjhhewitt@hotmail.com>

Discussion of Flow Meter

Sent from my iPhone

Begin forwarded message:

From: terry hewitt <tjhhewitt@hotmail.com>
Date: August 24, 2022 at 1:06:29 PM MDT
To: "Graves, Lori" <Lori.Graves@hdrinc.com>
Subject: Re: Hewitt Water Rights Smiths Ferry. Fwd: WATER METER QUOTE

Thank you so much Lori! I really appreciate all your help through this!!! Have a fabulous day!!

Sent from my iPhone

On Aug 24, 2022, at 12:52 PM, Graves, Lori <Lori.Graves@hdrinc.com> wrote:

Terry,
DO NOT write a check. You do not need a flow meter until notified by the Department (see your permit conditions below). All you need at this point is lockable controlling works, which can easily be done with the power to your pump. At this point, your good to go.

Lori Graves, Sr. Water Rights Specialist
D 208.872.9519 **M** 208.850.4601

hdrinc.com/follow-us

From: terry hewitt <tjhhewitt@hotmail.com>
Sent: Tuesday, August 23, 2022 5:02 PM
To: Graves, Lori <Lori.Graves@hdrinc.com>
Subject: Hewitt Water Rights Smiths Ferry. Fwd: WATER METER QUOTE

CAUTION: [EXTERNAL] This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

SCANNED
DEC 02 2022

Oh my gosh! We Finally got power to a one horse power pump installed with the electrical and have been looking all over for a flow meter to match the description you

all sent me. We have less than 2 acres of meadow I like to water for the wildflowers , birds and the bees.. In June July and August. Is $2000 really what I have to spend to do this for this little land and water for water rights? Just checking before I write the check!!

Sent from my iPhone

Begin forwarded message:

From: terry hewitt <tjhhewitt@hotmail.com>
Date: August 23, 2022 at 4:43:02 PM MDT
To: Christian Cuevas <Christian.Cuevas@silvercreeksupply.com>
Subject: Re: WATER METER QUOTE

Ok thank you! I'll be in touch tomorrow I'm headed out at right now

Sent from my iPhone


On Aug 23, 2022, at 3:49 PM, Christian Cuevas <Christian.Cuevas@silvercreeksupply.com> wrote:

I was able to find a water meter in stock for you with one of our vendors. Please review the quote and let me know what your thoughts are!

Christian Cuevas
Inside Sales/Management Team (MIT)

Mobile: (208) 365-8037
Branch: (208) 463-0519
Email Christian.Cuevas@heritagelsg.com
Address: 11427 West Executive Blvd. Boise ID 83713

SCANNED
DEC 02 2022



Pump to River
Pictured on
October 25th
& Water Level
Low For Winter

SCANNED
DEC 02 2022



Hose Bibs

SCANNED
DEC 02 2022



Pump + Lockable Device

SCANNED
DEC 12 2022



Locable Device

SCANNED
DEC 02 2022




2" PVC
Pipe - 20 Ft
to River

SCANNED
DEC 12 2022



Screen attached to PVC Pipe into River

SCANNED
DEC 02 2022




Area to Water


210 ft wide

90 ft to Cabin

DEC 12 2022



SCANNED
DEC 02 2022



SCANNED
DEC 12 2022

IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little **Director Gary Spackman**

December 2, 2022

JAMES S HEWITT
TERRY HEWITT
14523 W ELMSPRINGS ST
BOISE ID 83713-1290

RE: License No. 65-23736

ISSUANCE OF LICENSE

Dear Water Right Holders:

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,

for Phill Hummer
Water Rights Supervisor

Enclosures

SCANNED
DEC 02 2022

CERTIFICATE OF SERVICE

I hereby certify that on December , 2022, I served a true and correct copy of Water Right License No. 65-23736 by U.S. Mail, postage prepaid, to the following:

JAMES S HEWITT (Current Owner)
14523 W ELMSPRINGS ST
BOISE ID 83713-1290

TERRY HEWITT (Current Owner)
14523 W ELMSPRINGS ST
BOISE ID 83713-1290

HDR INC (Representative)
C/O LORI GRAVES – *via email*
300 E MALLARD DR STE 350
BOISE ID 83706-6660
Lori.graves@hdrinc.com

WATER DISTRICT #65 - *via email*
NEIL SHIPPY - WD 65 (Watermaster)
102 N MAIN ST
PAYETTE ID 83661-2522
Neil.waterdistrict65@gmail.com

Debbi Judd
Technical Records Specialist

SCANNED
DEC 12 2022

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No: 65-23736
Exam Date: 11/25/2022

1. Does this qualify for an in-office field exam (IDAPA 035.02.r)? __X__Y ____N
   a. Irrigation of 5 acres or less
   b. Storage of up to 14.6 AF for stockwater purposes only
   c. Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
   d. Other < >

2. Current Owner: Name: James and Terry Hewitt
   Owner of Record Correct? __X__Y ____N
   Address of Record Correct? __X__Y ____N
   If No: Address

According to GIS and Tax Parcel Data the owner of the property is James and Terry Hewitt

3. Beneficial Use Fees have been paid: __X__Y ____N Receipt No: ~~W045766~~ C114548

4. **SOURCE** **TRIBUTARY**
   North Fork Payette River Payette River

Method of Determination: GIS and Tax Parcel Data

Change in Source: ____Y ___X__N

B. OVERLAP REVIEW

1. Other water rights with the same place of use: No Overlap

Water Right No.	Source	Purpose of Use	Basis
N/A			

Comments: **There is one water right, 65-2641, to the west, adjacent to the property, but the places of use do not overlap.**

2. Other water rights with the same point of diversion: No Overlap

Water Right No.	Source	Purpose of Use	Basis
N/A			

Comments: **Right 65-2641 has a different point of diversion, from Scout Creek, tributary to the Payette River.**

C. DIVERSION AND DELIVERY SYSTEM

1. **LOCATION OF POINT(S) OF DIVERSION:**

Source	Govt. Lot	¼	¼	¼	Sec.	Twp.	Rge.		County
North Fork Payette River	5		SE	SE	3	11N	03E	B.M.	Valley
								B.M.	
								B.M.	

Method of Determination: GIS and Tax Parcel Data.

Change in POD? ____Y __X__N Amendment Required? ____Y __X__N

SCANNED
DEC 02 2022

2. **PLACE OF USE:** Use: Irrigation

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
11N	03E	3													0.9			0.7	1.6
		Lot #													5			5	
																Total Acres =			1.6

Method of Determination: GIS and Tax Parcel Data

Change in POU? ____Y __X__N Amendment Required? ____Y __X__N

__ Delivery System Diagram Attached (required). Indicate all major components and distances between components.

Indicate weir size/pipe as applicable.

__ Aerial Photo Attached (required for irrigation of 10+ acres).

__ Photo of Diversion and System Attached

4. Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
N/A	N/A	1	N/A	N/A	N/A

**Code to correspond with No. on map and aerial photo*

D. FLOW MEASUREMENTS

1.Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A						

2. Measurements: Diversion rate calculation is possible since permit holder provided pump horsepower.

E. FLOW CALCULATIONS _____Additional Computation Sheets Attached

Measured Method: Since the permit holder provided the pump horsepower it is possible to conduct a diversion rate calculation. According to the diversion rate calculation the system can handle 0.05 cfs at 45 psi. The permit authorizes 0.06 cfs for 2 acres. GIS Imagery indicated that there was 1.67 acres of irrigation. According to Administrative Processing Memo #17 the rate/acre under 5 acres is 0.03 cfs/acre. The diversion rate would be 0.05. I am recommending 0.05 cfs.

Q = (1 Hp) (8.8) (0.70)/14 ft lift + (45psi X 2.31) = 0.05 cfs

F. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.}$ = (Acres Irrigated) x (Irrigation Requirement) = (1.6 acres) *(3.0 af/acre) =4.8 af

$V_{D.R.}$ = [Diversion Rate (cfs)] x (Days in Irrigation season) x 1.9835 = (0.05 cfs) *(214 days) *1.9835=21.2 af

V = Smaller of $V_{I.R.}$ and $V_{D.R.}$ = 4.8 af

According to IDAPA Rule 37.03.02. 01j.viii a volume is not required from natural flow from a stream or spring.

SCANNED
DEC 12 2022

None

G. PURPOSE OF USE

Irrigation __X__Y ____N # Stock_____ Domestic # of Homes _____

Other: < >

Change in Purpose of Use? ____Y __X__N

Method of Determination: Tax Parcel data and conversations with owner.

If Yes: From Use _____To Use _____Amount _____CFS _____AFA_____

H. NARRATIVE/REMARKS/COMMENTS

According to GIS and Tax Parcel Data the parcel containing the cabin adjacent to the land irrigated was developed in 2018. According to a memo created by Cody Parker on October 31st, 2017, the point of diversion is located within a state protected reach of the North Fork of the Payette River and cannot have a constructed diversion works. The permit holder provided dimensions and photographs of what acres are irrigated, 210 ft x 90 ft from their cabin. This equates to 0.43 acres; the permit authorizes 2 acres of irrigation. GIS Imagery indicated that 1.6 acres could have been irrigated. I am going to recommend 1.6 acres of irrigation. The system consists of a 1 horse pump connected to 20 ft of 2 in PVC pipe to the source. Faucets connected to the pump are fed to regular hoses to sprinklers at the place of use. The owner provided pump horsepower, making a diversion rate calculation possible. It indicated the system could handle 0.05 cfs at 45 psi. According to system specifications, department standards and what is written on the permit I will be recommending 0.05 cfs diversion rate. All the conditions are met. It is likely that the owners are using their water for the beneficial use listed on their permit.

Conditions X27, R66, R05, 01R, 185, and a condition created by Cody Parker, refer to memo sent on 10/31/2017, should remain on the license. Condition 01H should be changed to R02 as is standard for licensing. Condition 121 should be changed to 103 as is standard for licensing. All other conditions should be removed.

Have conditions of permit approval been met? __X___Yes _____No

I. RECOMMENDATIONS

1. Recommended Amounts

BENEFICIAL USE	PERIOD OF USE	DIVERSION RATE
Irrigation	4/1 to 10/31	0.05 CFS
	Totals:	0.05 CFS

Please Note: According to IDAPA Rule 37.03.02. 01j.viii a volume is not required from natural flow from a stream or spring.

2. Recommended Amendments

___Change P.D. as reflected above ___Add P.D. as reflected above __X_None

___Change P.U. as reflected above ___Add P.U. as reflected above __X_None

Other: < >

J. AUTHENTICATION Skyler Cheever, Water Resource Agent


Field Examiner's Name_____ Date 11/28/2022

Reviewer_____ Date 11/30/22

SCANNED
2022

Field Exam Map:

The orange border shows the place of use, and the yellow point shows the point of diversion.



SCANNED
DEC 12 2022

Beneficial Use Proof Evaluation

Permit Number: 65-23736 Reviewer: djudd Review Date: 11/9/2022

Acceptability

1) Is the contact on the request the current permit holder? Yes
2) Does the address of record need to be updated? No
3) Proof Submitted Date: 11/3/2022
4) Proof Due Date: 12/1/2022
5) Days added for weekend due date? 0
6) Days added for holiday due date? 0
7) Number of days late: -28
8) Proof received timely? Yes

Analysis

1) Are the water uses correct? Yes
2) Are one of the following items required?
    a. Measuring Device -- No
    b. Lockable Device --Yes
    c. Fish Screen -- No
3) Are the required items installed? Yes
    a. Measuring Device -- No
    b. Lockable Device --Yes
    c. Fish Screen -- No
4) Is there a request to waive the required items?
5) Drilling Permit Number:
6) Is a drilling permit upgrade needed?
7) Was a well drillers report filed?
8) Is proof accepted? Yes

Fees

1) Is a licensing exam fee required? Yes
2) Was proof submitted with an exam report from a CWE? No
3) Filing fee due: $50.00
4) Filing fee submitted: $50.00
5) Remaining fee or (refund): $0.00

Receipt IDs

W045766

Comments

Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing.

IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little
Director Gary Spackman

September 30, 2022

TERRY HEWITT
JAMES S HEWITT
14523 W ELMSPRINGS ST
BOISE ID 83713

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit No. 65-23736

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holders:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **December 01, 2022**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Idaho Code § 42-204. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a $50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this Department on or before the above proof due date. If neither is received, the Department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Debbi Judd
Technical Records Specialist

Enclosures

c: HDR INC – via email

CERTIFIED MAIL
7016 1370 0000 2018 3823
NO

SCANNED
SEP 30 2022