

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 65-23935

Priority: June 03, 2020

Maximum Diversion Rate: 0.01 CFS

Maximum Diversion Volume: 0.9 AF

It is hereby certified that:

MICHAEL T PRICE
AND/OR
LUANNA W PRICE
5275 N HICKORY GLEN PL
BOISE ID 83713-2491

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 15, 2020, and has submitted Proof of Beneficial Use on June 16, 2021. An examination confirms water is diverted from:

Source: SOUTH FORK PAYETTE RIVER

Tributary: PAYETTE RIVER

Beneficial Use

IRRIGATION

Period of Use

04/01 to 10/31

Rate of Diversion

0.01 CFS

Annual Volume

0.9 AF

Location of Point(s) of Diversion

SOUTH FORK PAYETTE RIVER NW¼ NE¼, Sec. 34, Twp 09N, Rge 07E, B.M. BOISE County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
09N	07E	34		0.2 L3															0.2
09N	07E	34		0.1															0.1

Total Acres: 0.3

Conditions of Approval


1. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the place of use.
2. Use of water under this right may be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 65.
3. When notified by the Department, the right holder shall install and maintain a measuring device of a type acceptable to the Department as part of the diverting works.
4. A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 65-23935

5. The right holder shall contact the watermaster by June 15 each year for authorization to continue diverting and using water. The right holder shall not divert water after June 15 each year unless the watermaster authorizes continued diversion and use of water under this water right. When the watermaster informs the right holder that water is not available to fill this right, the right holder shall cease diversion, shall rent water from the Payette River Rental Pool, or shall otherwise mitigate for the depletion of water caused by this water use. The department may amend the contact date listed in this administrative provision to more closely coincide with the date when water is not available to fill this water right.
6. When ordered by the Director, the right holder shall provide mitigation acceptable to the Director to offset depletion of lower Snake River flows needed for migrating anadromous fish. The amount of water required for mitigation, which is to be released into the Snake River or a tributary for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this right. Any order of the Director issued in accordance with this paragraph shall be in conformance with applicable rules allowing the right holder due process as the need for mitigation and the amount of mitigation are determined.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 14th day of July, 2023.



COREY SKINNER
Southern Regional Manager

State of Idaho
Department of Water Resources
Attachment to Water Right
65-23935

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

07E



0 0.035 0.07 0.14 Miles

-  Point of Diversion
-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters



SCANNED
JUL 17 2023

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No: 65-23935
Exam Date: 06/29/2023

1. Current Owner:

MICHAEL T PRICE
AND/OR
LUANNA W PRICE
5275 N HICKORY GLEN PL
BOISE ID 83713-2491

2. Accompanied by: Contacted permit holder by phone and received permission to visit property unaccompanied.

Phone No:

Address:

Relationship to permit Holder:

3. **SOURCE:**

SOUTH FORK PAYETTE RIVER

Tributary

PAYETTE RIVER

Method of Determination: Observed hose in S. Fork of the Payette leading to pump.**B. OVERLAP REVIEW**

1. Other water rights with the same place of use: None

2. Other water rights with the same point-of-diversion: None

C. DIVERSION AND DELIVERY SYSTEM1. **LOCATION OF POINT(S) OF DIVERSION:**

SOUTH FORK PAYETTE RIVER NW¼ NE¼, Sec. 34, Twp 09N, Rge 07E, B.M. BOISE County

Method of Determination: Site visit and ArcMap aerial imagery.**PLACE OF USE:** IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
09N	07E	34		0.2 L3															0.2
09N	07E	34		0.1															0.1

Total Acres: 0.3

Method of Determination: Site visit and ArcMap aerial imagery.

3. Delivery System Diagram Attached (required). Indicate all major components and distances between components.
☒ Indicate weir size/pipe as applicable.
 Map Attached Showing Location(s) of point(s) of diversion and place(s) of use (required). Scale must be
☒ 1:24,000 or greater.
☒ Aerial Photo Attached (required for irrigation of 10+ acres).
☒ Photo of Diversion and System Attached

4.

Well or Diversion ID No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Pump	StaRite	2		StaRite	2"

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NA						

2. Measurements: No measurement required per Beneficial Use Examination Rule 37.03.02.035.01.r.i.

E. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

Flow measurement was not required. Adjustment was made to the flow rate as 0.3 acre x 0.03 standard rate for less than 5 acres is **0.01 cfs**.

F. VOLUME CALCULATIONS

1. Volume Calculations for irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 0.3 \text{ acre} \times 3.0 \text{ AF/acre} = 0.9 \text{ AF}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation season}) \times 1.9835 = 0.01 \text{ cfs} \times 214 \times 1.9835 \text{ AF/day} = 4.2 \text{ AF}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \mathbf{0.9 \text{ AF}}$$

2. Volume Calculations for Other Uses: NA

G. NARRATIVE/REMARKS/COMMENTS

The field exam for permit 65-23935 was conducted on June 29, 2023. I contacted Mike Price ahead of time to set up the examination and he indicated that he would not be at the Lowman property, but told me to go ahead and complete the exam without him present. Water is pumped from the South Fork of the Payette River through a 2" inlet hose with a 2 HP StaRite bolted to a cement pad placed above and away from the river. The pump feeds the water through a 2" buried hose to several underground sprinklers, and hydrants where hoses and portable sprinklers can be attached. The tree cover makes it difficult, but I measured the irrigated area at 0.25 acre and rounded up to the permitted 0.3 acre. A check on the Boise County assessor's map shows the parcel at 0.34 acre, so the measurement seems reasonable. Irrigation of an acreage less than 5 acres is allowed 0.03 cfs per acre (Application Processing Memo 17) so the flow rate is being adjusted down to conform to that rate ($0.3 \text{ acre} \times 0.03 \text{ cfs/acre} = 0.01 \text{ cfs}$ rounded). This brings the right into line with the R66 condition (limiting the right to 0.03 cfs/acre). The volume is based on the headgate requirement for the area, 3 AF/acre, which yields a volume of 0.9 AF.

The condition requiring a lockable device can be met in a couple of ways. The electrical box that controls the pump has a hasp that could accommodate a small lock, or a electrical lock-out device could be locked on to the end of the power plug that supplies power to the pump.

For purposes of clarification, the Government Lot (L3) description was dropped from the POD description and the POU description was changed to show that part of the POU was in both L3 NWNE and NWNE.

I recommend licensing of the right at a flow rate of 0.01 cfs and an annual volume of 0.9 AF.

Have conditions of permit approval been met? X Yes No

H. RECOMMENDATIONS**1. Recommended Amounts**

<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>	<u>Annual Volume</u>
IRRIGATION	04/01 to 10/31	0.01 CFS	0.9 AF

Totals: 0.01 CFS 0.9 AF

2. Recommended Amendments

 Change P.D. as reflected above Add P.D. as reflected above X None

 Change P.U. as reflected above Add P.U. as reflected above X None

I. AUTHENTICATION

Field Examiner's Name Jim Bitzenburg Date 7-14-2023

Reviewer Py Shin Date 7/14/2023



Point of Diversion – Suction hose in river

Pump with hose leading to river and irrigation line to lawn and landscaping





Place of Use – lawn with sprinkler at left side of photo


Place of Use – irrigated naturalized area



65-23935 Price

SCANNED
JUL 17 2023

65-23935 System Diagram and POU/POD Map



Legend

- Township/Range
- Sections
- QQ
- Parcels

0 0.00325 0.0065 0.013 Miles



SCANNED
JUL 17 2023



IDAHO DEPARTMENT OF
WATER RESOURCES

Southern Region • 650 Addison Ave W, Suite 500 • Twin Falls, ID 83301-5858

Phone: 208-736-3033 • Fax: 208-736-3037 • Email: southerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

July 17, 2023

MICHAEL T PRICE
LUANNA W PRICE
5275 N HICKORY GLEN PL
BOISE ID 83713-2491

RE: License No. 65-23935

ISSUANCE OF LICENSE

Dear Water Right Holder(s):

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 736-3033.

Sincerely,

Corey Skinner
Southern Regional Manager

Enclosure(s)

SCANNED


JUL 17 2023

CERTIFICATE OF SERVICE

I hereby certify that on July 17, 2023, I served a true and correct copy of Water Right License No. 65-23935 by U.S. Mail, postage prepaid, to the following:

MICHAEL T PRICE (Current Owner)
LUANNA W PRICE (Current Owner)
5275 N HICKORY GLEN PL
BOISE ID 83713-2491

WATER DISTRICT #65
NEIL SHIPPY (Watermaster)
102 N MAIN ST
PAYETTE ID 83661-2522

A handwritten signature in blue ink that reads "Denise Maline". The signature is written over a horizontal line.

Denise Maline
Administrative Assistant 1

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) The petition for reconsideration is disposed of; or
- (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.