

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 65-24013

Priority: February 05, 2021

Maximum Diversion Volume: 7.2 AF

It is hereby certified that:

MARIA ESCOSA PO BOX 4110 MCCALL ID 83638-8110

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 05, 2021, and has submitted Proof of Beneficial Use on February 14, 2023. An examination confirms water is diverted from:

Source : GROUND WATER

<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>	<u>Annual Volume</u>
AESTHETIC STORAGE	01/01 to 12/31		7.2 AF

Location of Point(s) of Diversion

GROUND WATER SE¼ SW¼, Sec. 12, Twp 17N, Rge 02E, B.M. VALLEY County

Place of Use: AESTHETIC STORAGE

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
17N	02E	12												X					

Conditions of Approval

1. This right authorizes total annual storage volume of 7.2 acre-feet, 4.8 acre-feet to be used for the initial filling or carryover storage of the pond and 2.4 acre-feet for the replacement of losses caused by evaporation.
2. The pond established by the storage of water under this right shall not exceed a total capacity of 4.8 acre-feet or a total surface area of 0.6 acres.
3. Water stored under this right is subject to fluctuations of the water table caused by changes in the flow of local streams and by diversions under prior ground water rights. This right does not guarantee the maintenance of any particular ground water level.
4. When ordered by the Director, the right holder shall provide mitigation acceptable to the Director to offset depletion of lower Snake River flows needed for migrating anadromous fish. The amount of water required for mitigation, which is to be released into the Snake River or a tributary for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this right. Any order of the Director issued in accordance with this paragraph shall be in conformance with applicable rules allowing the right holder due process as the need for mitigation and the amount of mitigation are determined.

SCANNED

JUN 14 2023

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 65-24013

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 9th day of June, 2023.



SCOTT STORMS
Water Rights Supervisor

SCANNED

JUN 14 2023

State of Idaho
Department of Water Resources
Attachment to Water Right
65-24013

This map depicts the AESTHETIC STORAGE place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

02E



0 0.035 0.07 0.14 Miles

-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion
-  Taxlots

SCANNED
N
JUN 14 2023

RECEIVED

FEB 14 2023

DEPARTMENT OF
WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY
Amt. of Fee \$ 300 -
Receipt No. C115290
Received By KL
Date Received 2.14.23

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 65-24013 Name of Permit Holder(s) Maria P. Escosa
Telephone No. 530.410.7369 Email mpescosa@gmail.com
Mailing Address P.O. Box 4110 City McCall State ID Zip 83638

2. Source of Water Ground Water If Ground Water (well), Date Drilled mo. _____ / yr. _____
Drilling Permit/Tag No. _____ Drilling Company's Name _____

3. Extent of use(s) completed as authorized by the water right permit:
Domestic (No. households) _____ Irrigation (No. acres) _____ Stockwater (No. and stock type) _____
Other Aesthetic Storage

4. Total diversion rate or volume (storage only) for which proof is submitted 8.80 cfs OR _____ af
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.

5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)
Pond dug for aesthetic use is filled by groundwater seeping from water table.

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

- | | | |
|--------------------------|-------------------------------------|---|
| ☐ | ☒ | Ground water level data, pumping information, or other diversion data |
| ☐ | ☒ | Mitigation plan |
| ☐ | ☒ | Lockable controlling works |
| ☐ | ☒ | Measuring device |
| ☐ | ☒ | Fish screen |
| ☐ | ☒ | Other requirements of the water right permit _____ |
| ☐ | ☒ | Reasonably Anticipated Future Needs ("RAFN") Municipal use |


If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

7. Fee Enclosed \$ 300.00 or ☐ CWRE field report attached or ☐ No fee required
See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: MIKE LYON Telephone No. 208-830-5016 Email MLYON25@HOTMAIL.COM
Mailing Address P.O. Box 498 City McCall State ID Zip 83638

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.


SIGNATURE OF PERMIT HOLDER*

Maria P. Escosa
PRINTED NAME AND TITLE

Feb 09.2023
DATE

*Attach power of attorney if completing on behalf of permit holder.

SCANNED
FEB 23 2023



IDAHO DEPARTMENT OF
WATER RESOURCES

Western Region • 2735 W Airport Way • Boise, ID 83705-5082

Phone: 208-334-2190 • Fax: 208-334-2348 • Email: westerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

June 09, 2023

MARIA ESCOSA
PO BOX 4110
MCCALL ID 83638-8110

RE: License No. 65-24013

ISSUANCE OF LICENSE

Dear Water Right Holder(s):

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 605-4624.

Sincerely,

Scott Storms
Water Rights Supervisor

Enclosure(s)

SCANNED

JUN 14 2023

CERTIFICATE OF SERVICE

I hereby certify that on June 12, 2023, I served a true and correct copy of Water Right License No. 65-24013 by U.S. Mail, postage prepaid, to the following:

MARIA ESCOSA (Current Owner)
PO BOX 4110
MCCALL ID 83638-8110

PINETOP CUSTOM HOMES (Representative)
PO BOX 4110
MCCALL ID 83638-8110



Scott Storms
Water Rights Supervisor

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) The petition for reconsideration is disposed of; or
- (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No: 65-24013
Exam Date: 05/24/2023

1. Current Owner:
MARIA ESCOSA PO BOX 4110 MCCALL ID 83638-8110
2. Accompanied by: Maria Escosa & Jim Lynch (attorney)
Phone No: 530-515-1432
Address:
Relationship to permit Holder:

3. **SOURCE:**
GROUND WATER

Method of Determination: Site visit, aerial imagery

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None
2. Other water rights with the same point-of-diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. **LOCATION OF POINT(S) OF DIVERSION:**
GROUND WATER SE¼ SW¼, Sec. 12, Twp 17N, Rge 02E, B.M. VALLEY County

Method of Determination: GPS at 44° 49' 15.06" N, 116° 9' 47.00" W

PLACE OF USE: AESTHETIC STORAGE

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
17N	02E	12												X					

Method of Determination: Field photos and aerial photography used to verify aesthetic storage use site.

3.

Delivery System Diagram Attached (required). Indicate all major components and distances between components.
☒ Indicate weir size/pipe as applicable.

 Map Attached Showing Location(s) of point(s) of diversion and place(s) of use (required). Scale must be
☒ 1:24,000 or greater.

☐ Aerial Photo Attached (required for irrigation of 10+ acres).

☒ Photo of Diversion and System Attached

4.

Well or Diversion ID No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
N/A	N/A	N/A	N/A	N/A	N/A

SCANNED

JUN 14 2023

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A	N/A	N/A	N/A	N/A	N/A	N/A

2. Measurements: Flow measurement not required. Permit issued in volume only.**E. FLOW CALCULATIONS**N/A Additional Computation Sheets AttachedMeasured Method: Flow calculation not required. Permit issued in volume only.**F. VOLUME CALCULATIONS**1. Volume Calculations for irrigation: N/A

2. Volume Calculations for Other Uses:

Aesthetic Storage:

Using the Pond Loss Calculation Spreadsheet, GIS tracing and measurement tools, and depth approximations the following theoretical calculations were determined:

Surface area (GIS): 0.6 acres

Average pond depth: 8 feet

Losses: 0.9 AF Pond Evaporation + 1.5 AF Seepage = 2.4 AF

Pond Capacity: 4.8 AF

4.8 AF Pond Capacity + 2.4 AF Losses = 7.2 AF

Permitted Total Volume 8.8 AF

License Recommendation 7.2 AF**G. NARRATIVE/REMARKS/COMMENTS**

A field exam was conducted on 05/24/23 by Sr. Water Right Agent Laura McSherry and was accompanied by Mrs. Maria Escosa and her personal counsel, Mr. Jim Lynch. Maria Escosa is the current owner and original applicant. The permit was issued on March 24, 2021, and proof of beneficial use was submitted on February 14, 2023.

The point of diversion (POD) location was confirmed at a groundwater aesthetic pond in the SESW QQ and is accurately described by the permit. The pond is not lined and is filled entirely from the groundwater table. No amendment required to correct the legal description of the POD.

The permit authorizes year-round appropriation of 8.8 AF for aesthetic storage within SESW of Sec 12, T17N, R02E. ArcMap tools and aerial imagery, supported by photos taken during the field exam, were used to verify the POU area. Two subsurface aeration devices were seen in the aesthetic pond. No amendment required to correct the legal description of the POU.

SCANNED

JUN 14 2023

No diversion rate is associated with this water right. The volume calculation for aesthetic storage use and the determined license recommendation is 7.2 AF.

Condition 121 was replaced to condition 103 as per department standards. Condition 219 and 220 were updated to reflect pond calculations and license volume recommendations. Condition 123 was carried on to the license.

Have conditions of permit approval been met? ☒ Yes ☐ No

H. RECOMMENDATIONS

1. Recommended Amounts

<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>	<u>Annual Volume</u>
AESTHETIC STORAGE	01/01 to 12/31		7.2 AF

Totals:

7.2 AF

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ None

I. **AUTHENTICATION**  Laura McSherry - Water Resource Agent, Sr.

Field Examiner's Name _____ Date 06.08.2023


Reviewer _____ Date 6/9/2023

SCANNED

JUN 14 2023

DELIVERY SYSTEM DIAGRAM

Water Right No. 65-24013



GROUNDWATER
POND

SESW

17N02E

12

SECTION
12

SCANNED

5-7

Total Storage Calculations

FILE NUMBER	65-24013
REVIEWER	Laura McSherry
DATE	6/8/2023

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond.

User Input
Calculated value
Formula Explanations

Surface Area (AC.)	0.6	"Surface Area" is automatically carried over from the "Seepage Loss" sheet.
Average Pond Depth (FT.)	8	"Average Pond Depth" depicts the actual depth of the pond either measured or estimated. Note: If you know the maximum depth and not the average depth, the Field Examiner's Handbook suggests multiplying the maximum depth by 0.4 to get the average depth, or you can use any method that seems reasonable to attain average depth.
Pond Capacity (AF)	4.8	Pond Capacity is calculated by multiplying the Pond Surface Area by the Average Pond Depth. If you know the capacity, divide the capacity by surface area and enter the average pond depth in the space above. Note: If pond capacity is determined using a method shown on the "Pond Capacity" sheet, the user may need to modify the value of "Pond Capacity" (cell B9) manually. Note that if the value is modified manually, the formula will be altered for future use.
Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills" (AF)	0	The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water required to meet a <i>from storage</i> component if the <i>from storage</i> component exceeds a one time fill. This section should not include the amount of water needed to fill the pond initially or the amount of water needed to maintain the pond level due to evaporation or seepage. For example: if a pond has a capacity of 5 acre feet and 2.5 acre feet of seepage and evaporation, but the pond is used for irrigation that requires 10 acre feet of from storage for the irrigation use, then you would insert 5 acre feet into this location (10 acre feet needed - 5 acre feet from the initial fill = 5 acre feet of additional storage needed). Note: You must have a "From Storage" component exceeding the initial fill on the permit to include a volume in this space.
Estimated Seepage Loss (AF)	1.5	The "Estimated Seepage Loss" is automatically carried over from the "Seepage Loss" sheet.
Estimated Evaporation Loss (AF)	0.9	The "Estimated Evaporation Loss" is automatically carried over from the "Evaporation Loss" sheet.
Total Volume Required (AF)	7.2	The "Total Volume Required" is calculated by adding the Pond Capacity, Multiple Fills, Seepage Loss, and Evaporation Loss amounts to determine the total amount of storage required.

SCANNED

JUN 14 2023

Seepage Loss Calculations

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total annual seepage losses from a pond.

FILE NUMBER	65-24013
REVIEWER	Laura McSherry
DATE	6/8/2023

User Input
Calculated value
Formula Explanations

INPUTS

Pond Surface Area (AC.)	0.6	AC.
-------------------------	-----	-----

Pond Surface Area (SQ. FT.)	26136	SQ. FT.
-----------------------------	-------	---------

I used the following method to obtain my Soil Classification information:	NRCS Web Soil Survey	
My Soil Classification is	SC	
Suggested Seepage Rate (FT./DAY)	0.0070	FT./DAY

Formula: (Surface Area X Seepage Rate) X 7.48 = Gallons Per Day Loss
--

Convert to GPD	1368	GPD
----------------	------	-----

Total Seepage Loss (AFA)	1.5	AFA
--------------------------	-----	-----

Though sand and gravel seepage rates may actually be higher, the maximum allowable rate is 0.2 ft/day, pursuant to Administrative Memo "Seepage Loss Standards for Ponds and Reservoirs."

Suggested Seepage Rates for Different Soil Types:
GW, GP, GM, GC, SW, SP and SM (silty sand, sand silt mixtures and gravel mixtures) = 0.2 ft per day
OL and ML (inorganic silts - very fine sands, silty, or clayey fine sands) = 0.02 ft per day
SC (clayey sands, sand clay mixtures) = 0.007 ft per day
CL (Low to medium plasticity clays) = 0.003 ft per day
MH, OH, PT and CH (high plasticity clays) = 0.0003 ft per day
LINED PONDS (liners can be chemical, fabric, or bentonite) = 0 ft per day
Ponds Intercepting Groundwater (excavated ponds filled by ground water) = 0 ft per day

PLEASE NOTE: The initial basis for the Suggested Seepage Rates in the table above is found on Page 16 of Seepage from Fish Ponds, Bulletin 599, August 1989 Alabama Agricultural experiment Station, Auburn University, Auburn University Alabama. If you don't know the soil type, please refer to the map provided at the NRCS Web Soil Survey (Tab #1), an ArcMap Soil Classification Map (Tab #1.1), or published NRCS Soil Survey (Tab #1.2). Use "0" if the pond fill relies on the water table.

SCANNED

JUN 14 2023

Evaporation Loss Calculations

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the annual evaporation losses from a pond.

FILE NUMBER	65-24013
REVIEWER	Laura McSherry
DATE	6/8/2023

User input
Calculated value
Formula Explanations

The acronyms used on the Kimberly Research Center website are defined below:

P = Precipitation
ET= Evapotranspiration
P _d = Precipitation deficit
P _d =ET-P

USING THIS SPREADSHEET

Use the link below to access the Kimberly Research Center website. This website provides the Precipitation Deficit for a station most representative of the pond under examination. The Precipitation Deficit is the total amount of free water surface evaporation minus the precipitation for a given area, which gives the total amount of evaporative losses incurred by the pond. There are several weather sites that are used throughout the state. IDWR staff can find the nearest site using Arc Map. The shape file containing the sites can be found at X:/Spatial/Climate/ETIdahostations.shp.

Instructions:

1. Use the link below to navigate to ET Idaho 2012.
2. Select the station which is most representative to your pond location.
3. Click Submit Query.
4. Under "Land Covers with Evapotranspiration Estimates," select "Open Water - Shallow Systems (ponds, streams)" or "Open Water - small stock ponds" depending on the pond size.
5. Click the link to "Precipitation Deficit."
6. Reference and copy (ctrl + C) the first subheading "Mean" values.
7. Click the "Paste Values from ET Idaho" button. The table will automatically enter a zero (0) for any negative precipitation deficit values.

Found at: <http://data.kimberly.uidaho.edu/ETIdaho/>

Precipitation Deficit

Station: Twin Falls 2 NNE (NWS -- 109294)

Month	mm/day ¹	Days per month	mm/Month
Jan	-1.92	31	0.00
Feb	-1.11	28	0.00
March	-0.93	31	0.00
April	0.75	30	22.50
May	1.46	31	45.26
June	2.38	30	71.40
July	4.26	31	132.06
August	3.69	31	114.39
September	2.18	30	65.40
October	0.39	31	12.09
November	-1.92	30	0.00
December	-2.16	31	0.00

PLEASE NOTE: The seasonal average for precipitation deficit should not be used for calculations because precipitation often exceeds evaporation during wetter months of the year. If the pond is kept full, excess precipitation during wetter months does not serve to refill the pond during drier months.

For example, see Sandpoint KSPT (NWS -- 108137), the annual precipitation deficit is -106 mm. However, April through September have positive precipitation deficit values. To properly estimate the annual volume of water necessary to refill a pond due to evaporation losses, the table will automatically enter a zero (0) for each month that the precipitation value is reported as a negative value.

As described above, precipitation offsets evaporation in winter months, so the net effect is that wintertime precipitation deficit is usually zero.

Total mm/year = 463.10

$$((\text{mm/yr}) \div (\text{convert to feet})) \times (\text{Surface area of pond, in acres}) = \text{Evaporation Loss in Acre Feet}$$

$$(463.10 \div 304.8) \times 0.60 = 0.9 \text{ AFA}$$

SCANNED

JUN 14 2023



Fig. 1 & 2 – Overlooking
aesthetic pond from back patio
of domestic home, view
looking west.



SCANNED

JUN 14 2023



Fig. 3 – Overlooking aesthetic pond. View looking SE.



Fig. 4 – Aesthetic storage (POU) location. View looking NW.

POD or groundwater table

GPS'd at:

44° 49' 15.06" N

116° 9' 47.00" W

SCANNED
JUN 14 2023



Fig. 5 – Aesthetic storage. View looking NE. One of two subsurface aeration devices shown.



Fig. 6 – Aesthetic storage. View looking SE. One of two subsurface aeration devices shown.



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little
February 22, 2023

Director Gary Spackman

MARIA ESCOSA
PO BOX 4110
MCCALL ID 83638-8110

PROOF ACKNOWLEDGEMENT LETTER

RE: Permit No. 65-24013

Dear Permit Holder:

The Department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the Department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that Idaho Code § 42-248, requires you or the owner of this water right to maintain current ownership and address records on file with the Department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any Department office or at the Department's website at www.idwr.idaho.gov.

If you have any questions concerning the field examination, please contact the Western Region Office of the Department located in Boise at (208) 334-2190.

Sincerely,

Debbi Judd
Technical Records Specialist

Enclosures

c: PINETOP CUSTOM HOMES – *via email*

SCANNED
FEB 23 2023

Beneficial Use Proof Evaluation

Permit Number: 65-24013 Reviewer: djudd Review Date: 2/21/2023

Acceptability

- 1) Is the contact on the request the current permit holder? Yes
- 2) Does the address of record need to be updated? No
- 3) Proof Submitted Date: 2/14/2023
- 4) Proof Due Date: 4/1/2023
- 5) Days added for weekend due date? 0
- 6) Days added for holiday due date? 0
- 7) Number of days late: -46
- 8) Proof received timely? Yes

Analysis

- 1) Are the water uses correct? Yes
- 2) Are one of the following items required?
 - a. Measuring Device --
 - b. Lockable Device --
 - c. Fish Screen --
- 3) Are the required items installed?
 - a. Measuring Device --
 - b. Lockable Device --
 - c. Fish Screen --
- 4) Is there a request to waive the required items?
- 5) Drilling Permit Number:
- 6) Is a drilling permit upgrade needed?
- 7) Was a well drillers report filed?
- 8) Is proof accepted? Yes

Fees

- 1) Is a licensing exam fee required? Yes
- 2) Was proof submitted with an exam report from a CWE? No
- 3) Filing fee due: \$50.00
- 4) Filing fee submitted: \$300.00
- 5) Remaining fee or (refund): (\$250.00)

Receipt IDs

W049045

Comments

Proof acknowledged.



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

January 31, 2023

MARIA ESCOSA
PO BOX 4110
MCCALL ID 83638-8110

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit No. 65-24013

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holder(s):

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **April 01, 2023**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a \$50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this department on or before the above proof due date. If neither is received, the department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Debbi Judd
Technical Records Specialist

Enclosure(s)

c: PINETOP CUSTOM HOMES

CERTIFIED MAIL

7016 0750 0000 2176 3111

NO _____

SCANNED

JAN 31 2023