

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 65-24071

Priority: November 16, 2021

Maximum Diversion Rate: 0.07 CFS

Maximum Diversion Volume: 3.9 AF

It is hereby certified that:

NANCY WADSWORTH
AND/OR
GALYN WADSWORTH
PO BOX 566
MCCALL ID 83638

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 23, 2021, and has submitted Proof of Beneficial Use on May 09, 2022. An examination confirms water is diverted from:

Source : GROUND WATER

<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>	<u>Annual Volume</u>
IRRIGATION	04/15 to 10/31	0.03 CFS	3.3 AF
DOMESTIC	1/1 to 12/31	0.04 CFS	0.6 AF

Location of Point(s) of Diversion

GROUND WATER L2 (NW¼ NE¼), Sec. 6, Twp 17N, Rge 03E, B.M. VALLEY County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
17N	03E	6		1.1 L2															1.1

Total Acres: 1.1

Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
17N	03E	6		X L2															

Conditions of Approval

- Domestic use is for 1 home. Irrigation of lawn, garden and landscaping associated with the home is authorized under the irrigation component of this right.
- This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the place of use.
- Point of diversion and place of use are located within Lot 4, Galloping Acres subdivision.

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 65-24071


4. When ordered by the Director, the right holder shall provide mitigation acceptable to the Director to offset depletion of lower Snake River flows needed for migrating anadromous fish. The amount of water required for mitigation, which is to be released into the Snake River or a tributary for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this right. Any order of the Director issued in accordance with this paragraph shall be in conformance with applicable rules allowing the right holder due process as the need for mitigation and the amount of mitigation are determined.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 22nd day of August, 2023.




COREY SKINNER
Southern Regional Manager



State of Idaho
Department of Water Resources
Attachment to Water Right
65-24071

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

03E



0 0.035 0.07 0.14 Miles

-  Point of Diversion
-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters



SCANNED
AUG 22 2023

State of Idaho
Department of Water Resources
Attachment to Water Right
65-24071

This map depicts the DOMESTIC place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

03E



0 0.035 0.07 0.14 Miles

-  Point of Diversion
-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters



SCANNED
AUG 22 2023



IDAHO DEPARTMENT OF
WATER RESOURCES

Southern Region • 650 Addison Ave W, Suite 500 • Twin Falls, ID 83301-5858

Phone: 208-736-3033 • Fax: 208-736-3037 • Email: southerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

August 22, 2023

GALYN WADSWORTH
NANCY WADSWORTH
PO BOX 566
MCCALL ID 83638

RE: License No. 65-24071

ISSUANCE OF LICENSE

Dear Water Right Holder(s):

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov.

If you have any questions concerning the enclosed information, please contact me at (208) 736-3033.

Sincerely,

Corey Skinner
Southern Regional Manager

Enclosure(s)

CERTIFICATE OF SERVICE

I hereby certify that on August 22, 2023, I served a true and correct copy of Water Right License No. 65-24071 by U.S. Mail, postage prepaid, to the following:

GALYN WADSWORTH (Current Owner)
NANCY WADSWORTH (Current Owner)
PO BOX 566
MCCALL ID 83638



Denise Maline
Administrative Assistant 1

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) The petition for reconsideration is disposed of; or
- (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No: 65-24071
Exam Date: 08/10/2023

1. Current Owner:

NANCY WADSWORTH
AND/OR
GALYN WADSWORTH
PO BOX 566 MCCALL ID 83638

2. Accompanied by: Nancy and Galyn Wadsworth by phone.

Phone No: 208-630-4453

Address:

Relationship to permit Holder: Permit holders

3. **SOURCE:**

GROUND WATER

Method of Determination: Noted well in the front portion of the lot.**B. OVERLAP REVIEW**

1. Other water rights with the same place of use:

Water Right No.	Source	Purpose of Use	Basis
65-3218	Lake Fork	Irrigation	Decree
65-3219A	Little Payette Lake	Irrigation from Storage	Decree
65-3219X	Little Payette Lake	Irrigation from Storage	Decree

Comments: The above rights are not used on the Wadsworth property.

2. Other water rights with the same point-of-diversion: None.

C. DIVERSION AND DELIVERY SYSTEM1. **LOCATION OF POINT(S) OF DIVERSION:**

GROUND WATER L2 (NW¼ NE¼), Sec. 6, Twp 17N, Rge 03E, B.M. VALLEY County

Method of Determination: Site visit and ArcMap aerial imagery.**PLACE OF USE:** IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
17N	03E	6		1.1 L2															1.1

Total Acres: 1.1

PLACE OF USE: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
17N	03E	6		X L2															

Method of Determination: Site visit and ArcMap aerial imagery.

3.

Delivery System Diagram Attached (required). Indicate all major components and distances between components.

X

Indicate weir size/pipe as applicable.

Map Attached Showing Location(s) of point(s) of diversion and place(s) of use (required). Scale must be 1:24,000 or greater.

X

Aerial Photo Attached (required for irrigation of 10+ acres).

X

Photo of Diversion and System Attached

X

4.

Well or Diversion ID No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
D0073162		1.5			

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NA						

2. Measurements: No measurement required per Beneficial Use Examination Rules IDAPA 37.03.02, Rule 35, 01., (r), i & iii.

E. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method: Adjusted the irrigation flow rate to match the actual irrigated acres (1.1 acres x 0.03 cfs/acre = 0.03 cfs). Overall flow rate then reduces to 0.07 cfs.

F. VOLUME CALCULATIONS

1. Volume Calculations for irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.1 \text{ acres} \times 3.0 \text{ AF/acre} = 3.3 \text{ AF}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation season}) \times 1.9835 = 0.03 \times 214 \times 1.9835 = 12.7 \text{ AF}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \mathbf{3.3 \text{ AF}}$$

2. Volume Calculations for Other Uses: Domestic in-house use = **0.6 AF**

$$\text{Total Volume} = \mathbf{3.9 \text{ A}}$$

G. NARRATIVE/REMARKS/COMMENTS

The Beneficial Use Field Examination for permit 65-24071 was conducted on August 10, 2023. The homeowners were not on-site, but had been informed of the impending exam.

Water is diverted from the well into the irrigation system, which consists of approximately 20 impact sprinklers, fed by an underground pipeline, arranged around the perimeter of, and within, a naturalized grass area. In addition, an underground sprinkler system waters the well-manicured lawn with an arrangement of pop-up sprinklers.

The domestic portion of the right is used in the home and in the shop, where the use is confined to a bathroom.

As a result of the field examination and subsequent evaluation of irrigated acreage, the irrigation place of use was reduced from the permitted 1.5 acres to 1.1 acres with the irrigation flow rate reduced from 0.05 cfs to 0.03 cfs. This also reduces the overall flow rate from 0.09 cfs to 0.07 cfs.

The conditions of approval appear to have been met and I recommend licensing the right with a domestic flow rate of 0.04 cfs and a standard in-house volume of 0.6 AF. The irrigation flow rate and volume are recommended at 0.03 cfs and 3.3 AF. It is apparent that the parcel layer in our ArcMap system has a slight drift in this area, so the POU shapes were set to the PLSS layer, and not the parcel layer.

Have conditions of permit approval been met? X Yes No

H. RECOMMENDATIONS**1. Recommended Amounts**

<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>	<u>Volume</u>
IRRIGATION	04/15 to 10/31	0.03 CFS	3.3 AF
DOMESTIC	1 /1 to 12/31	0.04 CFS	0.6 AF

Totals:

0.07 CFS

3.9 AF

2. Recommended Amendments

 Change P.D. as reflected above Add P.D. as reflected above X None

 Change P.U. as reflected above Add P.U. as reflected above X None

I. AUTHENTICATION

Field Examiner's Name

Jim Bitzenburg

Date

8-15-2023

Reviewer

Date

8/22/2023

65-24071 System Diagram and POU/POD Map




Legend

- Township/Range
- Sections
- QQ

- Domestic POU
- Irrigation POU
- POD
- Impact Sprinklers

Lawn irrigation (green area) via underground sprinkler system.



SCANNED
AUG 22 2023



View of Point of Diversion (well) in foreground and Places of Use (home – domestic; yard, landscaping, and naturalized grass – irrigation).

IDAHO DEPARTMENT OF WATER RESOURCES WELL DRILLER'S REPORT

1. WELL TAG NO. D 00 73162

Drilling Permit No. _____

Water right or injection well # _____

2. OWNER:

Name Galen Woodsworth

Address PO Box 566

City McCall State Id Zip 83638

3. WELL LOCATION:

Twp. 17 North ☒ or South ☐ Rge. 3 East ☒ or West ☐

Sec. 6 SW 1/4 NW 1/4 NE 1/4

Gov't Lot _____ County Valley

Lat. 44 • 50 • 675 (Deg. and Decimal minutes)

Long. 116 • 08 • 285 (Deg. and Decimal minutes)

Address of Well Site 13940 Gallatin Rd

City McCall

Lot 4 Blk. _____ Sub. Name Gallatin Acres Sub

4. USE:

☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation ☐ Thermal ☐ Injection
☐ Other _____

5. TYPE OF WORK:

☒ New well ☐ Replacement well ☐ Modify existing well
☐ Abandonment ☐ Other _____

6. DRILL METHOD:

☒ Air Rotary ☐ Mud Rotary ☐ Cable ☐ Other _____

7. SEALING PROCEDURES:

Seal material	From (ft)	To (ft)	Quantity (lbs or ft ³)	Placement method/procedure
<u> Bentonite clay</u>	<u>0</u>	<u>38</u>	<u>1500 lb</u>	<u>10 ft ann casing poured</u>

8. CASING/LINER:

Diameter (nominal)	From (ft)	To (ft)	Gauge/Schedule	Material	Casing Liner Threaded Welded
<u>6</u>	<u>+1</u>	<u>99</u>	<u>.250</u>	<u>Steel</u>	☒ ☐ ☐ ☒
<u>4</u>	<u>-6</u>	<u>102</u>	<u>5/8 x 40</u>	<u>PVC</u>	☐ ☒ ☐ ☒
					☐ ☐ ☐ ☐

Was drive shoe used? ☐ Y ☒ N Shoe Depth(s) _____

9. PERFORATIONS/SCREENS:

Perforations ☐ Y ☒ N Method _____

Manufactured screen ☒ Y ☐ N Type Johnson wire wrap

Method of installation set in place

From (ft)	To (ft)	Slot size	Number/ft	Diameter (nominal)	Material	Gauge or Schedule
<u>102</u>	<u>107</u>	<u>.020</u>		<u>4</u>	<u>PVC</u>	<u>5/8 x 40</u>

Length of Headpipe _____ Length of Tailpipe _____

Packer ☐ Y ☒ N Type _____

10. FILTER PACK:

Filter Material	From (ft)	To (ft)	Quantity (lbs or ft ³)	Placement method
<u>6-12 coarse sand</u>	<u>98</u>	<u>107</u>	<u>200 lb</u>	<u>poured from top</u>

11. FLOWING ARTESIAN:

Flowing Artesian? ☐ Y ☒ N Artesian Pressure (PSIG) _____

Describe control device _____

12. STATIC WATER LEVEL and WELL TESTS:

Depth first water encountered (ft) 90 Static water level (ft) 47

Water temp. (°F) 48 Bottom hole temp. (°F) _____

Describe access port Squirtary w/1 seal

Well test:

Drawdown (feet)	Discharge or yield (gpm)	Test duration (minutes)	Test method:			
<u>60</u>	<u>25</u>	<u>60</u>	Pump	Ball	Air	Flowing artesian
			☐	☐	☒	☐

Water quality test or comments: good

13. LITHOLOGIC LOG and/or repairs or abandonment:

Bore Dia. (in)	From (ft)	To (ft)	Remarks, lithology or description of repairs or abandonment, water temp.	Water	
				Y	N
<u>11</u>	<u>0</u>	<u>2</u>	<u>Top soil</u>		☒
<u>11</u>	<u>2</u>	<u>10</u>	<u>brown sandy clay</u>		☒
<u>6</u>	<u>39</u>	<u>97</u>	<u>brown sand + gravel w/ clay</u>		☒
<u>6</u>	<u>97</u>	<u>107</u>	<u>gravel + brown sand</u>	<u>25 gpm</u>	

Completed Depth (Measurable): 107'

Date Started: 5-15-17 Date Completed: 5-24-17

14. DRILLER'S CERTIFICATION:

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name Bestin well Drilling Co. No. 408

*Principal Driller Robert Whetstone Date 5-30-17

*Driller Larry Lind Date 5-29-17

*Operator II _____ Date _____

Operator I _____ Date _____

* Signature of Principal Driller and rig operator are required.