

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 65-24127

Priority: April 25, 2022

Maximum Diversion Rate: 0.02 CFS

Maximum Diversion Volume: 0.2 AF

It is hereby certified that:

LISE JUMPER 5200 BUTTE RD EMMETT ID 83617-5053

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 04, 2022, and has submitted Proof of Beneficial Use on October 19, 2022. An examination confirms water is diverted from:

Source: SPRING

Tributary: SPRING CREEK

Beneficial Use

STOCKWATER

Period of Use

1/1 to 12/31

Rate of Diversion

0.02 CFS

Annual Volume

0.2 AF

Location of Point(s) of Diversion

SPRING L5 (NW¼ SW¼ NW¼), Sec. 1, Twp 07N, Rge 01W, B.M. GEM County

Place of Use: STOCKWATER

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
07N	01W	1						X L4	X L5										

Conditions of Approval

1. Use of water under this right may be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 65.
2. When ordered by the Director, the right holder shall provide mitigation acceptable to the Director to offset depletion of lower Snake River flows needed for migrating anadromous fish. The amount of water required for mitigation, which is to be released into the Snake River or a tributary for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this right. Any order of the Director issued in accordance with this paragraph shall be in conformance with applicable rules allowing the right holder due process as the need for mitigation and the amount of mitigation are determined.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 31st day of March, 2023.



SCOTT STORMS
Water Rights Supervisor

SCANNED

APR 04 2023

State of Idaho
Department of Water Resources
Attachment to Water Right
65-24127

This map depicts the STOCKWATER place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



- Place Of Use Boundary
- Townships
- PLS Sections
- Quarter Quarters
- Point of Diversion

N
SCANNED
APR 04 2023

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATIONPermit No: 65-24127

Exam Date: 03/23/2023

1. Does this qualify for an in-office field exam (IDAPA 035.02.r)? X Y N
- Irrigation of 5 acres or less
 - Storage of up to 14.6 AF for stockwater purposes only
 - Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
 - Other < >

2. Current Owner: Name: LISE JUMPER 5200 BUTTE RD EMMETT ID 83617-5053

Owner of Record Correct? X Y NAddress of Record Correct? X Y N

If No: Address < >

< >

< >

3. Fees have been paid: X Y N Receipt No: W0507754. SOURCE

SPRING

TRIBUTARY

SPRING CREEK

Method of Determination: Photos and statement of completion.Change in Source: Y X N**B. OVERLAP REVIEW**1. Other water rights with the same place of use: X NONE

Water Right No.	Source	Purpose of Use	Basis
65-24138	SPRINGS trib of SPRING CRK	STOCKWATER	PERMIT
		DOMESTIC	
		IRRIGATION	

Comments: Filed applications 65-24127 & 65-24138 at same time.2. Other water rights with the same point of diversion: X NONE

Water Right No.	Source	Purpose of Use	Basis
65-24138	SPRINGS trib of SPRING CRK	STOCKWATER	PERMIT
		DOMESTIC	
		IRRIGATION	

Comments: Filed applications 65-24127 & 65-24138 at same time.**C. DIVERSION AND DELIVERY SYSTEM**1. LOCATION OF POINT(S) OF DIVERSION:

Source	Govt Lot	¼	¼	¼	Se c.	Twp.	Rge.		County
SPRING	L5	NW	SW	NW	1	07N	01W	B.M.	GEM
								B.M.	
								B.M.	

Method of Determination: Statement of completion and ArcMap tools with aerial imagery.

SCANNED

APR 04 2023

Change in POD? ____Y__X__N Amendment Required? ____Y__X__N

2. **PLACE OF USE:****PLACE OF USE:** Use: STOCKWATER

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
07N	01W	1						X	X										
		Lot #						L4	L5										
Total Acres =																			

Method of Determination: Permit and GIS examination

Change in POU? ____Y__X__N Amendment Required? ____Y__X__N

3. X Delivery System Diagram Attached (required). Indicate all major components and distances between components. Indicate weir size/pipe as applicable.X Aerial Photo Attached (required for irrigation of 10+ acres).X Photo of Diversion and System Attached

4. Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1. Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None taken**E. FLOW CALCULATIONS**

____Additional Computation Sheets Attached

Measured Method: No direct measurement required per IDAPA 37.03.02.035.01(r).

Measurement = none taken

Permit allowed = 0.02 cfs

License recommend for 0.02 cfs

Recommended rate 0.02 cfs

Stockwater 13,000 gpd

= 0.02 cfs

SCANNED

APR 04 2023

F. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

As per IDWR Application Processing Memo 3: Annual Use of Water for Stockwater Purposes

Both range cattle and horses are based on 12 gpd/head over a 12-month period of use.

The annual volume for 0 to 10 head of Stock is 0.20 ac-ft per year.

G. PURPOSE OF USE

Irrigation N # Stock 10 horses Domestic # of Homes

Other: < >

Change in Purpose of Use? Y X N

Method of Determination: GIS examination and proof statement

If Yes: From Use To Use Amount CFS AFA

H. NARRATIVE/REMARKS/COMMENTS

Lise Jumper is the owner of permit 65-24127 for stock water use near Emmett, Idaho in Gem County. The proof of beneficial use was submitted on 9/28/2022 with an examination fee of \$50 though the proof due date is 9/01/2023. According to IDWR parcel records, Lise and George Jumper are the owners of the property.

The completion report describes the point of diversion as a pipe inserted horizontally into the spring. Water flows naturally from the hillside spring through the pipe and into a 500 gallon stock tank. The stock tank overflows into a ditch which flows into Spring Creek. Photographs were provided of the complete system from the point of diversion to the creek. The application proposes stock water at the rate of 0.02 cfs. The completion report indicates the system is for 10 horses. As per IDWR Application Processing Memo 3, the rate for up to 10 horses is 0.02 cfs. Based on the description of the system, the application, photo evidence, and the completion report, I am recommending the permit rate of 0.02 cfs for stock water.

Condition X02 was removed as per Department licensing standards. Condition 121 was replaced with condition 103. Condition R05 will be retained on the license.

Have the conditions of permit approval been met? X Yes No

I. RECOMMENDATIONS

1. Recommended Amounts

<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>	<u>Annual Volume</u>
STOCKWATER	1 /1 to 12/31	0.02 CFS	0.2 AF

Totals: 0.02 CFS

SCANNED

APR 04 2023

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above X None

___ Change P.U. as reflected above ___ Add P.U. as reflected above X None

Other: < >

I. AUTHENTICATION Allen Bradbury -

Field Examiner's Name Allen Bradbury Date 3/23/23

Reviewer _____ Date _____

SCANNED

APR 04 2023

These are the photos of the stock water spring development for permit 65-24127

point of
diversion




pipe inserted horizontally into spring, draining into stock tank, above, below left



point of diversion &
place fuse

above right & remaining show overflow from stock tank returning to spring creek



over

SCANNED

APR 04 2023



← this is
the overflow
area in the
pasture
from stock
tank

— this is
the drain
ditch along
the
driveway

↖
↑
culvert
under driveway



↑ Spring
creek
down
here

↑
this is the
flow after going
under the driveway
& return to
Spring Creek

SCANNED

APR 04 2023

Plumbing Services Inc

CEMEX SUPPLY COOPERATIVE, INC.

882 R. WASH.

EMMETT, IDAHO 83617

(208) 365-6644

INVOICE NUMBER

90705

1032892

SOLD TO: HANPER, GEORGE
2800 SPRING CREEK RD
EMMETT ID 83617

516 664

1	2	3	4		5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203
---	---	---	---	--	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

CUSTOMER'S ORDER NO.		DEPT.		DATE	
NAME		12/4/90			
ADDRESS		George Jumper			
CITY		STATE			
ZIP		COUNTRY			
QUANTITY		UNIT PRICE		TOTAL	
1		Labor		97.50	
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
REC'D BY					

5L320/01320

**KEEP THIS SLIP
FOR REFERENCE**

ABS 4" - Stock H ₂ O	144.80'	50.6	160.80
~~144.80'~~	~~50.6~~	~~160.80~~	~~160.80~~

I have a lot of plumbing receipts with various building materials on them; these specifically were for the stock tank

SCANNED

APR 04 2023


State of Idaho
Department of Water Resources

Attachment to Permit to Appropriate Water

65-24127

This map depicts the STOCKWATER place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

01W



- Place Of Use Boundary
- Townships
- PLS Sections
- Quarter Quarters
- Point of Diversion

0 0.035 0.07 0.14 Miles



SCANNED

APR 04 2023

RECEIVED

SEP 26 2022

WATER RESOURCES
WESTERN REGION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY

Amt. of Fee \$ 50-
Receipt No. C114339
Received By KM
Date Received 10/18/20

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 65-24127 Name of Permit Holder(s) Lise Jumper
Telephone No. 208-369-7520 Email sales@jumpers-sporthorses.com
Mailing Address 5200 Butte Rd City Emmett State ID Zip 83617

2. Source of Water spring If Ground Water (well), Date Drilled mo. ____ / yr. ____
Drilling Permit/Tag No. ____ Drilling Company's Name ____

3. Extent of use(s) completed as authorized by the water right permit:

Domestic (No. households) ____ Irrigation (No. acres) ____ Stockwater (No. and stock type) 10 horses
Other ____

4. Total diversion rate or volume (storage only) for which proof is submitted .02 cfs OR ____ af
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.

5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)
A pipe is inserted horizontally into the spring. The water flows naturally from the spring, through the pipe and into a 500 gallon stock tank. The stock tank overflows into a ditch which flows into Spring Creek.

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

- | | | |
|--------------------------|-------------------------------------|---|
| ☐ | ☒ | Ground water level data, pumping information, or other diversion data |
| ☐ | ☒ | Mitigation plan |
| ☐ | ☒ | Lockable controlling works |
| ☐ | ☒ | Measuring device |
| ☐ | ☒ | Fish screen |
| ☐ | ☒ | Other requirements of the water right permit |
| ☐ | ☒ | Reasonably Anticipated Future Needs ("RAFN") Municipal use |

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

7. Fee Enclosed \$ ____ or ☐ CWRE field report attached or ☒ No fee required
See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: Lise Jumper Telephone No. 208-369-7520 Email sales@jumpers-sporthorses.com
Mailing Address 5200 Butte Rd City Emmett State ID Zip 83617

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

Lise Jumper
SIGNATURE OF PERMIT HOLDER*

Lise Jumper, owner
PRINTED NAME AND TITLE

9/21/22
DATE

*Attach power of attorney if completing on behalf of permit holder.

SCANNED
OCT 25 2022

These are the photos of the stock water spring development for permit 65-24127

point of
diversion




pipe inserted horizontally into spring, draining into stock tank, above, below left



point of diversion &
place fuse

above right & remaining show overflow from stock tank returning to spring creek



over

SCANNED

APR 04 2023



← this is
the overflow
area in the
pasture
from stock
tank

→ this is
the drain
ditch along
the
driveway

←
↑
culvert
under driveway



↑ Spring
creek
down
here

↑
this is the
flow after going
under the driveway
& return to
Spring Creek

SCANNED

APR 04 2023

receipts for stock tank install

[illegible]

Plumbing Services Inc

3947

CUSTOMER'S ORDER NO.	DEPT.	DATE 12/4/92
NAME George Jumper		
ADDRESS		

SOLD BY	CASH	C.O.D.	CHARGE	ON ACCT.	MOSF RETD.	PAID OUT
---------	------	--------	--------	----------	------------	----------

QUAN	DESCRIPTION	PRICE	AMOUNT
1	Labor		97. ⁰⁰
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			

REC'D BY _____

REDFORM
5L320/01320

KEEP THIS SLIP FOR REFERENCE

ABS 4" - Stock H ₂ O	449.80'	291	160	80
~~449.80'~~	~~449.80'~~	~~291~~	~~160~~	~~80~~

I have a lot of plumbing receipts with various building materials on them; these specifically were for the stock tank

SCANNED
OCT 25 2022

State of Idaho
Department of Water Resources

Attachment to Permit to Appropriate Water

65-24127

This map depicts the STOCKWATER place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

01W



-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion

0 0.035 0.07 0.14 Miles

SCANNED
OCT 25 2022





IDAHO DEPARTMENT OF
WATER RESOURCES

Western Region • 2735 W Airport Way • Boise, ID 83705-5082

Phone: 208-334-2190 • Fax: 208-334-2348 • Email: westerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

April 04, 2023

LISE JUMPER
5200 BUTTE RD
EMMETT ID 83617-5053

RE: License No. 65-24127

ISSUANCE OF LICENSE

Dear Water Right Holder(s):


The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 605-4624.

Sincerely,


Lynne Evans

for Scott Storms
Water Rights Supervisor

Enclosure(s)

SCANNED

APR 04 2023

CERTIFICATE OF SERVICE

I hereby certify that on April 04, 2023, I served a true and correct copy of Water Right License No. 65-24127 by U.S. Mail, postage prepaid, to the following:

LISE JUMPER (Current Owner)
5200 BUTTE RD
EMMETT ID 83617-5053

NEIL SHIPPY (Watermaster)
WATER DISTRICT #65
102 N MAIN ST
PAYETTE ID 83661-2522



Lynne Evans
Administrative Assistant I

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) The petition for reconsideration is disposed of; or
- (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little
October 26, 2022

Director Gary Spackman

LISE JUMPER
5200 BUTTE RD
EMMETT ID 83617-5053

PROOF ACKNOWLEDGEMENT LETTER

RE: Permit Nos. 65-24127 and 65-24138

Dear Permit Holder:

The Department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permits. The next step in the process of developing a water right is for the Department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that Idaho Code § 42-248, requires you or the owner of this water right to maintain current ownership and address records on file with the Department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any Department office or at the Department's website at www.idwr.idaho.gov.

If you have any questions concerning the field examination, please contact the Western Region Office of the Department located in Boise at (208) 334-2190.

Sincerely,

Debbi Judd
Technical Records Specialist

Enclosures

SCANNED
OCT 25 2022

Beneficial Use Proof Evaluation

Permit Number: 65-24127 Reviewer: djudd Review Date: 10/19/2022

Acceptability

- 1) Is the contact on the request the current permit holder? Yes
- 2) Does the address of record need to be updated? No
- 3) Proof Submitted Date: 10/19/2022
- 4) Proof Due Date: 9/1/2023
- 5) Days added for weekend due date? 0
- 6) Days added for holiday due date? 0
- 7) Number of days late: -317
- 8) Proof received timely? Yes

Analysis

- 1) Are the water uses correct? Yes
- 2) Are one of the following items required?
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- No
- 3) Are the required items installed?
 - a. Measuring Device --
 - b. Lockable Device --
 - c. Fish Screen --
- 4) Is there a request to waive the required items?
- 5) Drilling Permit Number:
- 6) Is a drilling permit upgrade needed?
- 7) Was a well drillers report filed?
- 8) Is proof accepted? Yes

Fees

- 1) Is a licensing exam fee required? Yes
- 2) Was proof submitted with an exam report from a CWE? No
- 3) Filing fee due: \$50.00
- 4) Filing fee submitted: \$50.00
- 5) Remaining fee or (refund): \$0.00

Receipt IDs

W050296

Comments

Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing.

*Unable to do in house
acknowledged proof*



Governor Brad Little
October 7, 2022

Director Gary Spackman

LISE JUMPER
5200 BUTTE RD
EMMETT ID 83617

PROOF DEFICIENCY LETTER

RE: Permit No. 65-24127

Dear Permit Holder:

The Department received the proof of beneficial use (proof) form submitted for the above referenced permit. The proof is not acceptable without the correct fee.

This permit authorizes a diversion rate of 0.02 cfs (cubic feet per second) of surface water requiring a license examination fee of \$50.00.

A payment of \$50 was received with the proof for permit 65-24138 (the proof indicated permit 65-24128 which is not a valid permit number, the correct permit number is 65-24138). The \$50 fee has been applied to proof for permit 65-21438.

Please submit the required fees at your earliest convenience before the proof due date of **September 01, 2023** to avoid the possibility of your permit lapsing. If you have any questions concerning this matter, please contact me at (208) 287-4920 or debby.judd@idwr.idaho.gov.

Sincerely,

Debbi Judd
Technical Records Specialist

SCANNED
OCT 11 2022