

AMENDED

RECEIVED

SEP 25 2024

Ident No. _____
DEPT. OF WATER RESOURCES
EASTERN REGION

13-8913

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

**NOTICE OF DIVERSION AS AN ALTERNATIVE TO
INSTREAM STOCKWATER USE**

(To provide notice of intent to divert surface water from a stream or riparian area to troughs or tanks as an alternative to instream use for the watering of livestock)

1. Name of right holder Robert Kent Bushman Trust Phone 801-369-8207
Mailing address 795 E Woodland, Soda Springs, ID 83276 Email bobbykent58@gmail.com
2. Source of water supply Spring tributary to Bear River
3. Point of Diversion:
 - a) Is this notice based on an existing recorded instream stockwater right? If yes, provide the water right number No
If no, describe the beginning and ending points for the instream stockwater use:
Beginning point is in Gov't. Lot _____, _____ 1/4 _____ 1/4 _____ 1/4,
Section _____, Township _____ Range _____, B.M.,
_____ County.
Ending point is in Gov't. Lot _____, _____ 1/4 _____ 1/4 _____ 1/4,
Section _____, Township _____ Range _____, B.M.,
_____ County.
 - b) Alternate point of diversion is in Gov't. Lot _____, _____ 1/4 NW 1/4 NW 1/4,
Section 20, Township 10S Range 40E, B.M.,
CARIBOU County.
4. Description of diversion and delivery system:
 - a) Describe the type of diversion Spring box consisting of
PVC Pipe 2" in size to deliver water trough
 - b) Describe the delivery system Enclosed PVC pipe to water trough, overflow system
delivers overflow water back into spring system.
 - c) Describe the number, type and total capacity of troughs or tanks _____
1 500 gallon trough

- d) Describe the automatic shutoff or flow control mechanism or means of returning unused water to the source Overflow pipe to deliver water into system
- e) Describe how the system is designed to allow measurement of the rate of diversion Enclosed pipe allows measurement and 5 gallon bucket test

5. Describe the place of use by placing an X in the appropriate 40-acre tract(s) below:

TWP	RGE	SEC	NE				NW				SW				SE			
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE
10S	40E	20						X										

6. Priority date claimed or established 12/31/1964 **AMENDED**
7. Rate of diversion .02 cfs
8. Season of use: from 1/01 to 12/31
9. a) Who owns the property at the point of diversion? Applicant
b) Who owns the property at the place of use? Applicant
10. When will construction occur? Warm season 2025 or 2026
11. Comments (include number and type of stock) 200 head of mixed stock. Two springs converge into unnamed stream.
Stream picked up by canals in the area, but would flow into the Bear River.
12. Map of project required - Attach an 8½"x11" map clearly identifying the location of the instream stockwater use and the locations of the alternative point(s) of diversion and stock trough(s). A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.

I hereby assert the following:

- a) Diversion is from a surface water source to which the livestock would otherwise have access. The land where the watering tanks or troughs will be located is land from which the livestock had access to the source of water from which diversion is being made.
- b) The diversion of water out of the stream as described in this notice is for watering livestock and will not injure other water rights.
- c) I will not alter the bed and banks of the source as the term is defined in section 42-3802, Idaho Code. I understand that I may place an inlet conduit into the source in a manner that does not require excavation or obstruction of the stream channel, unless the director of the department of water resources approves a stream channel alteration permit for additional work.
- d) I understand that upon determination of interference with other water rights, the Director may order curtailment of diversion or use of water under this notice or may require the diversion and delivery system to be modified to prevent injury.
- e) I will not divert more than 13,000 gallons per day for livestock watering from this diversion, and I will not use more than one point of diversion under this notice.
- f) I am authorized to make the changes described in this notice and that if the notice involves a federal grazing allotment, the permittee consents to the changes described in this notice.
- g) I understand that any willful misrepresentation on this notice will void any right to divert water for livestock under this notice.

Dated this 29th day of August, 2024

X [Signature]
Right Holder or Authorized Representative

FOR DEPARTMENT USE

Received by CU Date _____ Preliminary check by _____
Fee: \$ 25.00 Receipted by CU Receipt No. 1001239 Date 8/29/2024
Water District No. _____ Entered into data base _____ By _____

42-113 Form Map



Spring Locations:



Spring/Unnamed Stream System:



Trough Locations:



0 65 130 260 Feet



RECEIVED

RECEIVED

SEP 06 2024
Form 113
Department of Water Resources
Eastern Region

SEP 29 2024

IDWR/Preston

Ident No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

**NOTICE OF DIVERSION AS AN ALTERNATIVE TO
INSTREAM STOCKWATER USE**

(To provide notice of intent to divert surface water from a stream or riparian area to troughs or tanks as an alternative to instream use for the watering of livestock)

1. Name of right holder Robert Kent Bushman Trust Phone (801) 369-8207
Mailing address 795 E Woodland, ↑ ID 83276 Email bobbykent58@gmail.com
2. Source of water supply Spring, Soda Springs tributary to Bear River
3. Point of Diversion:

- a) Is this notice based on an existing recorded instream stockwater right? If yes, provide the water right number No

If no, describe the beginning and ending points for the instream stockwater use:

Beginning point is in Gov't. Lot _____, NW 1/4 NW 1/4 NW 1/4,
Section 20, Township 10S Range 40E, B.M.,
CARIBOU County.

Ending point is in Gov't. Lot _____, NW 1/4 NW 1/4 NW 1/4,
Section 20, Township 10S Range 40E, B.M.,
CARIBOU County.

- b) Alternate point of diversion is in Gov't. Lot _____, NW 1/4 NW 1/4 NW 1/4,
Section 20, Township 10S Range 40E, B.M.,
CARIBOU County.

4. Description of diversion and delivery system:

- a) Describe the type of diversion Spring box consisting of PVC pipe 2" in size to deliver water trough.
- b) Describe the delivery system Enclosed PVC pipe to water trough, with an overflow system that delivers overflow water back into spring system.
- c) Describe the number, type and total capacity of troughs or tanks 1 trough per spring, 2 total. Each 500 gallons big.

SUPERCEDED

- d) Describe the automatic shutoff or flow control mechanism or means of returning unused water to the source Overflow pipe from the trough that delivers overflow water back into the system and to avoid freeze in winter.
- e) Describe how the system is designed to allow measurement of the rate of diversion Enclosed pipe allows measurement of diversion rate. 5 gallon bucket test also able to be used.

5. Describe the place of use by placing an X in the appropriate 40-acre tract(s) below:

TWP	RGE	SEC	NE				NW				SW				SE			
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE
10S	40E	20					X											

6. Priority date claimed or established 12/31/1964
7. Rate of diversion .02 cfs
8. Season of use: from 1/1 to 12/31
9. a) Who owns the property at the point of diversion? Applicant
b) Who owns the property at the place of use? Applicant
10. When will construction occur? In the warm season either in 2025 or 2026.
11. Comments (include number and type of stock) Approximately 200 head of mixed stock have been drinking from this system. There are two springs that converge into one unnamed stream. The stream is picked up by other canals in the area.
If not picked up by canals, the stream would flow into the Bear River.
12. Map of project required - Attach an 8½"x11" map clearly identifying the location of the instream stockwater use and the locations of the alternative point(s) of diversion and stock trough(s). A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.

SUPERCEDED

Henman, Christina

From: Henman, Christina
Sent: Thursday, January 30, 2025 2:35 PM
To: Fred Price (fwprice@blm.gov); Clark, Trevlyn - FS, UT; Larsen, Tyler - FS, UT
Subject: Notice of Diversion for Instream Stockwater Use: 13-8912, 13-8913, 13-9670, 13-9677, 13-9678, 34-14955
Attachments: 13-8913 Notice of Diversion as an Alternative to Instream Stockwater Use.pdf; 13-9670 Notice of Diversion as an Alternative to Instream Stockwater Use.pdf; 13-9677 Notice of Diversion as an Alternative to Instream Stockwater Use.pdf; 13-9678 Notice of Diversion as an Alternative to Instream Stockwater Use.pdf; 34-14955 Notice of Diversion as an Alternative to Instream Stockwater Use.pdf; 13-8912 Notice of Diversion as an Alternative to Instream Stockwater Use.pdf

TREVLYN CLARK
USDA FOREST SERVICE

FRED PRICE
USDI, BLM, IDAHO STATE OFFICE

RE: Notice of Diversion for Instream Stockwater Use

Dear Interested Party:

The Department of Water Resources has received the enclosed Notices of Diversion for Instream Stockwater, submitted under Section 42-113(3), Idaho Code. Please refer to the above referenced numbers in all future correspondence regarding this notice. This notice will be retained in our files and will be available for reference at any time.

If you have questions, please call the department at (208) 525-7161

Thank You,



Christina Henman
Administrative Assistant
IDWR, Eastern Region
900 N Skyline Ste. A
Idaho Falls, ID 83402
Phone: (208) 525-7161



IDAHO DEPARTMENT OF
WATER RESOURCES

Eastern Region • 900 N Skyline Drive, Suite A • Idaho Falls, ID 83402-1718

Phone: 208-525-7161 • Fax: 208-525-7177 • Email: easterninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Mathew Weaver

September 25, 2024

ROBERT KENT BUSHMAN TRUST
795 E WOODLAND DR
SODA SPRINGS, ID 83276

RE: Water Right Nos. 13-8912 and 13-8913
Notice of Diversion for Instream Stockwater Use

Dear Water Right Holder(s):

The Department of Water Resources acknowledges receipt of the water right notice you submitted under Section 42-113(3), Idaho Code. Please refer to the above referenced number in all future correspondence regarding this notice.

The filing of the notice does not confirm the validity of the water right. It will serve to record and preserve the information regarding the notice.

Please note that the diversion described in your notice may occur only if the following conditions are met.

- The water is diverted from a surface water source to a trough or tank through an enclosed water delivery system.
- The water delivery system is equipped with an automatic shutoff or flow control mechanism or includes a means for returning unused water to the surface water source through an enclosed delivery system, and the system is designed and constructed to allow the rate of diversion to be measured.
- The diversion is from a surface water source to which the livestock would otherwise have access and the watering tank or trough is located on land from which the livestock would have access to the surface water source from which the diversion is made.
- The diversion of water out of the stream in this manner does not injure other water rights.
- The use of the water diverted is for watering livestock.
- The bed and banks of the source shall not be altered as that term is defined in section 42-3802, Idaho Code, except that an inlet conduit may be placed into the source in a manner that does not require excavation or obstruction of the stream channel, unless additional work is approved by the Director of the Department of Water Resources.
- The amount of water diverted for watering of livestock shall not exceed thirteen thousand (13,000) gallons per day.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

We are enclosing a copy of the notice for your records. Please feel free to contact this office if you have any questions.

Sincerely,

Christian J Stewart

Christian Stewart
Water Resource Agent

Enclosure

IDAHO DEPARTMENT OF WATER RESOURCES
Proof Report

9/25/2024

Water Right 13-8912

Owner Type

Current Owner

Name

ROBERT KENT BUSHMAN TRUST

Priority Date: 12/31/1964

Basis: Statutory Claim

Status: Active

Source

SPRING

Tributary

BEAR RIVER

Beneficial Use

STOCKWATER

From

01/01

To

12/31

Diversion Rate

0.020 CFS

Volume

Total Diversion

0.020 CFS

Source and Point(s) of Diversion:

SPRING

NWNW

Sec. 20, Twp 10S, Rge 40E, CARIBOU County

Place Of Use:

STOCKWATER within CARIBOU County

T10S R40E S20

NWNW

Conditions of Approval:

1. 107 This notice was filed in accordance with Idaho Code § 42-113(3). Diversion and use of water in accordance with this notice shall not exceed 13,000 gallons per day for stockwater use. The water delivery system established in accordance with this notice shall be fully enclosed and shall be equipped with an automatic shutoff valve or a mechanism for returning unused water to the source through an enclosed system. The water delivery system shall be designed to facilitate measurement of the rate of flow through the system.

Combined Use Limits:

N/A

SubCase:

N/A

Water Supply Bank:

N/A

IDAHO DEPARTMENT OF WATER RESOURCES
Proof Report

9/25/2024

Water Right 13-8913

Owner Type

Current Owner

Name

ROBERT KENT BUSHMAN TRUST

Priority Date: 12/31/1964

Basis: Statutory Claim

Status: Active

Source

SPRING

Tributary

BEAR RIVER

Beneficial Use

STOCKWATER

From

01/01

To

12/31

Diversion Rate

0.020 CFS

Volume

Total Diversion

0.020 CFS

Source and Point(s) of Diversion:

SPRING

NWNW

Sec. 20, Twp 10S, Rge 40E, CARIBOU County

Place Of Use:

STOCKWATER within CARIBOU County

T10S R40E S20

NWNW

Conditions of Approval:

1. 107 This notice was filed in accordance with Idaho Code § 42-113(3). Diversion and use of water in accordance with this notice shall not exceed 13,000 gallons per day for stockwater use. The water delivery system established in accordance with this notice shall be fully enclosed and shall be equipped with an automatic shutoff valve or a mechanism for returning unused water to the source through an enclosed system. The water delivery system shall be designed to facilitate measurement of the rate of flow through the system.

Combined Use Limits:

N/A

SubCase:

N/A

Water Supply Bank:

N/A