State of Idaho
Department of Water Resources

Water Right License

Water Right No. 77-14363

Priority: August 18, 2017 **Maximum Diversion Rate:** 0.04 CFS

It is hereby certified that:

UNITED STATES OF AMERICA
USDA FOREST SERVICE
1249 S VINNELL WAY STE 200
BOISE ID 83709-1663

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 22, 2017, and has submitted Proof of Beneficial Use on January 27, 2023. An examination confirms water is diverted from:

Source : GROUND WATER

Beneficial Use	Period of Use	Rate of Diversion
DOMESTIC	01/01 to 12/31	0.04 CFS

Location of Point(s) of Diversion
GROUND WATER SE¼ SW¼, Sec. 36, Twp 15N, Rge 06E, B.M. VALLEY County

Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
15N	06E	36												X					

Conditions of Approval

1. The quantity of water under this right shall not exceed 13,000 gallons per day.
2. The irrigation occurring under this domestic use shall not exceed 1/2 acre.
3. Upon specific notification by the Department, the right holder shall install a lockable device of a type acceptable to the Department in a manner that will provide suitable control of the diversion.
4. Domestic use is for the Stolle Meadows Guard Station.
5. When ordered by the Director, the right holder shall provide mitigation acceptable to the Director to offset depletion of lower Snake River flows needed for migrating anadromous fish. The amount of water required for mitigation, which is to be released into the Snake River or a tributary for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this right. Any order of the Director issued in accordance with this paragraph shall be in conformance with applicable rules allowing the right holder due process as the need for mitigation and the amount of mitigation are determined.

SCANNED
JUN 26 2023

State of Idaho
Department of Water Resources

Water Right License

Water Right No. 77-14363

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 16th day of June, 2023.

COREY SKINNER
Southern Regional Manager


SCANNED
JUN 26 2023

State of Idaho
Department of Water Resources

Attachment to Water Right

77-14363

This map depicts the DOMESTIC place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



SCANNED
JUN 26 2023

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 77-14363 IN THE NAME OF UNITED STATES OF AMERICA USDA FOREST SERVICE	)))))	**PRELIMINARY ORDER REINSTATING A PERMIT**

This matter having come before the Idaho Department of Water Resources ("Department"), the Department finds, concludes and orders as follows:

FINDINGS OF FACT

1. On October 25, 2017, the Department issued Permit No. 77-14363 ("Permit") in the name of United States of America USDA Forest Service ("Permit Holder") authorizing the diversion of 0.04 cubic feet per second of ground water for domestic use in the SE¼SW¼ of Section 36 of Township 15 North, Range 06 East, B.M., Valley County. A condition of permit approval required the Permit Holder to submit proof of beneficial use of water to the Department on or before December 1, 2022.

2. On September 30, 2022, the Department notified the Permit Holder by certified mail that proof of beneficial use was due and instructed the Permit Holder of the steps to be taken to submit a *Statement of Completion for Submitting Proof of Beneficial Use* ("Proof"), or a *Request for Extension of Time* ("Extension Request").

3. On December 1, 2022, the Permit lapsed because the Department had not received an acceptable Proof or Extension Request.

4. On December 7, 2022, the Department notified the Permit Holder the Permit lapsed because no Proof or Extension Request had been received.

5. On January 27, 2023, the Permit Holder filed an acceptable Proof.

CONCLUSIONS OF LAW

Idaho Code § 42-218a(1) states, in pertinent part:

> A permit upon which the proof of beneficial use..., has not been submitted, or a request for extension of time has not been received on or before the date set for such proof or incremental statement, shall lapse and be of no further force nor effect... . Notice of said lapsing shall be sent by the department to the permit holder at the address of record by regular mail.

SCANNED
FEB 10 2023

Idaho Code § 42-218a(2) states, in pertinent part:

> Within sixty (60) days after such notice of lapsing the department may, upon a showing of reasonable cause, reinstate the permit with the priority date advanced a time equal to the number of days that said showing is subsequent to the date set for proof.

By submitting an acceptable Proof, the Permit Holder has shown reasonable cause why this Permit should be reinstated. The Permit should be reinstated based upon the January 27, 2023 filing date.

ORDER

IT IS HEREBY ORDERED that Permit No. 77-14363 is **REINSTATED** and the Permit's priority date is advanced to August 18, 2017.

DATED this 9th day of February 2023.

Shelley W. Keen

Shelley W. Keen, Chief
Water Allocation Bureau

SCANNED
FEB 10 2023

Form 42-217 Rev. 6/22

RECEIVED
JAN 27 2023
DEPARTMENT OF WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEMENT OF COMPLETION

FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY
Amt. of Fee $ _____
Receipt No. _____
Receipted By _____
Date Receipted _____

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 77-14363 Name of Permit Holder(s) United States of America - USDA Forest Service

Telephone No. (208) 373-4100 Email matthew.robinson@usda.gov

Mailing Address 1249 S. Vinnell Way, Suite 200 City Boise State ID Zip 83709

2. Source of Water Groundwater If Ground Water (well), Date Drilled mo. July / yr. 2003

Drilling Permit/Tag No. 877992-804817 / 0029688 Drilling Company's Name Gestrin Well Drilling

3. Extent of use(s) completed **as authorized by the water right permit**:

Domestic (No. households) _____ Irrigation (No. acres) _____ Stockwater (No. and stock type) _____

Other Domestic use at Stolle Meadows Guard Station, One Forest Service Guard Station

4. Total diversion rate or volume (storage only) for which proof is submitted 0.04 cfs OR _____ af

If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.

5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)

Hand pump at well.

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required?	Yes	No	(If "Yes", attach required data, evidence of compliance, or evidence of installation)
☐	☐	☑	Ground water level data, pumping information, or other diversion data
☐	☐	☑	Mitigation plan
☐	☐	☑	Lockable controlling works
☐	☐	☑	Measuring device
☐	☐	☑	Fish screen
☐	☐	☐	Other requirements of the water right permit _____
	☐	☑	Reasonably Anticipated Future Needs ("RAFN") Municipal use

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

7. Fee Enclosed $_____ or ☐ CWRE field report attached or ■ No fee required

See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: Matt Robinson Telephone No. 986-200-8256 Email matthew.robinson@usda.gov

Mailing Address 1249 S. Vinnell Way, Suite 200 City Boise State ID Zip 83709

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

RYAN NEHL Digitally signed by RYAN NEHL Date: 2023.01.26 16:18:46 -07'00' | RYAN NEHL, Acting Forest Supervisor | 1/26/23

SIGNATURE OF PERMIT HOLDER* | PRINTED NAME AND TITLE | DATE

*Attach power of attorney if completing on behalf of permit holder.

SCANNED
FEB 10 2023

77-14363
Stolle Meadows Guard Station
Records to accompany Statement of Completion (IDWR 42-217)



Stolle Meadows Guard Station – hand pump

SCANNED
FEB 10 2023

77-14363
Stolle Meadows Guard Station
Records to accompany Statement of Completion (IDWR 42-217)



Hand pump circled in yellow with Stolle Meadows Guard Station in background.

SCANNED
FEB 10 2023

77-14363
Stolle Meadows Guard Station
Records to accompany Statement of Completion (IDWR 42-217)

Stolle Meadows Guard Station – Record of Use 2018-2022

Start Date: 01/01/2022 End Date: 01/01/2023

Loop Name	Site Code	Site Type	Reservable	Days Available	Days Closed	Days Occupied	Average length of stay	Number of Visitors
STOL	001	CABIN NONELECTRIC	Y	210	110	109	1.88	182
Total STOLLE MEADOWS CABIN				210	110	109	1.88	182

Start Date: 01/01/2021 End Date: 01/01/2022

Loop Name	Site Code	Site Type	Reservable	Days Available	Days Closed	Days Occupied	Average length of stay	Number of Visitors
STOL	001	CABIN NONELECTRIC	Y	320	0	229	2.25	305
Total STOLLE MEADOWS CABIN				320	0	229	2.25	305

Start Date: 01/01/2020 End Date: 01/01/2021

Loop Name	Site Code	Site Type	Reservable	Days Available	Days Closed	Days Occupied	Average length of stay	Number of Visitors
STOL	001	CABIN NONELECTRIC	Y	260	61	164	2.02	240
Total STOLLE MEADOWS CABIN				260	61	164	2.02	240

Start Date: 01/01/2019 End Date: 01/01/2020


Loop Name	Site Code	Site Type	Reservable	Days Available	Days Closed	Days Occupied	Average length of stay	Number of Visitors
STOL	001	CABIN NONELECTRIC	Y	320	0	180	2.02	258
Total STOLLE MEADOWS CABIN				320	0	180	2.02	258

Start Date: 01/01/2018 End Date: 01/01/2019

Loop Name	Site Code	Site Type	Reservable	Days Available	Days Closed	Days Occupied	Average length of stay	Number of Visitors
STOL	001	CABIN NONELECTRIC	Y	246	0	69	2.76	82
Total STOLLE MEADOWS CABIN				246	0	69	2.76	82

SCANNED
FEB 10 2023

77-14363
Stolle Meadows Guard Station
Records to accompany Statement of Completion (IDWR 42-217)



fs.usda.gov/about-agency/contact-us/employee-search?fname=Ryan&lname=Nehl&field_fs_employee_department_value=

R2IOB Login | Mercury | organizations | R4 WRU | All Files Powered B... | eAuthentication | Medicine Bow-Rout... | NRCS National Wat... | Outlook Web App | Suggested Sites

An official website of the United States government Here's how you know

USDA Forest Service
U.S. DEPARTMENT OF AGRICULTURE

Enter Keyword(s) Go

Visit Us | Managing the Land | Learn | Science and Technology | Working with Us | About the Agency | Inside the FS

Home • About the Agency • Contact Us • Employee Search

About the Agency

- Contact Us
  - Employee Search
- Newsroom
- Agency Leadership
- National Programs and Offices
- Budget and Performance
- Publications
- Regulations and Policies

First Name: Ryan
(Optional) Enter the employee's first name

Last Name *: Nehl
(Required) Enter the employee's last name

Department: -- All Locations / Offices --

Apply

Name	Job Title	Office/Department Name	Contact
Ryan Nehl	Forest Supervisor	Region 4 - Intermountain (S.Idaho, Nevada, Utah, W.Wyoming)	435-636-3536 ryan.nehl@usda.gov

SCANNED
FEB 10 2023

IDAHO DEPARTMENT OF
WATER RESOURCES

Southern Region • 650 Addison Ave W, Suite 500 • Twin Falls, ID 83301-5858
Phone: 208-736-3033 • Fax: 208-736-3037 • Email: southerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little **Director Gary Spackman**

June 20, 2023

UNITED STATES OF AMERICA
USDA FOREST SERVICE
1249 S VINNELL WAY STE 200
BOISE ID 83709-1663

RE: License No. 77-14363

ISSUANCE OF LICENSE

Dear Water Right Holder(s):

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 736-3033.

Sincerely,

Corey Skinner
Southern Regional Manager

Enclosure(s)

SCANNED
JUN 26 2023

CERTIFICATE OF SERVICE

I hereby certify that on June 20, 2023, I served a true and correct copy of Water Right License No. 77-14363 by U.S. Mail, postage prepaid, to the following:

UNITED STATES OF AMERICA (Current Owner)
USDA FOREST SERVICE
1249 S VINNELL WAY STE 200
BOISE ID 83709-1663

Denise Maline

Denise Maline
Administrative Assistant 1

SCANNED
JUN 26 2023

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

SCANNED
JUN 26 2023

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

(a) The petition for reconsideration is disposed of; or
(b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

i. A hearing was held,
ii. The final agency action was taken,
iii. The party seeking review of the order resides, or
iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

SCANNED
JUN 26 2023

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No: 77-14363
Exam Date: In-House
6/14/2023

1. Current Owner:
UNITED STATES OF AMERICA
USDA FOREST SERVICE
1249 S VINNELL WAY STE 200
BOISE ID 83709-1663

2. Accompanied by: NA

3. **SOURCE:** GROUND WATER
Method of Determination: Well drillers report, aerial imagery, and images from proof submitted.

B. OVERLAP REVIEW

1. Other water rights with the same place of use: YES, one (1) overlapping water right.

Water Right No.	Source	Purpose of Use	Basis
77-2199	Unnamed stream	Domestic	Decreed

Comments: _____

2. Other water rights with the same point-of-diversion: None

Water Right No.	Source	Purpose of Use	Basis

Comments: _____

C. DIVERSION AND DELIVERY SYSTEM

1. **LOCATION OF POINT(S) OF DIVERSION:**
GROUND WATER SE¼ SW¼, Sec. 36, Twp 15N, Rge 06E, B.M. VALLEY County

Method of Determination: Well drillers report, aerial imagery, and images from proof submitted.

2. **PLACE OF USE:** DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
15N	06E	36												X					

Method of Determination: Aerial imagery and images from proof submitted.

3.

__X__ Delivery System Diagram Attached (required). Indicate all major components and distances between components. Indicate weir size/pipe as applicable.

__X__ Map Attached Showing Location(s) of point(s) of diversion and place(s) of use (required). Scale must be 1:24,000 or greater.

__X__ Aerial Photo Attached (required for irrigation of 10+ acres).

__X__ Photo of Diversion and System Attached

4.

Well or Diversion ID No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
375691					

SCANNED
JUN 26 2023

D. FLOW MEASUREMENTS

1. No flow measurements were required per Beneficial Use Examination Rules (Rule 35.01.r.iii) when the combined use of all beneficial uses is less than 0.24 cfs.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NA						

2. Measurements: None

E. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method: NA

F. VOLUME CALCULATIONS

1. Volume Calculations for irrigation: No irrigation component on water right 77-14363. Therefore, no irrigation volume calculated.

$V_{I.R.}$ = (Acres Irrigated) x (Irrigation Requirement) =

$V_{D.R.}$ = [Diversion Rate (cfs)] x (Days in Irrigation season) x 1.9835 =

V = Smaller of $V_{I.R.}$ and $V_{D.R.}$ =

2. Volume Calculations for Other Uses: Because the beneficial use is for domestic uses there is no volume required per Beneficial Use Examination Rules. Rule 35.01.j.ii states that "domestic uses as defined in section 42-111, Idaho Code" are exempt from the volume reporting requirements.

SCANNED
JUN 26 2023

G. NARRATIVE/REMARKS/COMMENTS

An on -site examination was not required for water right 77-14363 per Beneficial Use Examination Rules (Rule 35.01.r). Therefore, licensing of water right 77-14363 was done in-house.
Based on the well drillers report, aerial imagery, and images submitted as proof of beneficial use, the well (Tag #D0029688, Well ID:375691) was drilled to a depth of 108 ft and is operated using a hand pump. The well is located on the west side of the guard station/cabins. See attached images for more details.
Flow measurements and volume reporting were not required per Beneficial Use Examination Rules as mentioned above. Due to the beneficial use being for domestic use and having a condition limiting volume to the domestic exemption of 13,000 gpd, the flow rate should remain at 0.04 cfs.

Have conditions of permit approval been met? _X_ Yes ____ No

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Diversion	
DOMESTIC	01/01 to 12/31	0.04 CFS	

Totals: 0.04 CFS

2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above _X_ None

____ Change P.U. as reflected above ____ Add P.U. as reflected above _X_ None

I. AUTHENTICATION Tyler Wallace

Field Examiner's Name Tyler Wallace Date 6/14/2023

Reviewer [signature] Date 6/16/2023

SCANNED
JUN 26 2023




Photo 1. Image submitted as proof of beneficial use showing the Stolle Meadows Guard Station. The hand pump is circled in yellow. Inset image shows a better view of the hand pump.



Photo 2. Aerial image taken from Google Earth 2019 imagery showing the developed Stolle Meadows Guard Station.

SCANNED
JUN 26 2023



Figure 1. Image taken from Google Earth 2019 imagery showing the location of the Place of use for water right 77-14363 in relation to the surrounding area.

SCANNED
JUN 26 2023

Form 238-7
6/02

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

Office Use Only
Well ID No. 804817
Inspected by
Twp ____ Rge ____ Sec ____
____ 1/4 ____ 1/4 ____ 1/4
Lat: : : Long: : :

1. WELL TAG NO. D 0029688
DRILLING PERMIT NO. 877992 - 804817
Water Right or Injection Well No.

2. OWNER:
Name Boise NATIONAL FOREST
Address 1249 S. VINNELL WAY, SUITE 200
City Boise State Id. Zip 83709

3. LOCATION OF WELL by legal description:
You must provide address or Lot, Blk, Sub. or Directions to well.
Twp. 15 North ☒ or South ☐
Rge. 6 East ☒ or West ☐
Sec. 36, ____ 1/4 (10 acres) SE 1/4 (40 acres) SW 1/4 (160 acres)
Gov't Lot ____ County VALLEY
Lat: : : Long: : :
Address of Well Site STOLLE MEADOWS GUARD STATION
(Give at least name of road + Distance to Road or Landmark) City CASCADE
Lt. ____ Blk. ____ Sub. Name ____

4. USE:
☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other ____

5. TYPE OF WORK check all that apply (Replacement etc.)
☒ New Well ☐ Modify ☐ Abandonment ☐ Other ____

6. DRILL METHOD:
☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other ____

7. SEALING PROCEDURES

Seal Material	From	To	Weight / Volume	Seal Placement Method
BENTONITE CHIPS	0	9	6 SACKS	10" TEMP. CASING
CEMENT GROUT	9	61	30 SACKS	PUMPED FROM BOTTOM

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 98 ½
Was drive shoe seal tested? ☒ Y ☐ N How? AIR / WATER

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
6	+1½'	98½'	.280	STEEL	☒	☐	☒	☐
4	-1'	103'	SCH 40	PVC	☐	☒	☒	☐
					☐	☐	☐	☐

Length of Headpipe ____ Length of Tailpipe ____
Packer ☐ Y ☒ N Type ____

9. PERFORATIONS/SCREENS PACKER TYPE
Perforation Method ____
Screen Type & Method of Installation JOHNSON PVC WIRE WRAP

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
103	108	.020		4"	PVC	☐	☒
						☐	☐
						☐	☐

10. FILTER PACK

Filter Material	From	To	Weight / Volume	Placement Method
8-12 COLORADO SAND	80	108	250 LBS.	PLACED FROM TOP DOWN

11. STATIC WATER LEVEL OR ARTESIAN PRESSURE:
62 ft. below ground Artesian pressure ____ lb.
Depth flow encountered ____ ft. Describe access port or control devices: ____
¾" PLUG IN BASE OF HAND PUMP

12. WELL TESTS:
☒ Pump ☐ Bailer ☐ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
47	8½'		2½

Water Temp. 46° Bottom hole temp. ____
Water Quality test or comments: 900 d
Depth first Water Encounter 65'

13. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Water Y	Water N
10	0	1	TOP SOIL		
10	1	4	BROWN SANDY LOAM		
10	4	7	BROWN CEMENTED SAND W/SOME GRAVEL		
10	7	8	BROWN CEMENTED SAND + CLAY		
10	8	45	BROWN CEMENTED SAND + GRAVEL		
10	45	47	BROWN SANDY CLAY		
10	47	53	BROWN SAND W/SOME GRAVEL		
10	53	58	BROWN STICKY CLAY W/ SAND STREAKS		
10	58	61	BROWN SAND W/ SOME GRAVEL		
6	61	72	BROWN SAND W/SOME GRAVEL	X	
6	72	95	BROWN SAND, GRAVEL + SMALL BOULDERS	X	
6	95	108	BROWN SAND, GRAVEL + LARGER BOULDERS	X	

RECEIVED
JUL 25 2003
WATER RESOURCES
WESTERN REGION

Completed Depth 108' (Measurable)
Date: Started 7-9-03 Completed 7-16-03

14. DRILLER'S CERTIFICATION
I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name GESTRIN WELL DRILLING Firm No. 408
Principal Driller Robert W. Gestrin Date 7-19-03
and
Driller or Operator II ____ Date ____
Operator I ____ Date ____
Principal Driller and Rig Operator *Required*.
Operator I must have signature of Driller/Operator II.

FORWARD WHITE COPY TO WATER RESOURCES

SCANNED
JUN 26 2023

State of Idaho
Department of Water Resources

Water Right

77-14363



0 0.035 0.07 0.14 Miles

Place Of Use Boundary
Townships
PLS Sections
Quarter Quarters
Point of Diversion

Field Exam 77-14363

N

SCANNED
JUN 26 2023

IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little **Director Gary Spackman**

February 10, 2023

UNITED STATES OF AMERICA
USDA FOREST SERVICE
1249 S VINNELL WAY STE 200
BOISE ID 83709-1663

PROOF ACKNOWLEDGEMENT LETTER

RE: Permit No. 77-14363

Dear Permit Holder:

The Department acknowledges receipt of the Proof of Beneficial Use form ("proof") and license examination fee for the above-referenced water right permit. Enclosed is an order that reinstates this permit since proof and the license examination fee were submitted after the proof deadline. Please note that the priority date for this permit has been advanced to **August 18, 2017**, pursuant to Idaho Code § 42-218a(2).

The next step in the process of developing a water right is for the Department to conduct a field examination to determine and confirm the use being made of the water according to the conditions of the permit.

Please be advised that Idaho Code § 42-248, requires you or the owner of this water right to maintain current ownership and address records on file with the Department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any Department office or at the Department's website at www.idwr.idaho.gov.

If you have any questions concerning the field examination, please contact this office at 208-287-4800.

Sincerely,

Debbi Judd
Technical Records Specialist

Enclosures

SCANNED
FEB 10 2023

CERTIFICATE OF SERVICE

I hereby certify that on **February 10, 2023** I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER **(PRELIMINARY ORDER REINSTATING A PERMIT)** to the person listed below:

RE: Preliminary Order in the Matter of Permit No. **77-14363**

UNITED STATES OF AMERICA
USDA FOREST SERVICE
1249 S VINNELL WAY STE 200
BOISE ID 83709-1663

Debbi Judd
Technical Records Specialist

SCANNED
FEB 10 2023

Hersley, Jean

From: Robinson, Matthew - FS, ID <matthew.robinson@usda.gov>
Sent: Friday, January 27, 2023 1:40 PM
To: IDWR File
Cc: Gloss, Dave - FS, WY; Woodard, Mleah - FS, UT
Subject: 77-14363 Statement of Completion
Attachments: Statement-of-Completion-of-Beneficial-Use-77-14363_Esigned.pdf; StolleMeadowsGuardStation_77_14363_SOC_Records.pdf

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

Hello,

Please find attached the Statement of Completion – Proof of Beneficial Use and supporting records for 77-14363 Stolle Meadows Guard Station. An original copy of the Statement of Completion – Proof of Beneficial Use with a wet signature is being sent to IDWR in the mail, but this electronically signed version is being sent to avoid any further delay. The hand pump was installed, and water put to beneficial use prior to the date proof of beneficial use was due. Unfortunately, we were delayed in submitting proof of beneficial use due to the continued covid telework situation, mail handling and delivery and staffing vacancies in our water rights and uses program. We respectfully request that the Idaho Department of Water Resources (IDWR) accept this Statement of Completion and reinstate the permit for 77-14363 Stolle Meadows Guard Station. Please feel free to contact me if you need any additional information or have any questions.

Attachments:
Statement of Completion
Records to support Statement of Completion

Best,

Matt Robinson
Forest Hydrologist
Forest Service
Boise National Forest
p: 208-259-3361
c: 986-200-8256
matthew.robinson@usda.gov
7359 Hwy 21
Lowman, ID 83637
www.fs.fed.us

Caring for the land and serving people

SCANNED
FEB 10 2023

Beneficial Use Proof Evaluation

Permit Number: 77-14363 Reviewer: djudd Review Date: 2/7/2023

Acceptability

1) Is the contact on the request the current permit holder? Yes
2) Does the address of record need to be updated? No
3) Proof Submitted Date: 1/27/2023
4) Proof Due Date: 12/1/2022
5) Days added for weekend due date? 0
6) Days added for holiday due date? 0
7) Number of days late: 57
8) Proof received timely? No

Analysis

1) Are the water uses correct? Yes
2) Are one of the following items required?
    a. Measuring Device -- No
    b. Lockable Device --No
    c. Fish Screen -- No
3) Are the required items installed?
    a. Measuring Device --
    b. Lockable Device --
    c. Fish Screen --
4) Is there a request to waive the required items?
5) Drilling Permit Number: 804817
6) Is a drilling permit upgrade needed? No
7) Was a well drillers report filed? Yes
8) Is proof accepted? Yes

Fees

1) Is a licensing exam fee required? No
2) Was proof submitted with an exam report from a CWE? No
3) Filing fee due: $0.00
4) Filing fee submitted: $0.00
5) Remaining fee or (refund): $0.00

Receipt IDs

W045405

Comments

Proof received 57 days late. Reinstate permit and advance priority date to August 18, 2027.

Reinstate Evaluation

Permit Number: 77-14363 Reviewer: djudd Review Date: 2/7/2023

Analysis

1) Proof/extension request received date: 1/27/2023
2) Number of days proof/extension request received late: 57
3) Was a lapsed notice sent? Yes
4) Date lapsed notice sent: 12/7/2022
5) Number of days between proof/extension request received date and date lapsed notice was sent: 51
6) Was the proof or extension request received more than 60 days after the lapsed notice was sent? No
7) Priority date: 6/22/2017
8) New priority date: 8/18/2017
9) New status: Lapsed

Comments

Proof received 57 days late. Reinstate permit and advance priority date to August 18, 2027.

IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little
Director Gary Spackman

December 7, 2022

UNITED STATES OF AMERICA
USDA FOREST SERVICE
1249 S VINNELL WAY STE 200
BOISE ID 83709-1663

LAPSE NOTICE

RE: PERMIT NO. 77-14363

IMPORTANT: This permit has lapsed because no written response was received from you by the IDWR. Development and/or use must cease.

Dear Permit Holder:

You are hereby notified that under the provisions of Idaho Code § 42-218a, the above referenced permit has lapsed and is of no further force nor effect. The Department provided the proper forms to you in the proof due notice dated September 30, 2022. No further construction or additional development is authorized under this permit.

If water was put to beneficial use prior to the date proof of beneficial use was due, you may file the Statement of Completion (proof) now, or if you or a previous owner of this permit have not received a prior extension of time, you may file the Request for Extension of Time (extension request) if the delay is for reasonable cause as provided in Idaho Code § 42-204. You may also request an extension of time if you have been delayed by a government agency, or by litigation that brings title to the water in question.

Either an acceptable proof or an acceptable extension request must be received by this Department within sixty (60) days of the mailing of this lapse notice in order to reinstate this permit.

Please contact Debbi Judd at 208-287-4920, if you need additional assistance.

Sincerely,

Angela M. Hansen

Angela Hansen, Manager
Water Rights Section

SCANNED
DEC 0 8 2022

IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little
Director Gary Spackman

September 30, 2022

UNITED STATES OF AMERICA
USDA FOREST SERVICE
1249 S VINNELL WAY STE 200
BOISE ID 83709-1663

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit No. 77-14363

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **December 01, 2022**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Idaho Code § 42-204. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a $50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this Department on or before the above proof due date. If neither is received, the Department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Debbi Judd
Technical Records Specialist

Enclosures

CERTIFIED MAIL
7016 1370 0000 2018 3878
NO

SCANNED
SEP 30 2022