

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 79-14286

Priority: April 02, 2021

Maximum Diversion Rate: 0.04 CFS

Maximum Diversion Volume: 0.6 AF

It is hereby certified that:

IDAHO POWER CO PO BOX 70 BOISE ID 83707-0070

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 02, 2021, and has submitted Proof of Beneficial Use on May 19, 2023. An examination confirms water is diverted from:

Source : GROUND WATER

Beneficial Use
DOMESTIC

Period of Use
01/01 to 12/31

Rate of Diversion
0.04 CFS

Annual Volume
0.6 AF

Location of Point(s) of Diversion

GROUND WATER L2(SW¼ NE¼), Sec. 28, Twp 22N, Rge 03W, B.M. ADAMS County

Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
22N	03W	28			X L2											X L4			

Conditions of Approval

1. Domestic use is for 1 maintenance building and does not include lawn, garden, landscape, or other types of irrigation.
2. When ordered by the Director, the right holder shall provide mitigation acceptable to the Director to offset depletion of lower Snake River flows needed for migrating anadromous fish. The amount of water required for mitigation, which is to be released into the Snake River or a tributary for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this right. Any order of the Director issued in accordance with this paragraph shall be in conformance with applicable rules allowing the right holder due process as the need for mitigation and the amount of mitigation are determined.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 31st day of May, 2023.



PHILL HUMMER
Water Rights Supervisor

SCANNED
JUN 01 2023

State of Idaho
Department of Water Resources
Attachment to Water Right
79-14286

This map depicts the DOMESTIC place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



0 400 800 Feet

-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion



SCANNED
JUN 01 2023

RECEIVED

MAY 19 2023

DEPARTMENT OF
WATER RESOURCESSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY

Amt. of Fee \$ 50.00
Receipt No. C116292
Received By ICU
Date Received 5.19.23

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 79-14286 Name of Permit Holder(s) Idaho Power CompanyTelephone No. (208) 388-2602 Email kdavis2@idahopower.comMailing Address PO Box 70 City Boise State ID Zip 837072. Source of Water Ground Water If Ground Water (well), Date Drilled mo. 05 / yr. 21Drilling Permit/Tag No. D0088860 Drilling Company's Name Pearson Well Drilling

3. Extent of use(s) completed as authorized by the water right permit:

Domestic (No. households) _____ Irrigation (No. acres) _____ Stockwater (No. and stock type) _____

Other Domestic uses in a maintenance building.4. Total diversion rate or volume (storage only) for which proof is submitted .04 cfs OR _____ af
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.

5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)

Submersible pump in the well borehole.

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

☐ ☐ ☐ Ground water level data, pumping information, or other diversion data☐ ☐ ☐ Mitigation plan☐ ☐ ☐ Lockable controlling works☐ ☐ ☐ Measuring device☐ ☐ ☐ Fish screen☒ ☒ ☐ Other requirements of the water right permit No Irrigation, Salmon Mitigation if Required☐ ☐ Reasonably Anticipated Future Needs ("RAFN") Municipal useIf RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No7. Fee Enclosed \$ _____ or ☐ CWRE field report attached or ☒ No fee required*See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.*

8. Person to accompany a Department representative during the field examination of the water system:

Name: Kresta Davis Telephone No. 208-388-2602 Email kdavis2@idahopower.comMailing Address PO Box 70 City Boise State ID Zip 83707

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

Kresta Davis
SIGNATURE OF PERMIT HOLDER*Kresta Davis Sr manager
PRINTED NAME AND TITLEMay 12, 2023
DATE

*Attach power of attorney if completing on behalf of permit holder.

Statement of Completion for 79-14286

Water Use

Water Right permit 79-14286 is used for domestic purposes at a new Idaho Power maintenance facility located at Eagle Bar, just upstream of the Hells Canyon Dam. Water use does not exceed 0.04 cfs/day and water is limited to the following fixtures:

- Men's restroom – One Toilet, One Urinal, One Sink
- Women's Restroom – One Toilet, One Sink
- Breakroom – One Sink
- Outside – Two Frost Free Hydrants

Compliance with Conditions

Figure 1 shows the area after completion of the facility and shows no irrigation occurring on the property demonstrating compliance with condition number one of the permit. No salmon mitigation requirements have been called for by the director under the second condition on the permit.





Figure 1: Infrared picture of the Eagle Bar facility at completion.



December 5, 2022

Idaho Department of Water Resources
322 E Front Street, Ste 648
Boise, Idaho 83720-0098

Subject: Idaho Power Company Representation

Kresta Davis, as representative of Idaho Power in matters associated with the company's water rights and water rentals and leases, has authorization to sign forms, applications and requests on behalf of the company. Please let me know if you have any questions or concerns

Sincerely,

Ryan Adelman

Vice President of Power Supply



322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

June 02, 2023

IDAHO POWER CO
PO BOX 70
BOISE ID 83707-0070

RE: License No. 79-14286

ISSUANCE OF LICENSE

Dear Water Right Holder(s):

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,

Phill Hummer
Water Rights Supervisor

Enclosure(s)

SCANNED
JUN 01 2023

CERTIFICATE OF SERVICE

I hereby certify that on June 02, 2023, I served a true and correct copy of Water Right License No. 79-14286 by U.S. Mail, postage prepaid, to the following:

IDAHO POWER CO (Current Owner)
PO BOX 70
BOISE ID 83707-0070



Sidney Palmer
Technical Records Specialist 1

SCANNED
JUN 01 2023

8612STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATIONExam Date: 05/31/2023

1. Does this qualify for an in-office field exam (IDAPA 37.03.02.035.01.r)? X Y N
- a. Irrigation of 5 acres or less
- b. Storage of up to 14.6 AF for stockwater purposes only
- c. X Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
- d. Other < >
2. Current Owner: Idaho Power Company
Owner of Record Correct? N
Address of Record Correct? N
If No Explain:
3. Beneficial Use Fees have been paid: X Y N Receipt No: C116292, No Exam Fee for Domestic
4. Source: Tributary:
Ground Water NA
- Method of Determination:
Change in Source: Y X N

B. OVERLAP REVIEW

1. Other water rights with the same place of use:
- X
- No Overlap

Water Right No.	Source	Purpose of Use	Basis
NONE	NA	NA	NA

Comments: There are no rights that overlap the permit place of use (POU).

2. Other water rights with the same point of diversion:
- X
- NO Overlap

Water Right No.	Source	Purpose of Use	Basis
NONE	NA	NA	NA

Comments: No rights share the point of diversion (POD) with the permit.**C. DIVERSION AND DELIVERY SYSTEM**

1. Location of Point(s) of Diversion:

Source	Govt. Lot	¼	¼	¼	Sec	Twp	Rge.		County
Ground Water	2		SW	NE	28	22N	03W	B.M.	ADAMS

Method of Determination: GIS and Taxlot data.Change in POD? Y X N Amendment Required? Y X N

2. Place of Use: **DOMESTIC**

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
22N	03W	28			D											D			
		Lot #			2											4			
Total Acres =																			

Method of Determination: Aerial imagery and proof statement attachments.

Change in POU? ☐ Y ☒ X N Amendment Required? ☐ Y ☒ X N☐ Delivery System Diagram Attached (required). Indicate all major components and distances between components.

Indicate weir size/pipe as applicable:

☒ X Aerial Photo Attached (required for irrigation of 10+ acres).☒ X Photo of Diversion and System Attached

3. Diversion Id No.*	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
D0088860	Unknown	Unknown	Unknown	Unknown	Unknown)

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1. Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurement Comments: No measurement is required for an in-house exam, but Administrative Memo #22 was used to determine a reasonable diversion rate.

E. FLOW CALCULATIONS☐ Additional Computation Sheets Attached

Measured Method: None, not required for an in-house exam.

Comments: The permit holder did not provide any pump information for a theoretical calculation. However, Administrative Memo #22 allows for 0.04cfs for domestic use in 1 home. I am recommending a rate of 0.04cfs on the license, which is the same as allowed on the permit.

Permit allowed = 0.04cfs

Recommendation= 0.04cfs

F. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation: N/A

Comments: Administrative Memo #22 allows up to 0.6 AF annually for domestic use in 1 home, not including irrigation. I am recommending an annual volume of 0.6 AF on the license.

G. PURPOSE OF USEIrrigation ☐ Y ☒ X N # Stock _____ Domestic # of Homes 1

Other: < >

Change in Purpose of Use? ☐ Y ☒ X N

Method of Determination:

If Yes: From Use _____ To Use _____ Amount _____ CFS _____ AFA _____

H. NARRATIVE/REMARKS/COMMENTS

In the statement of completion (Proof of Beneficial Use) section 5, the system developed is described as ground water conveyed via a submersible pump in the well borehole. In section 3 the use developed is described as domestic use in a maintenance building. In the supplemental document attached to the statement of completion the water use is described as 2 toilets, 1 urinal, 3 sinks, and 2 frost free hydrants outside. The permit and Statement of Completion both clearly state that the domestic use does not include irrigation. GIS and Google Earth imagery were used to confirm that the facility has been built (see figures 1 & 2). Idaho Power stated in the application for permit that the facility is located on US Forest Service property within the FERC boundary of the Hells Canyon Dam, with USFS authorization.

I am recommending the license be issued with conditions WB5 and 103.

Have conditions of permit approval been met? ☒ Yes ☐ No

I. RECOMMENDATIONS

1. Recommended Amounts:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
Domestic	01/01 to 12/31	0.04cfs	0.6AF
	<u>Totals:</u>	0.04cfs	0.6AF

2. Recommended Amendments:

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ None

Other: < >

J. AUTHENTICATION- Bob Howe- Water Resources Agent

Field Examiner's



Date

5/31/23

Reviewer



Date

5/31/23



Figure 1- GIS- 2021 image of the POU (outlined in light blue) and POD (light blue point).



Figure 2- Google Earth aerial imagery of the POU.

Beneficial Use Proof Evaluation

Permit Number: 79-14286 Reviewer: AVEibell Review Date: 5/30/2023

Acceptability

- 1) Is the contact on the request the current permit holder? Yes
- 2) Does the address of record need to be updated? No
- 3) Proof Submitted Date: 5/19/2023
- 4) Proof Due Date: 1/1/2027
- 5) Days added for weekend due date?
- 6) Days added for holiday due date?
- 7) Number of days late: -1323
- 8) Proof received timely? Yes

Analysis

- 1) Are the water uses correct? Yes
- 2) Are one of the following items required?
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- No
- 3) Are the required items installed? Yes
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- No
- 4) Is there a request to waive the required items? No
- 5) Drilling Permit Number: 898004
- 6) Is a drilling permit upgrade needed? No
- 7) Was a well drillers report filed? No
- 8) Is proof accepted? Yes

Fees

- 1) Is a licensing exam fee required? No
- 2) Was proof submitted with an exam report from a CWE? No
- 3) Filing fee due: \$0.00
- 4) Filing fee submitted: \$50.00
- 5) Remaining fee or (refund): (\$50.00)

Receipt IDs

C110155

Comments

Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing.