

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 75-15015

Priority: April 12, 2021

Maximum Diversion Rate: 0.04 CFS

It is hereby certified that:

ALAN B GLASSBURN 1418 ROOSEVELT AVE SALMON ID 83467-3017 AND/OR
GRACE GLASSBURN 1418 ROOSEVELT AVE SALMON ID 83467-3017

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 12, 2021, and has submitted Proof of Beneficial Use on September 15, 2022. An examination confirms water is diverted from:

Source : JESSE CREEK

Tributary: SALMON RIVER

Beneficial Use
DOMESTIC

Period of Use
04/01 to 10/31

Rate of Diversion
0.04 CFS

Location of Point(s) of Diversion

JESSE CREEK SW¼ NE¼, Sec. 1, Twp 21N, Rge 21E, B.M. LEMHI County

Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
21N	21E	1		X L2	X														

Conditions of Approval

1. Use of water under this right may be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 75A.
2. A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.
3. Domestic use is for external use for 1 home.
4. The irrigation occurring under this domestic use shall not exceed 1/2 acre.
5. The quantity of water under this right shall not exceed 13,000 gallons per day.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 11th day of October, 2022.




PHILL HUMMER
Water Rights Supervisor


SCANNED
OCT 17 2022

State of Idaho
Department of Water Resources
Attachment to Water Right License
75-15015

This map depicts the DOMESTIC place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



- Place Of Use Boundary
- Townships
- PLS Sections
- Quarter Quarters
- Point of Diversion



RECEIVED

SEP 15 2022

DEPARTMENT OF
WATER RESOURCESSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY

Amt. of Fee \$ 50.00
Receipt No. C114008
Received By LM
Date Received 9.15.22

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete an Assignment of Permit form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 75-15015 Name of Permit Holder(s) ALAN GLASSBURN
Telephone No. 208-756-4512 Email abglassburn@CUSTERTEL.NET
Mailing Address 1418 ROOSEVELT AVE City SALMON State Idaho Zip 83467

2. Source of Water JESSIE CREEK If Ground Water (well), Date Drilled mo. N/A / yr. N/A
Drilling Permit/Tag No. N/A Drilling Company's Name N/A

3. Extent of use(s) completed as authorized by the water right permit:

Domestic (No. households) 1 Irrigation (No. acres) 1/2 Stockwater (No. and stock type) _____
Other _____

4. Total diversion rate or volume (storage only) for which proof is submitted 0.04 cfs OR _____ af
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.

5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)

PUMP - Small ELECT. Pump - To WATER LAWN ONLY
(NO STORAGE)

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

- | | | |
|-------------------------------------|-------------------------------------|---|
| ☐ | ☒ | Ground water level data, pumping information, or other diversion data |
| ☐ | ☒ | Mitigation plan |
| ☒ | ☐ | Lockable controlling works |
| ☐ | ☒ | Measuring device |
| ☐ | ☒ | Fish screen |
| ☐ | ☒ | Other requirements of the water right permit _____ |
| ☐ | ☒ | Reasonably Anticipated Future Needs ("RAFN") Municipal use |

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

7. Fee Enclosed \$ 50.00 or ☐ CWRE field report attached or ☐ No fee required
See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: ALAN GLASSBURN Telephone No. 208-756-4512 Email abglassburn@CUSTERTEL.NET
Mailing Address 1418 ROOSEVELT AVE. City SALMON State Id. Zip 83467

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

Alan Glassburn
SIGNATURE OF PERMIT HOLDER*

ALAN GLASSBURN (OWNER)
PRINTED NAME AND TITLE

DATE Sept 10, 22

*Attach power of attorney if completing on behalf of permit holder.

SCANNED
OCT 17 2022



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

October 17, 2022

ALAN B GLASSBURN
GRACE GLASSBURN
1418 ROOSEVELT AVE
SALMON ID 83467-3017

RE: License No. 75-15015

ISSUANCE OF LICENSE

Dear Water Right Holders:

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,

for 

Phill Hummer
Water Rights Supervisor

Enclosures

SCANNED
OCT 17 2022


CERTIFICATE OF SERVICE

I hereby certify that on October 17, 2022, I served a true and correct copy of Water Right License No. 75-15015 by U.S. Mail, postage prepaid, to the following:

ALAN B GLASSBURN (Current Owner)
1418 ROOSEVELT AVE
SALMON ID 83467-3017

GRACE GLASSBURN (Current Owner)
1418 ROOSEVELT AVE
SALMON ID 83467-3017

WATER DISTRICT #75A – *via email*
CLINT ANDERS (Watermaster)
13 GOTT LN
SALMON ID 83467-5415
Clintanders77@outlook.com



Debbi Judd
Technical Records Specialist

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATIONPermit No: 75-15015

Exam Date: 10/3/2022

1. Does this qualify for an in-office field exam (IDAPA 37.03.02.035.01.r)? X Y N
- a. Irrigation of 5 acres or less
 - b. Storage of up to 14.6 AF for stockwater purposes only
 - c. Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
 - d. Other < >

2. Current Owner: Name: Alan B. and Grace Glassburn
Owner of Record Correct? X Y N
Address of Record Correct? Y N
If No: Address

The Department's parcel data shows Alan B. Glassburn as the owner of the property. I don't see any issues with the ownership of this permit.

3. Beneficial Use Fees have been paid: X Y N Receipt No: C114008

4. **SOURCE** **TRIBUTARY**

Ground Water

Method of Determination: GIS and Tax Parcel DataChange in Source: Y X N**B. OVERLAP REVIEW**

1. Other water rights with the same place of use: YES Overlap

Water Right No.	Source	Purpose of Use	Basis
City of Salmon Water Rights	Various Sources	Municipal	Decrees

Comments: The City of Salmon's municipal water system supplies the water for the in-house use for the property associated with this permit. The City of Salmon utilizes a number of different water sources for their water system including Jesse Creek. However, this permit is only used for a single domestic use for external use only. Therefore, the City of Salmon municipal rights shouldn't be an issue. We can't condition this permit without limiting the City of Salmon's water rights. There are 6 private water rights in the same two 40-acre tracts associated with this permit, but each right has different addresses, lot and block numbers and/or parcel numbers.

2. Other water rights with the same point of diversion: NO Overlap

Water Right No.	Source	Purpose of Use	Basis

Comments: There are no other water rights using this same point of diversion. There are other rights that are in the same two 40-acre tracts, but they are not diverted through this point of diversion.

SCANNED
OCT 17 2022

C. DIVERSION AND DELIVERY SYSTEM**1. LOCATION OF POINT(S) OF DIVERSION:**

Source	Govt. Lot	¼	¼	¼	Sec.	Twp.	Rge.		County
Jesse Creek Pump			SW	NE	1	21N	21E	B.M.	Lemhi
								B.M.	
								B.M.	

Method of Determination: GIS and Tax Parcel DataChange in POD? X N Amendment Required? X N **2. PLACE OF USE:** Use: Domestic and stockwater

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
21N	21E	1		X	X														
		Lot #		2															
Total Acres =																			

Method of Determination: GIS and Tax Parcel DataChange in POU? X N Amendment Required? X N Delivery System Diagram Attached (required). Indicate all major components and distances between components.

Indicate weir size/pipe as applicable.

 X Aerial Photo Attached (required for irrigation of 10+ acres). Photo of Diversion and System Attached

4. Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well Pump	Unknown	0.5			

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements: No measurement is required for an in-house exam.**E. FLOW CALCULATIONS** Additional Computation Sheets AttachedSCANNED
OCT 17 2022

Measured Method:

The application for permit states that the pump is a ½ Hp pump. According to Google Earth information as shown in the attached imagery, there is less than 5 feet of lift. I used a pressure of 30 psi, since this is the minimum pressure that is generally used in a single hose to a sprinkler system. I also used information supplied for domestic use set forth in Administrative Processing Memo #22.

Theoretical Calculation = $[0.5 \text{ hp} \times 8.8 \times 0.70] / [5 \text{ ft} + (30 \text{ psi} \times 2.31)] = 0.04 \text{ cfs or } 19 \text{ gpm}$

Administrative Memo #22 = 0.04 cfs for domestic use

Permit allowed = 0.04 cfs for domestic use

I am recommending 0.04 cfs for domestic use as authorized by the permit, system design, and Administrative Processing Administrative Memorandum #22.

F. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation season}) \times 1.9835 = \underline{\hspace{2cm}}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$

2. Volume Calculations for Other Uses:

The permit states that this domestic use is for external use only. Administrative Processing Memorandum #22 provides guidance to allow 0.6 acre-feet for external domestic use for yard irrigation. This permit also contains a condition limiting the use to 13,000 gallons per day. Since this condition was required by the *Order Dismissing Protests and Granting Permit*, the condition will provide the volume limitation, so no volume limitation will be needed.

G. PURPOSE OF USE

Irrigation ☒ Y ☐ N # Stock ☐ Domestic # of Homes ☐

Other: < >

Change in Purpose of Use? ☐ Y ☐ N

Method of Determination: Taxlot data and conversations with owner.

If Yes: From Use ☐ To Use ☐ Amount ☐ CFS ☐ AFA ☐

H. NARRATIVE/REMARKS/COMMENTS

This permit qualifies for an in-house examination. This permit was authorized from Jesse Creek for external domestic use. The in-house use will be provided by the City of Salmon municipal water system. This water use has been used for some time prior the permit holder filing this applicant for permit.

The application for permit was protested. The protest was not directly against the permit or the water use, but the protest was filed over a concern over the name of the source. The stretch of creek associated with this permit is downstream of the confluence of Pollard Canyon Creek and Jesse Creek, but it isn't actually named on the topographical maps. The protest was dismissed, because the source of this stretch of creek was determined in the Snake River Basin Adjudication as being Jesse Creek.

The permit stated that the permit holder was required to install a measurement device and lockable controlling works. The Statement of Completion for Submitting Proof of Beneficial Use form that the measurement device and lockable controlling works were installed.

Conditions 187, 239, R05, and N13 should be carried forward to licensing. Condition 01H should be changed to condition R02 as is standard. No further conditions are required for the licensing of this permit.

Have conditions of permit approval been met? ☒ Yes ☐ No

SCANNED
OCT 17 2022

I. RECOMMENDATIONS**1. Recommended Amounts**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
Domestic	01/01 to 12/31	0.04 CFS	

Totals: 0.02 CFS

Please Note: This permit also contains a condition limiting the use to 13,000 gallons per day. Since this condition was required by the *Order Dismissing Protests and Granting Permit*, the condition will provide the volume limitation, so no volume limitation will be needed.

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above X None

___ Change P.U. as reflected above ___ Add P.U. as reflected above X None

Other: < >

J. AUTHENTICATION – DANIEL A. NELSON – WATER RIGHT ANALYST 3


Field Examiner's Name  Date 10-3-20

Reviewer  Date 10/11/22

SCANNED
OCT 17 2022


Field Exam Map:

The yellow border shows the place of use for the domestic use and the yellow point shows the point of diversion.



SCANNED
OCT 17 2022

The following Google Map imagery shows that the lift from the pump is negligible and less than 5 feet.



SCANNED
OCT 17 2022

Beneficial Use Proof Evaluation

Permit Number: 75-15015 Reviewer: djudd Review Date: 9/16/2022

Acceptability

- 1) Is the contact on the request the current permit holder? Yes
- 2) Does the address of record need to be updated? No
- 3) Proof Submitted Date: 9/15/2022
- 4) Proof Due Date: 10/1/2022
- 5) Days added for weekend due date? 0
- 6) Days added for holiday due date? 0
- 7) Number of days late: -16
- 8) Proof received timely? Yes

Analysis

- 1) Are the water uses correct? Yes
- 2) Are one of the following items required?
 - a. Measuring Device -- No
 - b. Lockable Device --Yes
 - c. Fish Screen -- No
- 3) Are the required items installed? Yes
 - a. Measuring Device -- No
 - b. Lockable Device --Yes
 - c. Fish Screen -- No
- 4) Is there a request to waive the required items?
- 5) Drilling Permit Number:
- 6) Is a drilling permit upgrade needed?
- 7) Was a well drillers report filed?
- 8) Is proof accepted? Yes

Fees

- 1) Is a licensing exam fee required? Yes
- 2) Was proof submitted with an exam report from a CWE? No
- 3) Filing fee due: \$50.00
- 4) Filing fee submitted: \$50.00
- 5) Remaining fee or (refund): \$0.00

Receipt IDs

E046832

Comments

Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing.