

State of Idaho
Department of Water Resources

Water Right License

Water Right No. 75-15030

Priority: November 22, 2021

Maximum Diversion Rate: 0.04 CFS

It is hereby certified that:

MIKE C CANCELLIER PO BOX 138 CARMEN ID 83462-0138 AND
ANNA K WAHL PO BOX 138 CARMEN ID 83462-0138

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 22, 2021, and has submitted Proof of Beneficial Use on January 19, 2023. An examination confirms water is diverted from:

Source : GROUND WATER

Beneficial Use
DOMESTIC

Period of Use
01/01 to 12/31

Rate of Diversion
0.04 CFS

Location of Point(s) of Diversion

GROUND WATER NW¼ NE¼, Sec. 17, Twp 23N, Rge 22E, B.M. LEMHI County

Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
23N	22E	17		X															

Conditions of Approval

1. Domestic use is for 1 home and 1 cabin.
2. The irrigation occurring under this domestic use shall not exceed 1/2 acre.
3. The quantity of water under this right shall not exceed 13,000 gallons per day.
4. Place of use and point of diversion are located within Lot 4, Amended Norton SUB II.
5. Upon specific notification by the Department, the right holder shall install a lockable device of a type acceptable to the Department in a manner that will provide the watermaster suitable control of the diversion.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 20th day of January, 2023.



PHILL HUMMER
Water Rights Supervisor

SCANNED
JAN 25 2023

State of Idaho
Department of Water Resources
Attachment to Water Right License
75-15030


The map depicts the DOMESTIC place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

22E



Legend

- Place of Use Boundary
- Township/Range
- Sections
- QQ
- Point of Diversion



RECEIVED

JAN 19 2023

DEPARTMENT OF
WATER RESOURCESSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY

Amt. of Fee \$ _____

Receipt No. _____

Received By _____

Date Received _____

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 75-15030 Name of Permit Holder(s) Mike and Anna Cancellier
Telephone No. 760-330-6870 Email mike.cancellier@gmail.com
Mailing Address P.O. Box 138 City Carmen State ID Zip 83462

2. Source of Water Groundwater Well If Ground Water (well), Date Drilled mo. ____ / yr. 2007
Drilling Permit/Tag No. _____ Drilling Company's Name Dahle Construction

3. Extent of use(s) completed as authorized by the water right permit:

Domestic (No. households) 1 2 BR H Irrigation (No. acres) 0 Stockwater (No. and stock type) 0
Other 1 small cabin → (1) 2 Bedroom House

4. Total diversion rate or volume (storage only) for which proof is submitted _____ cfs OR _____ af
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.

5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)

1/2 HP Submersible pump, Buried water line to the house
and cabin. Pump: Rustler Series model 2NFL52-12

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

- ☐ ☐ ☐ Ground water level data, pumping information, or other diversion data
☐ ☐ ☐ Mitigation plan
☐ ☐ ☐ Lockable controlling works
☐ ☐ ☐ Measuring device
☐ ☐ ☐ Fish screen
☐ ☐ ☐ Other requirements of the water right permit _____

Reasonably Anticipated Future Needs ("RAFN") Municipal use

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No7. Fee Enclosed \$ 1 or ☐ CWRE field report attached or ☒ No fee required

See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: Mike Cancellier Telephone No. 760-330-6870 Email mike.cancellier@gmail.com
Mailing Address P.O. Box 138 City Carmen State ID Zip 83462

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

Michel C Cancellier
SIGNATURE OF PERMIT HOLDER*

Michel C Cancellier
PRINTED NAME AND TITLE

09 Aug 2023
DATE

*Attach power of attorney if completing on behalf of permit holder.

800-330-3300
JAN 23 2023



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

January 24, 2023

MIKE C CANCELLIER
ANNA K WAHL
PO BOX 138
CARMEN ID 83462-0138

RE: License No. 75-15030

ISSUANCE OF LICENSE

Dear Water Right Holders:

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,

Phill Hummer
Water Rights Supervisor

Enclosures

SCANNED
JAN 25 2023

CERTIFICATE OF SERVICE

I hereby certify that on January 24, 2023, I served a true and correct copy of Water Right License No. 75-15030 by U.S. Mail, postage prepaid, to the following:

ANNA K WAHL (Current Owner)
PO BOX 138
CARMEN ID 83462-0138

MIKE C CANCELLIER (Current Owner)
PO BOX 138
CARMEN ID 83462-0138



Debbi Judd
Technical Records Specialist

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATIONPermit No: 75-15030

Exam Date: 1/20/2023

1. Does this qualify for an in-office field exam (IDAPA 035.02.r)? X Y N
- a. Irrigation of 5 acres or less
- b. Storage of up to 14.6 AF for stockwater purposes only
- c. Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
- d. Other < >

2. Current Owner: Name: Mike and Anne Cancellier
- Owner of Record Correct? X Y N
- Address of Record Correct? X Y N
- If No: Address

According to GIS and Tax Parcel Data the property is owned by Mike and Ann Cancellier.

3. Beneficial Use Fees have been paid: X Y N Receipt No: N/A

4. SOURCE TRIBUTARY

Groundwater

N/A

Method of Determination: GIS and Tax Parcel DataChange in Source: Y X N**B. OVERLAP REVIEW**

1. Other water rights with the same place of use: No Overlap

Water Right No.	Source	Purpose of Use	Basis
N/A			

Comments: There is an irrigation right to the east, 75-4291A that partially overlaps the place of use of this permit. Since right 75-4291A's beneficial use is irrigation, there is no overlap with this permit.

2. Other water rights with the same point of diversion: No Overlap

Water Right No.	Source	Purpose of Use	Basis
NONE			

Comments: N/A

C. DIVERSION AND DELIVERY SYSTEM**1. LOCATION OF POINT(S) OF DIVERSION:**

Source	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.		County
Groundwater			NW	NE	17	23N	22E	B.M.	Lemhi
								B.M.	
								B.M.	

Method of Determination: GIS and Tax Parcel DataChange in POD? Y X N Amendment Required? Y X N

RECEIVED
JAN 25 2023

2. **PLACE OF USE:** Use:

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
23N	22E	17		D															N/A
		Lot #																	N/A
Total Acres =																		N/A	

Method of Determination: GIS and Tax Parcel DataChange in POU? Y X N Amendment Required? Y X N Delivery System Diagram Attached (required). Indicate all major components and distances between components.

Indicate weir size/pipe as applicable.

 Aerial Photo Attached (required for irrigation of 10+ acres). Photo of Diversion and System Attached

4. Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible Pump		1/2		Pumpi Rustle	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1. Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A						

2. Measurements: The permit holder provided a pump horsepower of 1/2 so, a diversion rate calculation is possible.**E. FLOW CALCULATIONS** Additional Computation Sheets Attached

Measured Method: **The permit holder provided a pump horsepower of 1/2. A diversion rate calculation was conducted. With 10 feet of lift and 30 psi of discharge pressure the system can handle 0.04 cfs. The permit authorizes 0.04 cfs. I will be recommending 0.04 cfs.**

$$Q = (0.5 \text{ Hp}) (8.8) (0.70) / 10 \text{ ft lift} + (30 \text{ psi} \times 2.31) = 0.04 \text{ cfs}$$

Measurement = 0.04 cfs

Permit allowed = 0.04 cfs

F. VOLUME CALCULATIONS

2. Volume Calculations for Other Uses: **This permit is conditioned to not exceed 13,000 gal/day of use. According to the IDAPA Beneficial Use Examination Rules 37.03.02. 01j.ii a diversion volume is not required if a permit is a domestic use as defined under Idaho Code §42-111.**

RECEIVED
JAN 25 2013

G. PURPOSE OF USEIrrigation ☒ Y ☐ N # Stock N/A Domestic # of Homes 1 and 1 Cabin

Other: < >

Change in Purpose of Use? ☐ Y ☒ NMethod of Determination: Tax Parcel data and Google Earth Imagery.

If Yes: From Use _____ To Use _____ Amount _____ CFS _____ AFA _____

H. NARRATIVE/REMARKS/COMMENTS

The permit qualifies for an in-house examination. According to Tax Parcel Data the property was developed in 2007. The permit authorizes domestic use for one home, one cabin and the irrigation of up to ½ acre. The current owners of the permit had ownership changed to them by the original owner in June 2022. The assignment of permit also included an ownership change for water right 75-4192A. The permit holder indicated in their Statement of Completion for Proof of Beneficial Use there were no acres of irrigation, though their permit authorized up to ½ an acre. However, Google Imagery seemed to indicate that irrigation occurred to the west of the home. This is outside of the place of use designated for irrigation right 75-4192A which authorizes irrigation of 3.1 acres. The permit holder provided a pump horsepower of ½. A diversion rate calculation determined that the system could handle what is authorized on the permit. According to IDAPA Beneficial Use Examination Rules 37.03.02.01j,ii a diversion volume is not required for a permit that meets the definition of domestic use under Idaho Code §42-111. All of the conditions have been met and it is reasonable to believe the permit holders are using water for the beneficial use authorized on their permit. Therefore, I am recommending a diversion rate of 0.04.

Conditions X01, 187, N13 and X60 should remain on the license. Condition 199 should be changed to 01P because the point of diversion is within Water District 170. All other conditions should be removed as standard with licensing.

Have conditions of permit approval been met? ☒ Yes ☐ No**I. RECOMMENDATIONS****1. Recommended Amounts**

BENEFICIAL USE	PERIOD OF USE	DIVERSION RATE
Domestic	1/1 to 12/31	0.04 CFS
Totals:		0.04 CFS

2. Recommended Amendments☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ None

Other: < >

J. AUTHENTICATION Skyler Cheever, Water Resource AgentField Examiner's Name Skyler Cheever Date 1/20/2023Reviewer PLH Date 1/20/23


RECEIVED
JAN 23 2023

Permit No: 75-15030

Page 4


Field Exam Map:

The orange border shows the place of use, and the yellow point shows the point of diversion.



Irrigation Map

Description reads "Map of Permit 75-15030's place of use indicating irrigation to the west of the home, outside of water right 75-4192's place of use".





IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little
December 30, 2022

Director Gary Spackman

MIKE C CANCELLIER
ANNA K WAHL
PO BOX 138
CARMEN ID 83462-0138

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit No. 75-15030

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holders:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **March 01, 2023**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Idaho Code § 42-204. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a \$50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this Department on or before the above proof due date. If neither is received, the Department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Debbi Judd
Technical Records Specialist

Enclosures



SCANNED
JAN 03 2023