State of Idaho
Department of Water Resources

Water Right License

Water Right No. 75-15045

Priority: June 13, 2022 **Maximum Diversion Rate:** 0.01 CFS

It is hereby certified that:

ROGER UNREIN 301 13TH ST SALMON ID 83467-3608 AND/OR
CHERYL UNREIN 301 13TH ST SALMON ID 83467-3608

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 22, 2022, and has submitted Proof of Beneficial Use on August 09, 2023. An examination confirms water is diverted from:

Source : JESSE CREEK **Tributary:** SALMON RIVER

Beneficial Use	Period of Use	Rate of Diversion
IRRIGATION	04/01 to 10/31	0.01 CFS

Location of Point(s) of Diversion
JESSE CREEK SW¼ NE¼, Sec. 1, Twp 21N, Rge 21E, B.M. LEMHI County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
21N	21E	1			0.1	0.1													0.2

Total Acres: 0.2

Conditions of Approval

1. Use of water under this right may be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 75A.
2. A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.
3. The right holder shall install or construct a straight length of conduit or ditch suitable for installation of a device for measuring the entire flow of water being diverted in connection with this right. If the right holder uses conduit, the straight length of conduit shall be at least fifteen times the diameter of the conduit and shall be above ground or otherwise easily accessible.
4. Upon specific notification by the Department, the right holder shall install and maintain acceptable measuring device(s), including data logger(s), at the authorized point(s) of diversion, in accordance with Department specifications.
5. When notified by the Department or by a watermaster with regulatory authority over this right, the right holder shall report the amount of water diverted in connection with this right. The report shall be submitted in the manner and frequency specified by the Department or the watermaster.
6. Point of diversion and place of use are located within Lots 7-10, Block.10; Gilmore Subdivision.

SCANNED
AUG 2 9 2023

State of Idaho
Department of Water Resources

Water Right License

Water Right No. 75-15045

7. This right when combined with all other rights shall provide no more than 0.01 cfs nor more than 0.6 afa at the field headgate for irrigation of the place of use.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 25th day of August, 2023.

PHILL HUMMER
Water Rights Supervisor


SCANNED
AUG 29 2023

State of Idaho
Department of Water Resources

Attachment to Water Right

75-15045

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



0 0.035 0.07 0.14 Miles

Place Of Use Boundary
Townships
PLS Sections
Quarter Quarters
Point of Diversion

N

SCANNED
AUG 29 2023

RECEIVED
AUG 22 2023
DEPARTMENT OF
WATER RESOURCES

State of Idaho
Department of Water Resources

Application for Amendment

(For Licensing Purposes)
Water Right No. 75-15045

Priority: June 13, 2022 **Maximum Diversion Rate:** 0.01 CFS

The owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 75-15045

ROGER UNREIN 301 13TH ST SALMON ID 83467-3608 AND/OR
CHERYL UNREIN 301 13TH ST SALMON ID 83467-3608

requests the permit be changed as follows:

Source : JESSE CREEK **Tributary:** SALMON RIVER

Beneficial Use	Period of Use	Rate of Diversion
IRRIGATION	04/01 to 10/31	0.01 CFS

Location of Point(s) of Diversion
JESSE CREEK SW¼ NE¼, Sec. 1, Twp 21N, Rge 21E, B.M. LEMHI County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
21N	21E	1			0.1	0.1													0.2

Total Acres: 0.2

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed this 16 day of August, 2023

Cheryl A Unrein
Roger A Unrein
(Signature)

SCANNED
AUG 29 2023

State of Idaho
Department of Water Resources

Application for Amendment

(For Licensing Purposes)
Water Right No. 75-15045

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = $100 Receipted by KM # C116930 Date 8-22-23

ACTION OF THE DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources hereby approves the above Application for Amendment for Permit No. 75-15045 with the following:

Conditions of Approval

1. Use of water under this right may be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 75A.
2. A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.
3. The right holder shall install or construct a straight length of conduit or ditch suitable for installation of a device for measuring the entire flow of water being diverted in connection with this right. If the right holder uses conduit, the straight length of conduit shall be at least fifteen times the diameter of the conduit and shall be above ground or otherwise easily accessible.
4. Upon specific notification by the Department, the right holder shall install and maintain acceptable measuring device(s), including data logger(s), at the authorized point(s) of diversion, in accordance with Department specifications.
5. When notified by the Department or by a watermaster with regulatory authority over this right, the right holder shall report the amount of water diverted in connection with this right. The report shall be submitted in the manner and frequency specified by the Department or the watermaster.
6. Point of diversion and place of use are located within Lots 7-10, Block.10; Gilmore Subdivision.
7. This right when combined with all other rights shall provide no more than 0.01 cfs nor more than 0.7 afa at the field headgate for irrigation of the place of use.

This amendment is issued pursuant to the provisions of Idaho Code § 42-211.

Signed this 25th day of August, 2023.

PHILL HUMMER
Water Rights Supervisor


Application for Permit Map-Jesse Creek




(CURRENT) (FUTURE)

O = Pump — = PVC — = POLY : = OUTLETS/VALVES

RECEIVED
AUG 29 2023








230 VOLTS

SCANN
AUG 2 9 202

Form 42-217 Rev. 6/22

RECEIVED
AUG 09 2023
DEPARTMENT OF WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEMENT OF COMPLETION

FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY	
Amt. of Fee $	50 –
Receipt No.	C116860
Receipted By	KH
Date Receipted	8.9.23

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 75-15045 Name of Permit Holder(s) ~~ROGER~~ CHERYL AND/OR ROGER UNREIN

Telephone No. 303-304-9151 Email ROGERHARDTAIL@GMAIL.COM

Mailing Address 301 13th St. City SALMON State ID Zip 83467

2. Source of Water JESSE CREEK If Ground Water (well), Date Drilled mo. _____ / yr. _____

Drilling Permit/Tag No. _____ Drilling Company's Name _____

3. Extent of use(s) completed **as authorized by the water right permit**:

Domestic (No. households) _____ Irrigation (No. acres) 0.2 Stockwater (No. and stock type) _____

Other _____

4. Total diversion rate or volume (storage only) for which proof is submitted 0.01 cfs OR _____ af

If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.

5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)

Pump in Jesse creek conveys water in irrigation pipe and sprinklers to my yard for irrigation.

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required? Yes	No	(If "Yes", attach required data, evidence of compliance, or evidence of installation)
☐	☐	☒ Ground water level data, pumping information, or other diversion data
☐	☐	☒ Mitigation plan
☒	☒	☐ Lockable controlling works
☐	☐	☒ Measuring device
☐	☒	☐ Fish screen
☐	☐	☐ Other requirements of the water right permit _____
	☐	☐ Reasonably Anticipated Future Needs ("RAFN") Municipal use

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

7. Fee Enclosed $ 50.00 or ☐ CWRE field report attached or ☐ No fee required

See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: ROGER UNREIN Telephone No. 303-304-9151 Email ROGERHARDTAIL@GMAIL.COM

Mailing Address ~~305~~ 301 13th St. City SALMON State ID Zip 83467

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

SIGNATURE OF PERMIT HOLDER*	ROGER UNREIN PRINTED NAME AND TITLE	08-07-23 DATE

*Attach power of attorney if completing on behalf of permit holder.

SCANNED
AUG 29 2023







SCANNED
AUG 2 9 2023










SCANNED
AUG 2 9 2023







SCANNED
AUG 2 9 2023





SCANNED
AUG 2 9 2023

SCANNED
AUG 2 9 2023



Legend

- Unrein POD
- Unrein POU
- Parcels
- Township/Range
- Sections
- QQ addition under construction

SCANNED
AUG 29 2023

IDAHO DEPARTMENT OF WATER RESOURCES

Creator: JNEBEKER

IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little **Director Gary Spackman**

August 28, 2023

ROGER UNREIN
CHERYL UNREIN
301 13TH ST
SALMON ID 83467-3608

RE: License No. 75-15045

ISSUANCE OF LICENSE

Dear Water Right Holder(s):

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,

Jean Hersley

For
Phill Hummer
Water Rights Supervisor

Enclosure(s)

SCANNED
AUG 29 2023

CERTIFICATE OF SERVICE

I hereby certify that on August 28, 2023, I served a true and correct copy of Water Right License No. 75-15045 by U.S. Mail, postage prepaid, to the following:

ROGER UNREIN (Current Owner)
301 13TH ST
SALMON ID 83467-3608

CHERYL UNREIN (Current Owner)
301 13TH ST
SALMON ID 83467-3608

WATER DISTRICT #75A
DAVID GRAYBILL (Watermaster)
WATER DISTRICT 170
102 S WARPATH
SALMON ID 83467-4435

Jean Hersley
Technical Records Specialist 2

SCANNED
AUG 29 2023

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

SCANNED
AUG 2 9 2023

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

> Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:
>
> (a) The petition for reconsideration is disposed of; or
> (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

i. A hearing was held,
ii. The final agency action was taken,
iii. The party seeking review of the order resides, or
iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No: 75-15045
Exam Date: 08/22/2023

1. Does this qualify for an in-office field exam (IDAPA 035.02.r)? __X__ Y ____ N
   a. Irrigation of 5 acres or less
   b. Storage of up to 14.6 AF for stockwater purposes only
   c. Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less.
   d. Other < >

2. Current Owner:
   ROGER UNREIN 301 13TH ST SALMON ID 83467-3608 AND/OR
   CHERYL UNREIN 301 13TH ST SALMON ID 83467-3608
   Owner of Record Correct? __X__ Y ____ N
   Address of Record Correct? __X__ Y ____ N

3. **SOURCE:** JESSE CREEK — **Tributary** SALMON RIVER

Method of Determination: GIS and Tax lot Data

Change in Source: ____ Y _X__ N

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NO Overlap

Water Right No.	Source	Purpose of Use	Basis
75-10497 & 75-10576	Groundwater	Domestic	License
75-14700, 75-114, 75-4. Et. al.	Jessie Creek, et. al.	Municipal	Decreed

Comments: The overlapping GIS place of use (POU) shapes are for ground water source, domestic rights with the entire SWNE as a place of use or are Municipal rights. There are no overlap concerns, as the beneficial uses for any overlap differ from the permitted use, and/or have a different source.

2. Other water rights with the same point-of-diversion: NO Overlap

Water Right No.	Source	Purpose of Use	Basis
NONE	NA	NA	NA

Comments: No rights share the point of diversion (POD) with the permit.

C. DIVERSION AND DELIVERY SYSTEM

1. **LOCATION OF POINT(S) OF DIVERSION:**
JESSE CREEK SW¼ NE¼, Sec. 1, Twp 21N, Rge 21E, B.M. LEMHI County

Change in POD? __X__ N Amendment Required? __X__ N

Method of Determination: GIS and Tax lot Data

PLACE OF USE: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
21N	21E	1			0.1	0.1													0.2

Total Acres: 0.2

Method of Determination: GIS and Tax lot Data

Change in POU? ___N _X_ Y Amendment Required? ____N _X_ Y
Comment: Adding 0.1 acres in the SENE of section 1.

SCANNED
AUG 29 2023

Delivery System Diagram Attached (required). Indicate all major components and distances between components.
X Indicate weir size/pipe as applicable.

Map Attached Showing Location(s) of point(s) of diversion and place(s) of use (required). Scale must be
X 1:24,000 or greater.

X Aerial Photo Attached (required for irrigation of 10+ acres).

X Photo of Diversion and System Attached

4.

Well or Diversion ID No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Cistern at Jesse Creek	Unknown		Unknown	Unknown	unknown

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE	NA	NA	NA	NA	NA	NA

2. Measurements: No measurement is required for an in-house exam, but documentation confirmed that the pump installed can provide >4.5GPM (0.01cfs) and Application Processing Memo #17 were used to determine a reasonable diversion rate.

E. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method: According to the pump information provided by the applicant the pump is capable of 71 GPM, or approximately 0.16cfs. According to Administrative memo #17 up to 0.03cfs per acres is standard for up to 5 acres of irrigation. I am recommending a diversion rate of 0.01cfs, which is what was requested on their application for the permit.

F. VOLUME CALCULATIONS

1. Volume Calculations for irrigation:

$V_{I.R.}$ = (Acres Irrigated) x (Irrigation Requirement) = 0.2 acres x 3.5 AFA= 0.7 AF

$V_{D.R.}$ = [Diversion Rate (cfs)] x (Days in Irrigation season) x 1.9835 = 0.01cfs x 213 days x 1.9835 = 4.2 AF

V = Smaller of $V_{I.R.}$ and $V_{D.R.}$ =0.7 AF

Comments: This permit was issued for irrigation use, from a natural steam/river source. According to the IDAPA Beneficial Use Examination Rules 37.03.02.35. 01j.viii a diversion volume is not required for irrigation if water is diverted from a natural flowing stream/river or spring.

G. NARRATIVE/REMARKS/COMMENTS:

This permit issued for the diversion of surface water for the irrigation of 0.2 acres qualifies for an in-office examination for license. The permit holder submitted the Statement of Completion, map, and photos of the diversion and system (see photos 1-13). After reviewing the documentation, permit, and application, the place of use (POU) was never a match to the map submitted. The application and permit identified the POU as the SWNE of section 1, Township 21N, Range 21E. However, the map submitted with the Statement of Completion, the permit map, and the application map all identify the POU being in both the SWNE and SENE of Section 1. I called the permit holder on August 10th, 2023, requesting that the contact the department regarding the POU on their permit. The permit holder called back on August 11, 2023, during our conversation they stated that their parcel and the appurtenant POU both include area in the NESE of Section 1, and they were not sure why it was never included in the application or permit. I explained that if we process the permit as it was submitted the SENE of Section 1 would not be identified on the licensed POU, but that would not affect the rate or volume elements of the license, as the area is so small. I explained that we would need to amend the permit for licensing, at a cost of $100 to them

SCANNED
AUG 2 9 2023

to add the area in the SENE of section 1 to the license POU. The permit holder asked that we process the amendment, as they would like to ensure that the entire area is identified on the license. I emailed the permit holder the amended permit after it was reviewed on August 15, 2023, and asked that they review and sign the document, then mail it to the state office with the $100 fee payment. I called after sending the email to make sure that the permit holder received the email and reminded him that we still would like the system diagram and photos of the pump and lock out system.

The permit reviewed is not overlapped by any irrigation rights. The map submitted by the permit holder with the proof of beneficial use identifies a small area on the northeast corner of their house where construction occurred during the development period. I was able to use their map to shape the POU area to exclude the area no longer irrigated. The total area still was 0.2 acres (after rounding as per Admin Memo #6). After an emailed request the permit holder sent pump information and photos of the pump and lockable control at the pump. On August 22nd, 2023, we received via mail the signed amended permit, the system diagram (figure 2), photos of the pump (photos 13-15), and photos of the lockable controlling devices (photos 16 & 17) on the pump intake and at the junction box. On a phone call earlier that day I discussed the implications of condition #4 with the permit holder, explaining that it does not mean he needs to install a measuring device at this time.

I am recommending that the license be issued with a rate of 0.01cfs for the irrigation of 0.2 acres, with conditions R05, R02, 196, 197, 198, X59, and X31. Condition R63 was replaced by X31 at licensing as the total area irrigated is less than 1 acre. Condition 01H was replaced with R02 at licensing as the permit holder stated that lockable controlling works were installed for the Watermaster's control of the diversion.

Have conditions of permit approval been met? __X__ Yes ____ No

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Diversion	Volume (in condition X31)
IRRIGATION	04/01 to 10/31	0.01 CFS	0.7 AF
	Totals:	0.01 CFS	0.7 AF

2. Recommended Amendments- Adding irrigation POU in the SENE of Section 1.

____ Change P.D. as reflected above ____ Add P.D. as reflected above __X__ None

____ Change P.U. as reflected above __X__ Add P.U. as reflected above ____ None

I. AUTHENTICATION Bob Howe -Water Resource Agent

Field Examiner's Name Bob Howe Date 8/23/2023

Reviewer PA Date 8/25/23

SCANNED

AUG 29 2023



Legend

- Unrein POD
- Unrein POU
- Parcels
- Township/Range
- Sections
- qq addition underconstruction

IDAHO DEPARTMENT OF WATER RESOURCES

Creator: JNEBEKER

Figure 1- Map submitted with Proof of Beneficial Use. Identifying area removed from the POU due to the construction of an addition to the permit holder's home.

SCANNED
AUG 29 2023

Application for Permit Map-Jesse Creek



Figure 2- System diagram- identifying the current pump, conveyance (pipes), and current and future outlets/valves.

SCANNED
AUG 29 2023





Photos 1 & 2- Intake in perforated culvert-cistern at Jesse Creek. Fish screen installed on end of intake.





Photos 3 &4- PVC lines with control valves for delivery to poly lines and throughout POU.

SCANNED
AUG 2 9 2023







Photos 5, 6, & 7- Portable sprinklers used for irrigation in small orchard area.

SCANNED
AUG 2 9 2023





Photos 8 & 9- Portable sprinklers used for garden area irrigation.

SCANNED
AUG 2 9 2023








Photos- 10, 11, & 12- Portable sprinklers water lawn around the home.


SCANNED
AUG 2 9 2023





Photos-13, 14 , & 15- Pump installed and box with pump specifications (71 GPM max flow).

SCANNED
AUG 2 9 2023



Photos 16 & 17- Lockable controlling valve and junction box.

SCANNED
AUG 2 9 2023

Howe, Bob

From: Howe, Bob
Sent: Tuesday, August 15, 2023 9:19 AM
To: rogerhardtail@gmail.com
Subject: RE: Additional information requested for Permit #75-15045

Hi Roger,
Just wanted to make sure you are receiving the emails I have submitted. I just emailed you the Amendment for Permit 75-15045. Please review it and sign at the bottom of page 1 if everything appears in order. If there are any questions or concerns, please feel free to reach out to me.
Also, please send the documentation (photos and diagram) requested in the preceding email, so I can issue your license once the amendment is completed.
Thank you for your attention to these matters.

Regards,

Bob Howe

IDAHO DEPARTMENT OF
WATER RESOURCES
Bob Howe | Water Resource Agent
322 E Front St, PO Box 83720, Boise, ID 83720
(208) 287-4800 | www.idwr.idaho.gov

From: Howe, Bob
Sent: Friday, August 11, 2023 4:04 PM
To: rogerhardtail@gmail.com
Subject: Additional information requested for Permit #75-15045

Hi Roger,
I will be sending out the Amended Permit for you to sign and return with the fee payment. I apologize for the delay it appears I have underestimated the turn around time. I am currently waiting on a supervisor review before I can finalize the document. In the meantime, could you please send photos of the pump and the lockable controlling device? A diagram of the system would also be good to have on file to document your water right.
Thank you for your time, patience, and assistance in this matter. I look forward to hearing back from you.
Have a great weekend.

Regards,

Bob Howe

IDAHO DEPARTMENT OF
WATER RESOURCES
Bob Howe | Water Resource Agent
322 E Front St, PO Box 83720, Boise, ID 83720
(208) 287-4800 | www.idwr.idaho.gov

SCANNED
AUG 29 2023

Howe, Bob

From: Howe, Bob
Sent: Tuesday, August 15, 2023 9:12 AM
To: rogerhardtail@gmail.com
Subject: Amendment for Permit 75-15045
Attachments: Application For Amendment 75-15045 .pdf

Importance: High

August 15, 2023

ROGER UNREIN
301 13TH ST
SALMON ID 83467-3608 AND/OR

CHERYL UNREIN
301 13TH ST
SALMON ID 83467-3608

RE: Water Right Permit No. 75-15045

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit referenced above prior to issuing water right license. By issuing a license, the Department confirms the extent of development that has been established in compliance with the terms of the permit.

The examiner who verified your water use reported that certain elements of the permit have been developed differently than described on your permit. Changes that do not increase the authorized use of water under the permit can be requested and approved in accordance with Idaho Code § 42-211. Before license can be issued, your permit must be amended to depict your water use as it was actually developed.

Based on the examiner's report, the following elements were developed differently than described on your permit:

____Point(s) of Diversion

_X_ Place(s) of Use

____Other

The enclosed Application for Amendment form depicts the elements of the water right(s) as they will appear on the license when issued. Please review the amendment form carefully. If you concur with the information presented, please sign the amendment at the bottom of page 1 and return the form with the filing fee of $100.00 within fourteen (14) days. Please mail the signed form and fee payment to the address below my signature. Thank you for your attention in this matter.

SCANNED
AUG 29 2023

If you have any questions, please call me at (208)287-4847.

Sincerely,

Bob Howe

IDAHO DEPARTMENT OF
WATER RESOURCES
Bob Howe | Water Resource Agent
322 E Front St, PO Box 83720, Boise, ID 83720
(208) 287-4800 | www.idwr.idaho.gov

SCANNED
AUG 29 2023

Beneficial Use Proof Evaluation

Permit Number: 75-15045 Reviewer: AVeibell Review Date: 8/9/2023

Acceptability

1) Is the contact on the request the current permit holder? Yes
2) Does the address of record need to be updated? No
3) Proof Submitted Date: 8/9/2023
4) Proof Due Date: 9/1/2023
5) Days added for weekend due date? 0
6) Days added for holiday due date? 0
7) Number of days late: -23
8) Proof received timely?

Analysis

1) Are the water uses correct? Yes
2) Are one of the following items required?
    a. Measuring Device -- No
    b. Lockable Device --Yes
    c. Fish Screen -- No
3) Are the required items installed? Yes
    a. Measuring Device -- No
    b. Lockable Device --Yes
    c. Fish Screen -- Yes
4) Is there a request to waive the required items? No
5) Drilling Permit Number:
6) Is a drilling permit upgrade needed? No
7) Was a well drillers report filed? No
8) Is proof accepted? Yes

Fees

1) Is a licensing exam fee required? Yes
2) Was proof submitted with an exam report from a CWE? No
3) Filing fee due: $50.00
4) Filing fee submitted: $50.00
5) Remaining fee or (refund): $0.00

Receipt IDs

E048046

Comments

Spelling on Permit incorrect based on both application for permit and proof. Spelling corrected at time of review. Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing.

IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

June 30, 2023

CHERYL UREIN
ROGER UREIN
301 13TH ST
SALMON ID 83467-3608

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit No. 75-15045

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holder(s):

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **September 01, 2023**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a $50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this department on or before the above proof due date. If neither is received, the department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

CERTIFIED MAIL
7016 1370 0000 2018 4868
NO

Water Rights Section

Enclosure(s)

SCANNED
JUL 03 2023