

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 75-14588

Priority: December 26, 2008

Maximum Diversion Rate: 0.16 CFS

Maximum Diversion Volume: 29.4 AF

It is hereby certified that:

SHERRY ELROD AND
JOHN TREANKLER
PO BOX 852
SALMON ID 83467

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 26, 2008, and has submitted Proof of Beneficial Use on April 19, 2019. An examination confirms water is diverted from:

Source : SALMON RIVER

Beneficial Use

IRRIGATION

Period of Use

04/01 to 10/31

Rate of Diversion

0.16 CFS

Annual Volume

29.4 AF

Location of Point(s) of Diversion

SALMON RIVER L12 (SE $\frac{1}{4}$ SE $\frac{1}{4}$), Sec. 30, Twp 23N, Rge 22E, B.M. LEMHI County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
23N	22E	30													4.2 L12			4.2 L12	8.4

Total Acres: 8.4

Conditions of Approval

1. Use of water under this right may be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 75D.
2. A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.
3. Upon specific notification by the Department, the right holder shall install and maintain acceptable measuring device(s), including data logger(s), at the authorized point(s) of diversion, in accordance with Department specifications.
4. When notified by the Department or by a watermaster with regulatory authority over this right, the right holder shall report the amount of water diverted in connection with this right. The report shall be submitted in the manner and frequency specified by the Department or the watermaster.
5. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the lands above.

SCANNED

JUN 01 2020


State of Idaho
Department of Water Resources
Water Right License
Water Right No. 75-14588

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 31st day of May, 2023.




JAMES CEFALO
Eastern Regional Manager



SCANNED
JUN 01 2023

State of Idaho
Department of Water Resources
Water Right
75-14588

22E



0 0.075 0.15 0.3 Miles

-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion

SCANNED
JUN 01 2023

State of Idaho
Department of Water Resources
Application for Amendment
(For Licensing Purposes)
Water Right No. 75-14588

RECEIVED

MAY 22 2023

Department of Water Resources
Eastern Region

Priority: December 26, 2008

Maximum Diversion Rate: 0.16 CFS

The owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 75-14588

JOHN TREANKLER PO BOX 852 SALMON ID 83467 AND
SHERRY ELROD PO BOX 852 SALMON ID 83467

requests the permit be changed as follows:

Source : SALMON RIVER

Beneficial Use

IRRIGATION

Period of Use

04/01 to 10/31

Rate of Diversion

0.16 CFS

Location of Point(s) of Diversion

SALMON RIVER L12 (SE $\frac{1}{4}$ SE $\frac{1}{4}$), Sec. 30, Twp 23N, Rge 22E, B.M. LEMHI County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
23N	22E	30													4.2 L12			4.2 L12	8.4

Right Acre Limit: 8.4

Total Acres: 8.4

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed this 19th day of May, 2023.

John Treankler
(Signature)

Sherry Elrod

SCANNED
JUN 01 2023

State of Idaho
Department of Water Resources
Application for Amendment
(For Licensing Purposes)
Water Right No. 75-14588

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = \$100 Received by Od # E049206 Date 5/23/23

ACTION OF THE DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources hereby approves the above Application for Amendment for Permit No. 75-14588 with the following:

Conditions of Approval

1. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the lands above.
2. When notified by the Department or by a watermaster with regulatory authority over this right, the right holder shall report the amount of water diverted in connection with this right. The report shall be submitted in the manner and frequency specified by the Department or the watermaster.
3. Prior to diversion of water under this right, the right holder shall install a lockable device, subject to the approval of the Department, in a manner that will provide the watermaster suitable control of the diversion.
4. Upon specific notification by the Department, the right holder shall install and maintain acceptable measuring device(s), including data logger(s), at the authorized point(s) of diversion, in accordance with Department specifications.

This amendment is issued pursuant to the provisions of Idaho Code § 42-211.

Signed this 30th day of May, 2023.





JAMES CEFALO
Eastern Regional Manager

SCANNED

JUN 01 2023

State of Idaho
Department of Water Resources
Water Right
75-14588



- Place Of Use Boundary
- Townships
- PLS Sections
- Quarter Quarters
- Point of Diversion



SCANNED
JUN 01 2023



Eastern Region • 900 N Skyline Drive, Suite A • Idaho Falls, ID 83402-1718

Phone: 208-525-7161 • Fax: 208-525-7177 • Email: easterninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

May 31, 2023

JOHN TREANKLER
SHERRY ELROD
PO BOX 852
SALMON ID 83467

RE: License No. 75-14588

ISSUANCE OF LICENSE

Dear Water Right Holder:

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 497-3784.

Sincerely,

A handwritten signature in black ink, appearing to read "J Cefalo", is written over a horizontal line.

James Cefalo
Eastern Regional Manager

Enclosure(s)


SCANNED
JUN 01 2023

CERTIFICATE OF SERVICE

I hereby certify that on May 31, 2023, I served a true and correct copy of Water Right License No. 75-14588 by U.S. Mail, postage prepaid, to the following:

JOHN TREANKLER
SHERRY ELROD
PO BOX 852
SALMON ID 83467

WATER DISTRICT #75D
RON JOHNSON
PO BOX 124
CARMEN ID 83462-0124



Christina Henman
Administrative Asst. I

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) The petition for reconsideration is disposed of; or
- (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No: 75-14588
Exam Date: 5/12/2023

1. Current Owner: Sherry Elrod AND John Treankler
2. Accompanied by: John Treankler
Phone No: (208) 756-7292
Address: PO BOX 852, Salmon ID, 83467
Relationship to permit Holder: Owner

3. **SOURCE:**
GROUND WATER

Method of Determination: Site visit

B. OVERLAP REVIEW

1. Other water rights with the same place of use: YES Overlap

Water Right No.	Source	Purpose of Use	Basis
75-10901	Ground Water	Domestic	Decreed

Comments: Domestic right 75-10901 shares the same place of use. A change in ownership for this right is needed.

2. Other water rights with the same point-of-diversion: NO Overlap

Water Right No.	Source	Purpose of Use	Basis

Comments: _____

C. DIVERSION AND DELIVERY SYSTEM

1. **LOCATION OF POINT(S) OF DIVERSION:**
Lot 12 SESE, Sec. 30, T23N, T22E

Method of Determination: Site visit and GPS

PLACE OF USE: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
23N	22E	30													4.2			4.2	8.4

Method of Determination: Site visit and GPS

SCANNED
JUN 01 2023

3.

Delivery System Diagram Attached (required). Indicate all major components and distances between components.

 x

Indicate weir size/pipe as applicable.

Map Attached Showing Location(s) of point(s) of diversion and place(s) of use (required). Scale must be

 x

1:24,000 or greater.

 x

Aerial Photo Attached (required for irrigation of 10+ acres).

 x

Photo of Diversion and System Attached

4.

Well or Diversion ID No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	CentriPro	3.0	J09853N		

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Portable Flow Meter	Ultrasonic	Fuji Electric	Portaflow	A0L5537T		

2. Measurements:

E. FLOW CALCULATIONS Additional Computation Sheets Attached

Measured Method: Portable Flow Meter

$$72.6 \text{ GPM} = 0.16 \text{ CFS} \quad 1 \text{ CFS} = 448.83 \text{ GPM}$$

$$\frac{72.6}{448.83} = 0.16$$

F. VOLUME CALCULATIONS

1. Volume Calculations for irrigation:

$$V_{I.R.} = (8.4 \text{ acres}) \times (3.5 \text{ AFA}) = \mathbf{29.4}$$

$$V_{D.R.} = [0.16 \text{ (cfs)}] \times (214) \times 1.9835 = \mathbf{67.9}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \mathbf{29.4}$$

2. Volume Calculations for Other Uses: **N/A**

SCANNED
JUN 01 2023

G. NARRATIVE/REMARKS/COMMENTS

A beneficial use field exam was performed on May 12, 2023. John Treankler (owner) accompanied Jared Adamson during the exam. The point of diversion consisted of a three-horsepower pump with a draft hose dropped into the water. A fish screen has been installed on the draft hose. The location of the diversion is in the same location as described on the water right. The place of use consists of 8.4 acres following most of the property lines. The permitted 9.4 acres is larger than the area being irrigated. A reduction to 8.4 acres is recommended. Water is used to irrigate pasture, trees, and landscape surrounding the house. Irrigation for the pastures is accomplished by eight sprinkler pods. The yard around the house has standard hose and valves. John stated that the yard can be irrigated by either the house well or surface water.

An amendment to the permit is needed. The permit has 9.4 acres listed in Lot 12 of the SESE when the place of use is split in half between the NESE and SESE of Lot 12.

Have conditions of permit approval been met? ☒ Yes ☐ No

H. RECOMMENDATIONS**1. Recommended Amounts**

<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>	<u>Annual Volume</u>
IRRIGATION	04/01 to 10/31	0.16 CFS	29.4 AF

Totals:

0.16 CFS

29.4 AF

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☒ Add P.U. as reflected above ☐ None

I. AUTHENTICATION

Jared Adamson - Water Resource Agent, Sr.

Field Examiner's Name



Date

5/19/2023

Reviewer

James Cefato

Date

5/30/23

SCANNED
JUN 01 2023

05/12/2023 10:59     

(default) 

FLOW RATE gal/min 

72.619

VELOCITY ft/s 

11.616

+TOTALIZER gal  


0.00

NORMAL

Flow Meter Print Screen:

SE 150 S 180 SW 210 240

● 193°S (T) ● 45°17.451', -113°53.633' ±13ft ▲ 3782ft

PART NO. J09853N MODEL T63CXMA-2109 INS B AMB 40°C PH 1 CODE G
THERMALLY PROTECTED AUTO ENC ODP FRAME 56J -DUTY CONT DATE CODE E21C
PROT. CODE 00371

HP	3.0	F.L.A.	12
RPM	3450	S.F.	1.2
VOLTS	230	S.F.A.	14.5
HZ	60		

CONNECTIONS
GREEN SCREW
GROUND
LINE
LINE

MOTOR IS NON-REVERSIBLE
CW ROTATION SHAFT END

UL 159060 E22922

SUITABLE FOR FIELD WIRING, USE COPPER CONDUCTORS ONLY
HIDE MOTOR CORPORATION WWW.HIDEMOTOR.COM

12 May 2023, 10:49:59

Pump Motor:

Pump motor Serial Number – J09853N

Horsepower – 3 HP

V NW N NE
0 300 330 0 30
● 342°N (T) ● 45°17.446', -113°53.630' ±13ft ▲ 3790ft



W NW N
240 270 300 330 0
● 301°NW (T) ● 45°17.450', -113°53.629' ±13ft ▲ 3787ft



Overall Diversion:

Diversion is located immediately behind the house and within Lot 12 SESE,

Diversion and Mainline Location:

SCANNED
JUN 01 2023



Place of Use:



Place of Use:



South Side Place of Use:

SCANNED
JUN 01 2023

NW N NE
300 330 0 30 60
8°N (T) 45°17.369', -113°53.598' ±9ft ▲ 3771ft



12 May 2023. 11:10:27

186°S (T) 45°17.319', -113°53.598' ±13ft ▲ 3791ft

South Side Place of Use:



12 May 2023. 11:08:28

SCANNED
JUN 01 2023

NW N NE
300 330 0 30 60
355°N (T) 45°17.318', -113°53.601' ±13ft ▲ 3790ft

South Side Place of Use:



N NE E
30 0 30 60 90
40°NE (T) 45°17.498', -113°53.635' ±9ft ▲ 3782ft

North Side Place of Use:



SCANNED
JUN 01 2023



North Side Place of Use:



SCANNED
JUN 01 2023