

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 98-8082

Priority: February 22, 2022

Maximum Diversion Rate: 0.04 CFS

Maximum Diversion Volume: 1.2 AF

It is hereby certified that:

MICHAEL J KIMBALL 563 LAURIE LN NAPLES ID 83847-6023

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 22, 2022, and has submitted Proof of Beneficial Use on March 15, 2023. An examination confirms water is diverted from:

Source : GROUND WATER

Beneficial Use

DOMESTIC

Period of Use

01/01 to 12/31

Rate of Diversion

0.04 CFS

Annual Volume

1.2 AF

Location of Point(s) of Diversion

GROUND WATER NE¼ SW¼, Sec. 3, Twp 60N, Rge 01W, B.M. BOUNDARY County

Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
60N	01W	3									X	X							

Conditions of Approval

1. Domestic use is for 1 home.
2. The irrigation occurring under this domestic use shall not exceed 1/2 acre.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 21st day of March, 2023.



PHILL HUMMER
Water Rights Supervisor

SCANNED
MAR 23 2023

State of Idaho
Department of Water Resources

Attachment to Water Right

98-8082

This map depicts the DOMESTIC place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

01W



0 0.035 0.07 0.14 Miles

-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion

SCANNED
MAR 7 3 2023



RECEIVED

MAR 15 2023

DEPARTMENT OF
WATER RESOURCESSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY

Amt. of Fee \$ _____

Receipt No. _____

Received By _____

Date Received _____

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

- Permit No. 98-8082 Name of Permit Holder(s) MICHAEL J KIMBALL
Telephone No. 208-920-3015 Email crashKimball7@gmail.com
Mailing Address 563 Laurie Lane City Naples State ID Zip 83847
- Source of Water Groundwater well If Ground Water (well), Date Drilled mo. JAN / yr. 2008
Drilling Permit/Tag No. D 0054312 Drilling Company's Name MINDEN WATER WELLS
- Extent of use(s) completed as authorized by the water right permit:
Domestic (No. households) 1 Irrigation (No. acres) Ø Stockwater (No. and stock type) Ø
Other _____
- Total diversion rate or volume (storage only) for which proof is submitted 0.04 cfs OR _____ af
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.
- Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)
1 HP Submerged pump at 450'. Underground pipe to main house entry. Property not irrigated.
- Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:
Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

☐	☒	Ground water level data, pumping information, or other diversion data
☐	☒	Mitigation plan
☐	☒	Lockable controlling works
☐	☒	Measuring device
☐	☒	Fish screen
☐	☒	Other requirements of the water right permit _____
☐	☒	Reasonably Anticipated Future Needs ("RAFN") Municipal use

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No
- Fee Enclosed \$ Ø or ☐ CWRE field report attached or ☒ No fee required
See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.
- Person to contact to accompany a Department representative during the field examination of the water system:
Name: Michael Kimball Telephone No. 208-920-3015 Email crashKimball7@gmail.com
Mailing Address 563 Laurie Lane City Naples State ID Zip 83847

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

Michael J. Kimball
SIGNATURE OF PERMIT HOLDER*

Michael J. Kimball
PRINTED NAME AND TITLE

2/8/2023
DATE

*Attach power of attorney if completing on behalf of permit holder.

SCANNED
MAR 23 2023

SCANNED
MAR 23 2023
Firm No. 320



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little
March 22, 2023

Director Gary Spackman

MICHAEL J KIMBALL
563 LAURIE LN
NAPLES ID 83847-6023

RE: License No. 98-8082

ISSUANCE OF LICENSE

Dear Water Right Holder:

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,

for Phill Hummer
Water Rights Supervisor

Enclosures

SCANNED
MAR 23 2023

CERTIFICATE OF SERVICE

I hereby certify that on March 22, 2023, I served a true and correct copy of Water Right License No. 98-8082 by U.S. Mail, postage prepaid, to the following:

MICHAEL J KIMBALL (Current Owner)
563 LAURIE LN
NAPLES ID 83847-6023



Debbi Judd
Technical Records Specialist

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATIONPermit No: 98-8082

Exam Date: 3/16/2023

1. Does this qualify for an in-office field exam (IDAPA 035.02.r)? X Y ___ N
- Irrigation of 5 acres or less
 - Storage of up to 14.6 AF for stockwater purposes only
 - Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
 - Other < >

2. Current Owner: Name: Michael Kimball
Owner of Record Correct? X Y ___ N
Address of Record Correct? X Y ___ N
If No: Address

According to Tax Parcel Data the property is owned by Michael Kimball.

3. Beneficial Use Fees have been paid: X Y ___ N Receipt No: N/A

4. SOURCE TRIBUTARY

Groundwater

N/A

Method of Determination: GIS and Tax Parcel Data

Change in Source: ___ Y ___ X ___ N

B. OVERLAP REVIEW

1. Other water rights with the same place of use: No Overlap

Water Right No.	Source	Purpose of Use	Basis
N/A			
98-7750	Ground Water	Municipal	License

Comments: N/A The municipal service area for 98-7750 includes POD for 98-8082 but domestic water rights can be established within municipal boundaries without issue

2. Other water rights with the same point of diversion: No Overlap

Water Right No.	Source	Purpose of Use	Basis
N/A			

Comments: N/A

C. DIVERSION AND DELIVERY SYSTEM1. LOCATION OF POINT(S) OF DIVERSION:

Source	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.		County
Groundwater			NE	SW	3	60N	01W	B.M.	Boundary
								B.M.	
								B.M.	

Method of Determination: GIS and Tax Parcel Data

Change in POD? ___ Y ___ X ___ N Amendment Required? ___ Y ___ X ___ N

SCANNED
MAR 23 2023

2. PLACE OF USE: Use: Domestic

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
60N	01W	3									D	D							N/A
		Lot #																	N/A
Total Acres =																		N/A	

Method of Determination: GIS and Tax Parcel DataChange in POU? Y X N Amendment Required? Y X N Delivery System Diagram Attached (required). Indicate all major components and distances between components.

Indicate weir size/pipe as applicable.

 Aerial Photo Attached (required for irrigation of 10+ acres). Photo of Diversion and System Attached

4. Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1			

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A						

2. Measurements: The permit holder provided a pump horsepower of 1 and a pumping level of 450 ft.**E. FLOW CALCULATIONS** Additional Computation Sheets Attached

Measured Method: **Since the permit holder provided a pump horsepower and pumping level a diversion rate calculation could be conducted. According to Administrative Processing Memo #22 the standard diversion rate for a single-family home is 0.04 cfs. This permit authorizes 0.04 cfs. I am recommending a 0.04 cfs diversion rate.**

F. VOLUME CALCULATIONS

2. Volume Calculations for Other Uses: **According to Administrative Processing Memo #22 the diversion volume for a single domestic use is 0.6 af for in-home use and 0.6 af for up to ½ acres of yard irrigation or 1.2 af. I am recommending a 1.2 af diversion volume.**

G. PURPOSE OF USEIrrigation X Y N # Stock N/A Domestic # of Homes 1

Other: < >

Change in Purpose of Use? Y X NMethod of Determination: GIS, Tax Parcel Data, and Sentinel Imagery.

SCANNED
MAR 7 3 2023

If Yes: From Use _____ To Use _____ Amount _____ CFS _____ AFA _____

H. NARRATIVE/REMARKS/COMMENTS

This permit qualifies for an in-house examination. According to Tax Parcel Data the property was developed in 2007. The permit authorizes domestic use for one home and up to ½ acres of yard irrigation. According to Sentinel Imagery irrigation seem to occur in 2022. The permit holder provided a pump horsepower of 1 and a pumping level of 450 ft. The standards set in Administrative Processing Memo #22 were used to make diversion rate and volume recommendations. All of the conditions have been met and it is believed the permit holder is using water for the beneficial use authorized on their permit. Therefore, I am recommending a 0.04 cfs diversion rate and 1.2 af diversion volume.

Conditions X01 and 187 should remain on the license. Condition 046 should be removed because the permit holder complied with well drilling permit requirements. Condition 004 should be removed because there are no legal access concerns to the point of diversion. All other conditions should be removed as standard with licensing.

Have conditions of permit approval been met? ☒ Yes ☐ No**I. RECOMMENDATIONS****1. Recommended Amounts**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
Domestic	1/1 to 12/31	0.04 CFS	1.2 AF
<u>Totals:</u>		0.04 CFS	1.2 AF

2. Recommended Amendments
☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ None

Other: < >

J. AUTHENTICATION Skyler Cheever, Water Resource AgentField Examiner's Name  Date 3/16/23

Reviewer _____ Date _____

 SCANNED
 MAR 23 2023

Field Exam Map:

The orange border shows the place of use, and the yellow point shows the point of diversion.



SCANNED
MAR 23 2023

Beneficial Use Proof Evaluation

Permit Number: 98-8082 Reviewer: djudd Review Date: 3/15/2023

Acceptability

- 1) Is the contact on the request the current permit holder? Yes
- 2) Does the address of record need to be updated? No
- 3) Proof Submitted Date: 3/15/2023
- 4) Proof Due Date: 5/1/2023
- 5) Days added for weekend due date? 0
- 6) Days added for holiday due date? 0
- 7) Number of days late: -47
- 8) Proof received timely? Yes

Analysis

- 1) Are the water uses correct? Yes
- 2) Are one of the following items required?
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- No
- 3) Are the required items installed?
 - a. Measuring Device --
 - b. Lockable Device --
 - c. Fish Screen --
- 4) Is there a request to waive the required items?
- 5) Drilling Permit Number: 850622
- 6) Is a drilling permit upgrade needed? No
- 7) Was a well drillers report filed? Yes
- 8) Is proof accepted? Yes

Fees

- 1) Is a licensing exam fee required? No
- 2) Was proof submitted with an exam report from a CWE? No
- 3) Filing fee due: \$0.00
- 4) Filing fee submitted: \$0.00
- 5) Remaining fee or (refund): \$0.00

Receipt IDs

N038356

Comments

Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing.



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little
February 28, 2023

Director Gary Spackman

MICHAEL J KIMBALL
563 LAURIE LN
NAPLES ID 83847-6023

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit No. 98-08082

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **May 01, 2023**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Idaho Code § 42-204. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a \$50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this Department on or before the above proof due date. If neither is received, the Department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Debbi Judd
Technical Records Specialist

Enclosures



SCANNED
MAR 01 2023