

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 98-8088

Priority: May 04, 2022

Maximum Diversion Rate: 0.04 CFS

Maximum Diversion Volume: 1.2 AF

It is hereby certified that:

KATHERINE MANSUR 249 CRIMSON LN NAPLES ID 83847-4908 AND/OR
LUKE LEVESQUE 249 CRIMSON LN NAPLES ID 83847-4908

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 04, 2022, and has submitted Proof of Beneficial Use on December 30, 2022. An examination confirms water is diverted from:

Source : GROUND WATER

Beneficial Use
DOMESTIC

Period of Use
01/01 to 12/31

Rate of Diversion
0.04 CFS

Annual Volume
1.2 AF

Location of Point(s) of Diversion

GROUND WATER SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 28, Twp 60N, Rge 01W, B.M. BOUNDARY County

Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
60N	01W	28															X		

Conditions of Approval

1. Domestic use is for 1 home.
2. The irrigation occurring under this domestic use shall not exceed 1/2 acre.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 13th day of January, 2023.



PHILL HUMMER
Water Rights Supervisor

SCANNED
JAN 19 2023

State of Idaho
Department of Water Resources

Attachment to Water Right License

98-8088

This map depicts the DOMESTIC place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

01W



- Place Of Use Boundary
- Townships
- PLS Sections
- Quarter Quarters
- Point of Diversion

0 0.035 0.07 0.14 Miles

SCANNED
JAN 14 2023



RECEIVED

DEC 30 2022

IDWR / NORTH

RECEIVED

JAN 03 2023

DEPARTMENT OF
WATER RESOURCES

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

STATEMENT OF COMPLETION

FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY

Amt. of Fee \$ 50.00

Receipt No. N042163

Received By ja

Date Received 12/30/22

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

- Permit No. 98-8088 Name of Permit Holder(s) Katherine Mansur & Luke Levesque
Telephone No. 208-304-9110 Email ksmansur@gmail.com
Mailing Address 249 Crimson Ln City Naples State ID Zip 83847
- Source of Water Well If Ground Water (well), Date Drilled mo. ____ / yr. ____
Drilling Permit/Tag No. ____ Drilling Company's Name Agua Well Drilling
- Extent of use(s) completed **as authorized by the water right permit:**
Domestic (No. households) 1 Irrigation (No. acres) ____ Stockwater (No. and stock type) ____
Other ____
- Total diversion rate or volume (storage only) for which proof is submitted ____ cfs OR ____ af
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.
- Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)
well pump

- Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

- | | | | |
|--------------------------|--------------------------|--------------------------|---|
| ☐ | ☐ | ☐ | Ground water level data, pumping information, or other diversion data |
| ☐ | ☐ | ☐ | Mitigation plan |
| ☐ | ☐ | ☐ | Lockable controlling works |
| ☐ | ☐ | ☐ | Measuring device |
| ☐ | ☐ | ☐ | Fish screen |
| ☐ | ☐ | ☐ | Other requirements of the water right permit |
| ☐ | ☐ | ☐ | Reasonably Anticipated Future Needs ("RAFN") Municipal use |

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

- Fee Enclosed \$ 50.00 or ☐ CWRE field report attached or ☐ No fee required

See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

- Person to contact to accompany a Department representative during the field examination of the water system:

Name: Katherine Mansur Telephone No. 208-304-9110 Email ksmansur@gmail.com
Mailing Address 249 Crimson Ln City Naples State ID Zip 83847

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

Katherine Mansur
SIGNATURE OF PERMIT HOLDER*

Katherine Mansur
PRINTED NAME AND TITLE

7/25/22
DATE

*Attach power of attorney if completing on behalf of permit holder.

property owner

SCANNED

JAN 19 2023



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098

Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

January 18, 2023

LUKE LEVESQUE
KATHERINE MANSUR
249 CRIMSON LN
NAPLES ID 83847-4908

RE: License No. 98-8088

ISSUANCE OF LICENSE

Dear Water Right Holders:

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,


for Phill Hummer

Water Rights Supervisor

Enclosures


SCANNED
JAN 19 2023

CERTIFICATE OF SERVICE

I hereby certify that on January 18, 2023, I served a true and correct copy of Water Right License No. 98-8088 by U.S. Mail, postage prepaid, to the following:

LUKE LEVESQUE (Current Owner)
249 CRIMSON LN
NAPLES ID 83847-4908

KATHERINE MANSUR (Current Owner)
249 CRIMSON LN
NAPLES ID 83847-4908



Debbi Judd
Technical Records Specialist

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATIONPermit No: 98-8088

Exam Date: 1/4/2023

1. Does this qualify for an in-office field exam (IDAPA 035.02.r)? X Y N
- Irrigation of 5 acres or less
 - Storage of up to 14.6 AF for stockwater purposes only
 - Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
 - Other < >

2. Current Owner: Name: Kathleen Mansur and Luke Levesque
 Owner of Record Correct? X Y N
 Address of Record Correct? X Y N
 If No: Address

According to GIS Tax Parcel Data the property is owned by Kathleen Mansur.

3. Beneficial Use Fees have been paid: X Y N Receipt No: N042163
 4. SOURCE TRIBUTARY
 Groundwater N/A

Method of Determination: GIS and Tax Parcel DataChange in Source: Y X N**B. OVERLAP REVIEW**

1. Other water rights with the same place of use: Yes Overlap

Water Right No.	Source	Purpose of Use	Basis
98-7750	Groundwater	Municipal	License

Comments: The permit shapefile overlaps water right 98-7750's shapefile. The right is municipal under the Cabinet Mountains Water District. There are no issues with overlap of a municipal right.

2. Other water rights with the same point of diversion: NO Overlap

Water Right No.	Source	Purpose of Use	Basis
N/A			

Comments: N/A

C. DIVERSION AND DELIVERY SYSTEM1. LOCATION OF POINT(S) OF DIVERSION:

Source	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.		County
Groundwater			SW	SE	28	60N	01W	B.M.	Boundary
								B.M.	
								B.M.	

Method of Determination: GIS and Tax Parcel DataChange in POD? Y X N Amendment Required? Y X N

2. PLACE OF USE: Use: Domestic

SCANNED
JAN 19 2023

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
60N	01W	28															D		
		Lot #																	
Total Acres =																		N/A	

Method of Determination: GIS and Tax Parcel DataChange in POU? Y X N Amendment Required? Y X N Delivery System Diagram Attached (required). Indicate all major components and distances between components.

Indicate weir size/pipe as applicable.

 Aerial Photo Attached (required for irrigation of 10+ acres). Photo of Diversion and System Attached

4. Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
N/A					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1. Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A						

2. Measurements: Since pump horsepower was not provided a diversion rate calculation was not possible.

E. FLOW CALCULATIONS Additional Computation Sheets Attached

Measured Method: **Since pump horsepower was not provided a diversion rate calculation was not possible. According to Administrative Processing Memo #22 the standard rate for a single-family home is 0.04 cfs. The permit authorizes 0.04 cfs. I am recommending a diversion rate of 0.04 cfs.**

F. VOLUME CALCULATIONS

2. Volume Calculations for Other Uses: **According to Administrative Processing Memo #22 the standard volume for domestic use is 0.6 af for in home use and 0.6 af for ½ acre yard irrigation or 1.2 af total. I am recommending a volume of 1.2 af.**

G. PURPOSE OF USEIrrigation X Y N # Stock Domestic # of Homes 1

Other: < >

Change in Purpose of Use? Y X NMethod of Determination: Tax Parcel data, GIS, and Google Aerial Imagery.If Yes: From Use To Use Amount CFS AFA

SCANNED
JAN 19 2023

H. NARRATIVE/REMARKS/COMMENTS

This permit qualifies for an in-house exam. According to GIS Tax Parcel Data the property was developed in 2004. The permit authorizes domestic use for one home. Irrigation at the place of use was confirmed by the presence of garden on the property to the west of the home. The permit holder did not provide pump horsepower; therefore, a diversion rate calculation was not possible. The recommended rate and volume were taken from the standards set Administrative Processing Memo #22. All of the conditions have been met. Therefore, I am recommending a 0.04 cfs diversion rate and 1.2 af volume.

Condition X01 and 187 should remain on the license. All other conditions should be removed as is standard with licensing.

Have conditions of permit approval been met? ☒ Yes ☐ No

I. RECOMMENDATIONS**1. Recommended Amounts**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
Domestic	1/1 to 12/31	0.04 CFS	1.2 AF
<u>Totals:</u>		0.04 CFS	1.2 AF

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ None

Other: < >

J. AUTHENTICATION Skyler Cheever, Water Resource Agent

Field Examiner's Name  Date 1/4/2023

Reviewer  Date 1/13/23


CD
JAN 19 2023

Field Exam Map:

The orange border shows the place of use, and the yellow point shows the point of diversion.



Description reads: "Irrigation is taking place because there is a garden or greenhouse structure to the west of the home"



SCANNED
JAN 14 2023

Beneficial Use Proof Evaluation

Permit Number: 98-8088 Reviewer: djudd Review Date: 1/3/2023

Acceptability

- 1) Is the contact on the request the current permit holder? Yes
- 2) Does the address of record need to be updated? No
- 3) Proof Submitted Date: 12/30/2022
- 4) Proof Due Date: 7/1/2023
- 5) Days added for weekend due date? 0
- 6) Days added for holiday due date? 0
- 7) Number of days late: -183
- 8) Proof received timely? Yes

Analysis

- 1) Are the water uses correct? Yes
- 2) Are one of the following items required?
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- No
- 3) Are the required items installed?
 - a. Measuring Device --
 - b. Lockable Device --
 - c. Fish Screen --
- 4) Is there a request to waive the required items?
- 5) Drilling Permit Number: 890381
- 6) Is a drilling permit upgrade needed? No
- 7) Was a well drillers report filed? Yes
- 8) Is proof accepted? Yes

Fees

- 1) Is a licensing exam fee required? No
- 2) Was proof submitted with an exam report from a CWE? No
- 3) Filing fee due: \$0.00
- 4) Filing fee submitted: \$0.00
- 5) Remaining fee or (refund): \$0.00

Receipt IDs

N039346

Comments

Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing. No exam fee required, request refund.