

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 97-8237

Priority: January 13, 2022

Maximum Diversion Rate: 0.03 CFS

It is hereby certified that:

BLASKO TRUST 274 THAMA DR PRIEST RIVER ID 83856-8786

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 13, 2022, and has submitted Proof of Beneficial Use on January 31, 2023. An examination confirms water is diverted from:

Source : PEND OREILLE RIVER

Tributary: COLUMBIA RIVER

Beneficial Use
IRRIGATION

Period of Use
04/01 to 10/31

Rate of Diversion
0.03 CFS

Location of Point(s) of Diversion

PEND OREILLE RIVER L6 (NW¼ SE¼), Sec. 32, Twp 56N, Rge 04W, B.M. BONNER County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	04W	32														0.3 L6			0.3

Total Acres: 0.3

Conditions of Approval

1. A fish screen of 1/4 inch or smaller mesh shall be installed and maintained at the point of diversion.
2. The approach velocity at the point of diversion shall not exceed 0.5 feet per second.
3. Place of use is located within Lot 9, Blk. 3; Thama Shores Subdivision.
4. This right when combined with all other rights shall provide no more than 0.03 cfs nor more than 0.9 afa at the field headgate for irrigation of the place of use.
5. This right does not grant any right-of-way or easement across the land of another.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 7th day of February, 2023.



PHILL HUMMER
Water Rights Supervisor

SCANNED
FEB 10 2023

State of Idaho
Department of Water Resources
Attachment to Water Right
97-8237

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

04W



0 0.035 0.07 0.14 Miles

-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion

SCANNED
FEB 10 2023



RECEIVED
JAN 31 2023
DEPARTMENT OF
WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY

Amt. of Fee \$ 50 -
Receipt No. C115205
Received By Ku
Date Received 1.31.23

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 91-08237 Name of Permit Holder(s) Blasko Trust
Telephone No. 208-263-3802 Email _____
Mailing Address 274 Thama Dr City Priest River State ID Zip 83856

2. Source of Water Pond Oreille RL If Ground Water (well), Date Drilled mo. _____ / yr. _____
Drilling Permit/Tag No. _____ Drilling Company's Name _____

3. Extent of use(s) completed as authorized by the water right permit:

Domestic (No. households) _____ Irrigation (No. acres) 0.3 Stockwater (No. and stock type) _____
Other _____

4. Total diversion rate or volume (storage only) for which proof is submitted 0.03 cfs OR _____ af
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.

5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)

Screened intake pipe and pump from river to pressurized irrigation system

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

- | | | |
|--------------------------|-------------------------------------|---|
| ☐ | ☒ | Ground water level data, pumping information, or other diversion data |
| ☐ | ☒ | Mitigation plan |
| ☐ | ☒ | Lockable controlling works |
| ☐ | ☒ | Measuring device |
| ☐ | ☒ | Fish screen |
| ☐ | ☒ | Other requirements of the water right permit _____ |

☒ Reasonably Anticipated Future Needs ("RAFN") Municipal use

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

7. Fee Enclosed \$ 50.00 or ☐ CWRE field report attached or ☐ No fee required
See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: Lois Blasko Telephone No. 208-263-3802 Email _____
Mailing Address 274 Thama Dr City Priest River State ID Zip 83864

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

Lois Blasko Trustee
SIGNATURE OF PERMIT HOLDER*

Lois Blasko Trustee
PRINTED NAME AND TITLE

1-13-23
DATE

*Attach power of attorney if completing on behalf of permit holder.

SCANNED
FEB 10 2023



IDAHO DEPARTMENT OF
WATER RESOURCES



322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little
February 9, 2023

Director Gary Spackman

BLASKO TRUST
274 THAMA DR
PRIEST RIVER ID 83856-8786

RE: License No. 97-8237

ISSUANCE OF LICENSE

Dear Water Right Holder:

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,

Phill Hummer
Water Rights Supervisor

Enclosures


SCANNED
FEB 10 2023

CERTIFICATE OF SERVICE

I hereby certify that on February 9, 2023, I served a true and correct copy of Water Right License No. 97-8237 by U.S. Mail, postage prepaid, to the following:

BLASKO TRUST (Current Owner)
274 THAMA DR
PRIEST RIVER ID 83856-8786

LOIS ANNE E BLASKO (Trustee)
274 THAMA DR
PRIEST RIVER ID 83856-8786



Debbi Judd
Technical Records Specialist

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATIONPermit No: 97-8237

Exam Date: 2/06/2023

1. Does this qualify for an in-office field exam (IDAPA 035.02.r)? X Y N
- Irrigation of 5 acres or less
 - Storage of up to 14.6 AF for stockwater purposes only
 - Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
 - Other < >

2. Current Owner: Name: Blasko Trust
- Owner of Record Correct? X Y N
- Address of Record Correct? X Y N
- If No: Address

According to GIS and Tax Parcel Data the property is owned by the Blasko Trust.

3. Beneficial Use Fees have been paid: X Y N Receipt No: C115205
4. SOURCE TRIBUTARY
- Pend Oreille River Columbia River

Method of Determination: GIS and Tax Parcel Data

Change in Source: Y X N

B. OVERLAP REVIEW

1. Other water rights with the same place of use: No Overlap

Water Right No.	Source	Purpose of Use	Basis
97-8299	Groundwater	Domestic	Active Claim

Comments: There is a water right, 97-7454 in a parcel adjacent of this permits place of use, but the places of use do not overlap. A claim, 97-8299, was filed on the same place of use, but has a different beneficial use. The claim was filed by the same applicants as this permit. Domestic use can allow up to 1/2 acres of yard irrigation. However, the *Notice of Claim* stipulates it is only for in home use.

2. Other water rights with the same point of diversion: No Overlap

Water Right No.	Source	Purpose of Use	Basis
N/A			

Comments: The point of diversion for right 97-7454, is near this permits point of diversion, but Department records indicate there is no overlap.

C. DIVERSION AND DELIVERY SYSTEM**1. LOCATION OF POINT(S) OF DIVERSION:**

Source	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.		County
Pend Oreille River	6		NW	SE	32	56N	04W	B.M.	Bonner
								B.M.	
								B.M.	

Method of Determination: GIS and Tax Parcel Data

SCANNED
FEB 10 2023

2. **PLACE OF USE:** Use: Irrigation

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	04W	32														0.3			0.3
		Lot #														6			
Total Acres =																			0.3

Method of Determination: GIS and Tax Parcel DataChange in POU? Y X N Amendment Required? Y X N Delivery System Diagram Attached (required). Indicate all major components and distances between components.

Indicate weir size/pipe as applicable.

 Aerial Photo Attached (required for irrigation of 10+ acres). Photo of Diversion and System Attached

4. Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
N/A					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements: Since the permit holder did not provide a pump horsepower a diversion rate calculation is not possible.**E. FLOW CALCULATIONS** Additional Computation Sheets Attached

Measured Method: **According to Administrative Processing Memo #17 the standard diversion rate/acre for irrigation for 5 acres or less is 0.03 cfs per acre. This permit authorizes 0.03 cfs for the irrigation of 0.3 acres. I am recommending a diversion rate of 0.03 cfs.**

F. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (0.3 \text{ cfs}) \times (3.0 \text{ af/acre}) = 0.9 \text{ af}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation season}) \times 1.9835 = (0.03 \text{ cfs}) \times (214 \text{ days}) \times (1.9835) = 12.7 \text{ af}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 0.9 \text{ af}$$

2. Volume Calculations for Other Uses: **According to the IDAPA Beneficial Use Examination Rules 37.03.02. 01j.viii a diversion volume is not required for irrigation using water from a naturally flowing stream or spring.**

SCANNED
FEB 10 2023

G. PURPOSE OF USEIrrigation ☒ Y ☐ N # Stock N/A Domestic # of Homes N/A

Other: < >

Change in Purpose of Use? ☐ Y ☒ NMethod of Determination: Tax Parcel data and Sentinel Imagery.

If Yes: From Use _____ To Use _____ Amount _____ CFS _____ AFA _____

H. NARRATIVE/REMARKS/COMMENTS

This permit qualifies for an in-house examination. According to Tax Parcel Data the property was developed in 2018. The permit authorizes the irrigation of 0.3 acres. According to the submitted *Statement of Completion for Proof of Beneficial Use*, the permit holder installed a fish screen. According to Sentinel imagery the property was irrigated on July 10th, 2022. The permit holder did not provide a pump horsepower, so a diversion rate calculation was not possible. The standards set in Administrative Processing Memo #17 were used to make a diversion rate recommendation. According to the IDAPA Beneficial Use Examination Rules 37.03.02.01j.viii a diversion volume is not required for irrigation using water from a naturally flowing stream or spring. All of the conditions have been met and it is reasonable to believe the permit holders are using water for the beneficial use authorized on their permit. Therefore, I am recommending a diversion rate of 0.03 cfs.

Conditions X15, X16, X60, X31 and 004 should remain on the license. Condition X31 should be changed to have the volume limited, when combined with all other rights, to the calculated volume in Section F1 on this Field Report or 0.9 af. All other conditions should be removed as standard with licensing.

Have conditions of permit approval been met? ☒ Yes ☐ No**I. RECOMMENDATIONS****1. Recommended Amounts**

BENEFICIAL USE	PERIOD OF USE	DIVERSION RATE
Irrigation	4/1 to 10/31	0.03 CFS
Totals:		0.03 CFS

2. Recommended Amendments☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ None

Other: < >

J. AUTHENTICATION Skyler Cheever, Water Resource AgentField Examiner's Name Skyler Cheever Date 2/6/2023Reviewer PKM Date 2/7/23SCANNED
FEB 10 2023


Field Exam Map:

The orange border outlines the place of use, and the yellow point indicates the point of diversion.



Irrigation Map

Sentinel Imagery from July 10th, 2022. Place of use outlined in pink; parcels outlined in green. This confirms the property was irrigated.



SCANNED
FEB 10 2023

Beneficial Use Proof Evaluation

Permit Number: 97-8237 Reviewer: djudd Review Date: 1/31/2023

Acceptability

- 1) Is the contact on the request the current permit holder? Yes
- 2) Does the address of record need to be updated? No
- 3) Proof Submitted Date: 1/31/2023
- 4) Proof Due Date: 3/1/2023
- 5) Days added for weekend due date? 0
- 6) Days added for holiday due date? 0
- 7) Number of days late: -29
- 8) Proof received timely? Yes

Analysis

- 1) Are the water uses correct? Yes
- 2) Are one of the following items required?
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- Yes
- 3) Are the required items installed? Yes
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- Yes
- 4) Is there a request to waive the required items?
- 5) Drilling Permit Number:
- 6) Is a drilling permit upgrade needed?
- 7) Was a well drillers report filed?
- 8) Is proof accepted? Yes

Fees

- 1) Is a licensing exam fee required? Yes
- 2) Was proof submitted with an exam report from a CWE? No
- 3) Filing fee due: \$50.00
- 4) Filing fee submitted: \$50.00
- 5) Remaining fee or (refund): \$0.00

Receipt IDs

N038143

Comments

Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing.



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little
December 30, 2022

Director Gary Spackman

BLASKO TRUST
274 THAMA DR
PRIEST RIVER ID 83856-8786

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit No. 97-08237

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **March 01, 2023**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Idaho Code § 42-204. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a \$50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this Department on or before the above proof due date. If neither is received, the Department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Debbi Judd
Technical Records Specialist

Enclosures



SCANNED
JAN 13 2023