

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 97-8368

Priority: February 22, 2022

Maximum Diversion Rate: 0.04 CFS

Maximum Diversion Volume: 1.2 AF

It is hereby certified that:

JAN CHAPMAN 3808 DUTHIE BLVD LEWISTON ID 83501-7045 AND/OR
JEFF CHAPMAN 3808 DUTHIE BLVD LEWISTON ID 83501-7045

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 22, 2022, and has submitted Proof of Beneficial Use on March 23, 2023. An examination confirms water is diverted from:

Source : GROUND WATER

Beneficial Use
DOMESTIC

Period of Use
01/01 to 12/31

Rate of Diversion
0.04 CFS

Annual Volume
1.2 AF

Location of Point(s) of Diversion

GROUND WATER L6 (SE $\frac{1}{4}$ SW $\frac{1}{4}$), Sec. 27, Twp 60N, Rge 04W, B.M. BONNER County

Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
60N	04W	27												X L6					
60N	04W	34					X L1												

Conditions of Approval

1. Domestic use is for 1 home.
2. The irrigation occurring under this domestic use shall not exceed 1/2 acre.
3. The following rights are diverted through point(s) of diversion described above: 97-8329 & 97-8368.
4. Point of diversion is located within Lot 1A, Blk. 1; Soldier Creek Replat Subdivision.
5. Place of use is located within Lot 1B, Blk. 1; Soldier Creek Replat Subdivision.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 31 day of March, 2023.



PHILL HUMMER
Water Rights Supervisor

SCANNED
APR 04 2023

State of Idaho
Department of Water Resources
Attachment to Water Right
97-8368

This map depicts the DOMESTIC place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

04W



- Place Of Use Boundary
- Townships
- PLS Sections
- Quarter Quarters
- Point of Diversion



0 400 800 Feet

SCANNED
APR 04 2023

RECEIVED

MAR 23 2023

DEPARTMENT OF
WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY

Amt. of Fee \$ _____

Receipt No. _____

Received By _____

Date Received _____

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete an Assignment of Permit form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

- Permit No. 97-08368 Name of Permit Holder(s) JEFF & JAN CHAPMAN
Telephone No. 208 305 3540 Email ChapmanJan1957@gmail.com
Mailing Address 3808 Duthie Blvd. City Lewiston State ID Zip 83501
- Source of Water Ground Water If Ground Water (well), Date Drilled mo. unknown yr. unknown
Drilling Permit/Tag No. _____ Drilling Company's Name _____
- Extent of use(s) completed as authorized by the water right permit:
Domestic (No. households) ONE Irrigation (No. acres) 0.5 Stockwater (No. and stock type) _____
Other _____
- Total diversion rate or volume (storage only) for which proof is submitted 0.04 cfs OR _____ af
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.
- Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)
old Existing shared well with pump & Service Line to water use.
- Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:
Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)
☒ ☒ ☐ Ground water level data, pumping information, or other diversion data
☐ ☐ ☒ Mitigation plan
☐ ☐ ☒ Lockable controlling works
☐ ☐ ☒ Measuring device
☐ ☐ ☒ Fish screen
☐ ☐ ☒ Other requirements of the water right permit _____
☐ ☒ Reasonably Anticipated Future Needs ("RAFN") Municipal use
If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No
- Fee Enclosed \$ _____ or ☐ CWRE field report attached or ☒ No fee required
See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: Jeff Chapman Telephone No. 509 780-1192 Email ChapmanJan1957@gmail.com
Mailing Address 3808 Duthie Blvd. City Lewiston State ID. Zip 83501

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

Jeff Chapman

SIGNATURE OF PERMIT HOLDER*

Jan Chapman

PRINTED NAME AND TITLE

3/20/23

DATE

*Attach power of attorney if completing on behalf of permit holder.

SCANNED
APR 11 4 2023



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

April 3, 2023

JEFF CHAPMAN
JAN CHAPMAN
3808 DUTHIE BLVD
LEWISTON ID 83501-7045

RE: License No. 97-8368

ISSUANCE OF LICENSE

Dear Water Right Holders:

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,


for Phill Hummer

Water Rights Supervisor

Enclosures

SCANNED
APR 04 2023

CERTIFICATE OF SERVICE

I hereby certify that on April 3, 2023, I served a true and correct copy of Water Right License No. 97-8368 by U.S. Mail, postage prepaid, to the following:

JAN CHAPMAN (Current Owner)
3808 DUTHIE BLVD
LEWISTON ID 83501-7045

JEFF CHAPMAN (Current Owner)
3808 DUTHIE BLVD
LEWISTON ID 83501-7045



Debbi Judd
Technical Records Specialist

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATIONPermit No: 97-8368

Exam Date: 03/24/2022

1. Does this qualify for an in-office field exam (IDAPA 035.02.r)? X Y ___ N
- Irrigation of 5 acres or less
 - Storage of up to 14.6 AF for stockwater purposes only
 - Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
 - Other < >

2. Current Owner: Name: Jeff & Jan Chapman
- Owner of Record Correct? X Y ___ N
- Address of Record Correct? X Y ___ N

3. Beneficial Use Fees have been paid: X Y ___ N Receipt No: No Fee Domestic exemption

4. **SOURCE** TRIBUTARY

Groundwater N/A

Method of Determination: GIS and Taxlot Data

Change in Source: ___ Y ___ X ___ N

B. OVERLAP REVIEW

1. Other water rights with the same place of use: YES Overlap

Water Right No.	Source	Purpose of Use	Basis
97-7296A	Groundwater	Domestic	Active claim
97-7296	Groundwater	Domestic	License
97-7319	Groundwater	Domestic	License
97-8329	Groundwater	Domestic	License
97-8292	Groundwater	Domestic	Active claim
97-8424	Groundwater	Domestic	Active Claim
97-8852	Groundwater	Domestic	Active Claim
97-9432	Groundwater	Domestic	Active Claim

Comments: Several active claims and WR 97-7296 have GIS shapes that overlap the purposed place of use (POU). However, based on the claim applications and permit application in the IDWR backfiles each of the claims and the license are appurtenant to different parcels and lots within the NENW1 quarter-quarter than the purposed POU.

2. Other water rights with the same point of diversion: Yes Overlap

Water Right No.	Source	Purpose of Use	Basis
97-8329	Well-Groundwater	Domestic	License

Comments: Right 97-8329 shared the well is conditioned on the permit for 97-8329 and the field exam notes that there is a shared well agreements between the right holder and the permit holder being reviewed (the Chapmans). There are no concerns regarding the overlap of the existing shared POD.

C. DIVERSION AND DELIVERY SYSTEM

1. **LOCATION OF POINT(S) OF DIVERSION:**

Source	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.		County
Well	6		SE	SW	27	60N	04W	B.M.	Bonner

Method of Determination: GIS and Tax lot data.

Change in POD? ___ Y ___ X ___ N Amendment Required? ___ Y ___ X ___ N

SCANNED
APR 04 2023

2. **PLACE OF USE:** Use: Domestic

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
60N	04W	34					D												
		Lot #					1												
60N	04W	27															D		
		Lot #															6		
Total Acres =																			

Method of Determination: GISChange in POU? X N Amendment Required? X N Delivery System Diagram Attached (required). Indicate all major components and distances between components.

Indicate weir size/pipe as applicable.

 X Aerial Photo Attached (required for irrigation of 10+ acres). Photo of Diversion and System Attached

4. Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well Pump	unknown		unknown	unknown	unknown

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1. Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements: No measurement is required for an in-house exam, but Administrative Memo #22 was used to determine the requested diversion rate is reasonable.

E. FLOW CALCULATIONS Additional Computation Sheets Attached

Although we were not provided any pump information, 12gpm or approximately 0.04cfs is possible with even a ½ HP pump. According to Administrative memo #22 up to up to 0.04cfs is acceptable for domestic use in 1 home with up to ½ acre of irrigation. I am recommending a diversion rate of 0.04cfs, which is what was requested on their application for permit.

Permit allowed = 0.04cfs**Recommendation= 0.04cfs****F. VOLUME CALCULATIONS**

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{0.5 \times 3 = 1.5}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation season}) \times 1.9835 = \underline{0.04 \times 214 \times 1.9835 = 16.98}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = \underline{1.5}$$

2. Volume Calculations for Other Uses:

According to Administrative memo #22 up to 1.2 AFA, per year is acceptable for domestic use for 1 home and up to ½ acre

SCANNED
APR 11 4 2023

G. PURPOSE OF USE

Irrigation ☒ Y ☐ N # Stock NA Domestic # of Homes 1

Change in Purpose of Use? ☐ Y ☒ N

Method of Determination: Taxlot data and conversations with owner.

H. NARRATIVE/REMARKS/COMMENTS

This permit for domestic use and up to 1/2 acre of irrigation diverted from groundwater qualifies for an in-house exam. A review of IDWR backfiles found that no claim or right overlap the proposed POU. I was able to use GIS and Google Earth imagery to confirm that irrigation is occurring within the permitted POU (figures 1.1 & 1.2). The proposed POD is shared by WR 97-8329 and this information has been included in the conditions of WR 97-8329 (figure 1.3). I am recommending licensing for a diversion rate of 0.04 cfs and an annual maximum volume of 1.2 AF, as per Application Memo #22.

I am recommending the license be issued with conditions F06, X01, X59, X60, and 187.

Have conditions of permit approval been met? ☒ Yes ☐ No

I. RECOMMENDATIONS

1. Recommended Amounts


<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
Irrigation	04/01 to 10/31	0.04 CFS	1.2AF
	<u>Totals:</u>	0.04 CFS	1.2AF


2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ None

J. AUTHENTICATION- Bob Howe Water Right Agent

Water Right Agent  Date 3/31/23

Reviewer  Date 3/31/23

SCANNED
APR 04 2023



Figure 1.1-2021 GIS image of the permit POU and POD (outlined and marked in bright blue respectively). Domestic location and areas of irrigation surround the home in the west.



Figure 1.2- 2022 Google Earth image of the proposed POU. Home seen on the west end of the parcel, surrounded by irrigated yard. Additional irrigation is evident on the northeast side of the parcel, north of the driveway.

SCANNED
APR U 4 2023

State of Idaho
Department of Water Resources
Permit to Appropriate Water
No. 97-8329

Priority: February 09, 2022

Maximum Diversion Rate: 0.04 CFS

This is to certify that

THOMAS G ZWAINZ 30879 ZWAINZ RD N REARDAN WA 99029-8610 AND/OR
WENDY S ZWAINZ 30879 ZWAINZ RD N REARDAN WA 99029-8610

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

Beneficial Use

DOMESTIC

Period of Use

01/01 to 12/31

Rate of Diversion

0.04 CFS

Location of Point(s) of Diversion

GROUND WATER L6 (SE 1/4 SW 1/4), Sec. 27, Twp 60N, Rge 04W, B.M. BONNER County

Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
60N	04W	27												X L6					

Conditions of Approval

- Proof of application of water to beneficial use shall be submitted on or before **April 01, 2023**.
- Subject to all prior water rights.
- Right holder shall comply with the drilling permit requirements of Idaho Code § 42-235 and applicable Well Construction Rules of the Department.
- The following rights are diverted through point of diversion described above 97-8329 & 97-8368.
- Domestic use is for 1 home.
- The irrigation occurring under this domestic use shall not exceed 1/2 acre.
- This right does not grant any right-of-way or easement across the land of another.

This permit is issued pursuant to the provisions of Idaho Code § 42-204.

Signed this 25th day of March, 2022.


ADAM FREDERICK
Water Rights Supervisor

Figure 1.3- The permit for WR 97-8329 identifies the POD is shared with 97-8368, and on the field examination notes that there is a shared well agreement between The Zwainz' and the Chapmans (permit holder in this review).

SCANNED
APR 04 2023

Beneficial Use Proof Evaluation

Permit Number: 97-8368 Reviewer: djudd Review Date: 3/24/2023

Acceptability

- 1) Is the contact on the request the current permit holder? Yes
- 2) Does the address of record need to be updated? No
- 3) Proof Submitted Date: 3/23/2023
- 4) Proof Due Date: 4/1/2023
- 5) Days added for weekend due date? 0
- 6) Days added for holiday due date? 0
- 7) Number of days late: -9
- 8) Proof received timely? Yes

Analysis

- 1) Are the water uses correct? Yes
- 2) Are one of the following items required?
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- No
- 3) Are the required items installed?
 - a. Measuring Device --
 - b. Lockable Device --
 - c. Fish Screen --
- 4) Is there a request to waive the required items?
- 5) Drilling Permit Number: UNKNOWN
- 6) Is a drilling permit upgrade needed?
- 7) Was a well drillers report filed?
- 8) Is proof accepted? Yes

Fees

- 1) Is a licensing exam fee required? No
- 2) Was proof submitted with an exam report from a CWE? No
- 3) Filing fee due: \$0.00
- 4) Filing fee submitted: \$0.00
- 5) Remaining fee or (refund): \$0.00

Receipt IDs

N038460

Comments

Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing.



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

January 31, 2023

JEFF CHAPMAN
JAN CHAPMAN
3808 DUTHIE BLVD
LEWISTON ID 83501-7045

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit No. 97-08368

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holder(s):

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **April 01, 2023**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a \$50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this department on or before the above proof due date. If neither is received, the department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Debbi Judd
Technical Records Specialist

Enclosure(s)

CERTIFIED MAIL

7016 0750 0000 2176 3227

NO _____

SCANNED

JAN 31 2023