

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 97-8485

Priority: June 30, 2022

Maximum Diversion Rate: 0.04 CFS

Maximum Diversion Volume: 1.2 AF

It is hereby certified that:

MICHAEL SMITH 1703 N TRELLIS CT POST FALLS ID 83854-6146

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 30, 2022, and has submitted Proof of Beneficial Use on September 27, 2022. An examination confirms water is diverted from:

Source : LOWER WEST BRANCH PRIEST RIVER **Tributary:** PRIEST RIVER

<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>	<u>Annual Volume</u>
DOMESTIC	1/1 to 12/31	0.04 CFS	1.2 AF

Location of Point(s) of Diversion

LOWER WEST BRANCH PRIEST RIVER NE¼ SE¼, Sec. 26, Twp 57N, Rge 05W, B.M. BONNER County

Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
57N	05W	26													X				

Conditions of Approval

1. Domestic use is for 1 home.
2. The irrigation occurring under this domestic use shall not exceed 1/2 acre.
3. Water shall not be diverted under this right when flows in the Priest River are below minimum flow amounts as defined by Right 97-7380. The right holder shall be responsible for monitoring the daily flow of the Priest River using real-time data and shall cease diverting water when flows in the Priest River are below established minimum flow amounts. Unless otherwise specified by the Director of the Department of Water Resources, data from the U.S. Geological Survey Priest River Gauging Station, No.12395000 may be used for purposes of determining the daily flow amounts.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 17th day of October, 2022.



PHILL HUMMER
Water Rights Supervisor


SCANNED
OCT 21 2022

State of Idaho
Department of Water Resources
Attachment to Water Right License
97-8485

This map depicts the DOMESTIC place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

05W

57N



- Place Of Use Boundary
- Townships
- PLS Sections
- Quarter Quarters
- Point of Diversion

0 0.035 0.07 0.14 Miles

SCANNED
OCT 21 2022



RECEIVED

SEP 27 2022

IDWR / NORTH

RECEIVED
OCT 04 2022
DEPARTMENT OF
WATER RESOURCESSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY	
Amt. of Fee \$	50.00
Receipt No.	N041257
Received By	JA
Date Received	9/27/22

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete an Assignment of Permit form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

- Permit No. 97-8485 Name of Permit Holder(s) Michael Smith
Telephone No. (208) 818-0993 Email mtrellis@roadrunner.com
Mailing Address 1703 N Trellis Ct. City Post Falls State ID Zip 83854
- Source of Water West Branch PR If Ground Water (well), Date Drilled mo. ____ / yr. ____
Drilling Permit/Tag No. ____ Drilling Company's Name ____
- Extent of use(s) completed **as authorized by the water right permit:**
Domestic (No. households) 1 Irrigation (No. acres) 1 Stockwater (No. and stock type) ____
Other ____
- Total diversion rate or volume (storage only) for which proof is submitted 0.04 cfs OR ____ af
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.
- Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)
1 foot valve, 1/2 horse pump, one hundred feet of hose and one 55 gallon barrel.
- Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:
Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

☐	☒	Ground water level data, pumping information, or other diversion data
☐	☒	Mitigation plan
☐	☒	Lockable controlling works
☐	☒	Measuring device
☐	☒	Fish screen
☐	☒	Other requirements of the water right permit
☐	☐	Reasonably Anticipated Future Needs ("RAFN") Municipal use

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☒ No
- Fee Enclosed \$ 50.00 or ☐ CWRE field report attached or ☐ No fee required
See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.
- Person to contact to accompany a Department representative during the field examination of the water system:
Name: Michael Smith Telephone No. 208 818-0993 Email mtrellis@roadrunner.com
Mailing Address 1703 N Trellis Ct. City Post Falls State ID Zip 83854

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

Michael Smith
SIGNATURE OF PERMIT HOLDER*

Mr. Michael Smith
PRINTED NAME AND TITLE

9-27-22
DATE

*Attach power of attorney if completing on behalf of permit holder.

SCANNED
OCT 7 1 2022

Michael Smith
1703 N Trellis Ct
Post Falls, ID 83854

Pictures of water system located at cabin property RE: Application for Permit No. 97-845.



SCANNED
OCT 7 1 2022



SCANNED
OCT 21 2022



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

October 21, 2022

MICHAEL SMITH
1703 N TRELLIS CT
POST FALLS ID 83854-6146

RE: License No. 97-8485

ISSUANCE OF LICENSE

Dear Water Right Holder:

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,

Phill Hummer
Water Rights Supervisor


Enclosures

SCANNED
OCT 21 2022

CERTIFICATE OF SERVICE

I hereby certify that on October 21, 2022, I served a true and correct copy of Water Right License No. 97-8485 by U.S. Mail, postage prepaid, to the following:

MICHAEL SMITH (Current Owner)
1703 N TRELLIS CT
POST FALLS ID 83854-6146



Debbi Judd
Technical Records Specialist

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATIONPermit No: 97-8485

Exam Date: 10/13/2022

1. Does this qualify for an in-office field exam (IDAPA 035.02.r)? X Y N
- Irrigation of 5 acres or less
 - Storage of up to 14.6 AF for stockwater purposes only
 - Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
 - Other < >

2. Current Owner: Name: Michael Smith
- Owner of Record Correct? X Y N
- Address of Record Correct? X Y N
- If No: Address

According to GIS and Tax Parcel Data the owner of the property is Michael Smith

3. Beneficial Use Fees have been paid: X Y N Receipt No: HH2242 NO41259
4. **SOURCE** TRIBUTARY
- Lower West Branch Priest River Priest River

Method of Determination: GIS and Tax Parcel DataChange in Source: Y X N**B. OVERLAP REVIEW**

1. Other water rights with the same place of use: NO Overlap

Water Right No.	Source	Purpose of Use	Basis
NONE			

Comments: N/A

2. Other water rights with the same point of diversion: NO Overlap

Water Right No.	Source	Purpose of Use	Basis
NONE			

Comments: N/A

C. DIVERSION AND DELIVERY SYSTEM

1. **LOCATION OF POINT(S) OF DIVERSION:**

Source	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.		County
Lower West Branch Priest River			NE	SE	26	57N	05W	B.M.	Bonner
								B.M.	
								B.M.	

Method of Determination: GIS and Tax Parcel DataChange in POD? Y X N Amendment Required? Y X N

2. **PLACE OF USE:** Use: Domestic

SCANNED
OCT 21 2022

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
57N	05W	26													D				
		Lot #																	
Total Acres =																			

Method of Determination: GIS and Tax Parcel DataChange in POU? Y X N Amendment Required? Y X N Delivery System Diagram Attached (required). Indicate all major components and distances between components.

Indicate weir size/pipe as applicable.

 Aerial Photo Attached (required for irrigation of 10+ acres). Photo of Diversion and System Attached

4. Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Pump	N/A	1/2	N/A	N/A	N/A

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1. Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements: With a pump horsepower of 0.5 a diversion rate calculation can be conducted.

E. FLOW CALCULATIONS Additional Computation Sheets Attached

Measured Method: The diversion rate (theoretical) calculation determined that the system could handle 0.04 cfs diversion rate with 30psi discharge pressure. The diversion rate listed on the permit is 0.04 cfs. I will be recommending 0.04 cfs.

$$Q = (0.5 \text{ Hp}) (8.8) (0.70) / 10 \text{ ft lift} + (30 \text{ psi} \times 2.31) = 0.04 \text{ cfs}$$

Measurement = 0.04 cfs

Permit allowed = 0.04 cfs

F. VOLUME CALCULATIONS

2. Volume Calculations for Other Uses: According to Administrative Processing Memo #22 the volume for single in-home use plus ½ lawn irrigation is 0.6 af + 06 af = 1.2 af. I will be recommending 1.2 af.

SCANNED
OCT 21 2022

G. PURPOSE OF USEIrrigation ☒ Y ☐ N # Stock N/A Domestic # of Homes: 1

Other: < >

Change in Purpose of Use? ☐ Y ☒ X ☐ NMethod of Determination: GIS, Google Imagery, and Tax Parcel Data.

If Yes: From Use _____ To Use _____ Amount _____ CFS _____ AFA _____

H. NARRATIVE/REMARKS/COMMENTS

According to GIS, Google Imagery, and Tax Parcel data the property was developed by the owner in 1973. This indicates and is confirmed that the owner in their Application for Permit, provides water for their property under an existing use. The owner confirmed in the Proof of Beneficial Use Report that a fish screen has been installed. Since a pump horsepower of 0.5 was provided a diversion rate calculation was possible. The result determined that the system, a pump into a 55 barrel, could handle the diversion rate listed in the permit of 0.04 cfs. According to department standards and what is written on the permit I will recommend a 0.04 cfs diversion rate and 1.2 af volume. All the conditions have been met. It is likely that the owners are using their water for the beneficial use listed on their permit.

Conditions X01, 187, and 227 should remain on the permit. All other conditions should be removed as standard with licensing.

Have conditions of permit approval been met? ☒ X Yes ☐ No**I. RECOMMENDATIONS****1. Recommended Amounts**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
	1/1 to 12/31	0.04 CFS	1.2 AF
	<u>Totals:</u>	0.04 CFS	1.2 AF

2. Recommended Amendments☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ X None☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ X None

Other: < >

J. AUTHENTICATION Skyler Cheever, Water Resource AgentField Examiner's Name Skyler Cheever Date 10/15/2022Reviewer P. H. Munn Date 10/17/22SCANNED
OCT 21 2022

Field Exam Map:

The orange border shows the place of use, and the yellow point shows the point of diversion.



SCANNED
OCT 21 2022

Exam Map 2:

Map from Google Earth with clarity of where the home is on the property.



SCANNED
OCT 21 2022

Beneficial Use Proof Evaluation

Permit Number: 97-8485 Reviewer: djudd Review Date: 10/5/2022

Acceptability

- 1) Is the contact on the request the current permit holder? Yes
- 2) Does the address of record need to be updated? No
- 3) Proof Submitted Date: 9/27/2022
- 4) Proof Due Date: 9/1/2023
- 5) Days added for weekend due date? 0
- 6) Days added for holiday due date? 0
- 7) Number of days late: -339
- 8) Proof received timely? Yes

Analysis

- 1) Are the water uses correct? Yes
- 2) Are one of the following items required?
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- No
- 3) Are the required items installed?
 - a. Measuring Device --
 - b. Lockable Device --
 - c. Fish Screen --
- 4) Is there a request to waive the required items?
- 5) Drilling Permit Number:
- 6) Is a drilling permit upgrade needed?
- 7) Was a well drillers report filed?
- 8) Is proof accepted? Yes

Fees

- 1) Is a licensing exam fee required? Yes
- 2) Was proof submitted with an exam report from a CWE? No
- 3) Filing fee due: \$50.00
- 4) Filing fee submitted: \$50.00
- 5) Remaining fee or (refund): \$0.00

Receipt IDs

T112242

Comments

Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing.