

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 97-8752

Priority: June 06, 2022

Maximum Diversion Rate: 0.01 CFS

It is hereby certified that:

ROBERT L LOWRY 3020 N LOCUST RD SPOKANE WA 99206

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 06, 2022, and has submitted Proof of Beneficial Use on July 29, 2023. An examination confirms water is diverted from:

Source : PRIEST RIVER

Tributary: PEND OREILLE RIVER

Beneficial Use
IRRIGATION

Period of Use
04/01 to 10/31

Rate of Diversion
0.01 CFS

Location of Point(s) of Diversion

PRIEST RIVER NE¼ SE¼, Sec. 24, Twp 56N, Rge 05W, B.M. BONNER County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	05W	24													0.4				0.4

Total Acres: 0.4

Conditions of Approval

1. This right when combined with all other rights shall provide no more than 0.01 cfs nor more than 1.2 afa at the field headgate for irrigation of the place of use.
2. A fish screen of 1/4 inch or smaller mesh shall be installed and maintained at the point of diversion.
3. The approach velocity at the point of diversion shall not exceed 0.5 feet per second.
4. Water shall not be diverted under this right when flows in the Priest River are below minimum flow amounts as defined by Right 97-7380. The right holder shall be responsible for monitoring the daily flow of the Priest River using real-time data and shall cease diverting water when flows in the Priest River are below established minimum flow amounts. Unless otherwise specified by the Director of the Department of Water Resources, data from the U.S. Geological Survey Priest River Gauging Station, No. 12395000, may be used for purposes of determining the daily flow amounts.
5. Place of use is located within; Lot 1; Kennan Subdivision of Judges.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 15th day of August, 2023.



PHILL HUMMER
Water Rights Supervisor

SCANNED

AUG 22 2023

State of Idaho
Department of Water Resources
Attachment to Water Right
97-8752

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



JUL 28 2023
DEPARTMENT OF
WATER RESOURCESSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE**FOR OFFICE USE ONLY**
Amt. of Fee \$ 50-
Receipt No. C116814
Received By KH
Date Received 7.29.23

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 97-8752 Name of Permit Holder(s) Robert L. Lowry
Telephone No. 509-828-9114 Email Khipmunk@comcast.net
Mailing Address 3020 N. LOCUST RD. City Spokane State WA Zip 99206
2. Source of Water PRIEST RIVER If Ground Water (well), Date Drilled mo. ____ / yr. ____
Drilling Permit/Tag No. ____ Drilling Company's Name ____
3. Extent of use(s) completed as authorized by the water right permit:
Domestic (No. households) 1 Irrigation (No. acres) 0.6 Stockwater (No. and stock type) ____
Other irrigation of lawn
4. Total diversion rate or volume (storage only) for which proof is submitted 0.03 cfs OR ____ af
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.
5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)
see attached - The pump is attached to a garden hose & which is attached to a lawn sprinkler.
6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:
Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

☐	☐	☐	Ground water level data, pumping information, or other diversion data
☐	☐	☐	Mitigation plan
☐	☐	☐	Lockable controlling works
☐	☐	☐	Measuring device
☐	☐	☐	Fish screen
☐	☐	☐	Other requirements of the water right permit ____
☐	☐	☐	Reasonably Anticipated Future Needs ("RAFN") Municipal use

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No
7. Fee Enclosed \$ 50.00 or ☐ CWRE field report attached or ☐ No fee required
See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.
8. Person to contact to accompany a Department representative during the field examination of the water system:
Name: ROBERT LOWRY Telephone No. 509-828-9114 Email Khipmunk@comcast.net
Mailing Address 3020 N. LOCUST RD City Spokane State WA Zip 99206

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.


Robert Lowry
SIGNATURE OF PERMIT HOLDER*ROBERT L. LOWRY
PRINTED NAME AND TITLE7/25/23
DATE

*Attach power of attorney if completing on behalf of permit holder.

AUG 2 2 2023

PERMIT #97-8752

ROBERT LOWRY




XtremepowerUS 1.5HP Swimming Pool Pump Spa...
\$159.95

Sponsored

Visit the EXTRAUP Store

4.0 ★★★★★ 503

EXTRAUP 115Volt 1/2HP 1500 GPH Heavy Duty High Pressure
Cast Iron Casing Water Transfer Utility Pump With Brass
Connectors and Suction Strainer



SCANNED

AUG 22 2023

Details

Brand	EXTRAUP
Color	Black
Material	Cast Iron, Brass
Style	W/o switch
Item Dimensions LxWxH	12.1 x 10.2 x 7.6 inches
Power Source	Ac
Maximum Flow Rate	25 Gallons Per Minute
✓ See more	

About this item

- Portable and Durable Water Transfer Pump with Cast Iron Pump Body. Fill in Pump Head and Inlet Hose with Water for Suction.
- Heavy Duty 1/2HP pump;Max Flow 1500gph;Max Lift: 120ft
- Two Brass connectors for Standard 3/4" hose
- Package Include: 1x Water Pump, 2x Brass Connectors, 1x Sealing Tape, 1x Hose Strainer, a set of extra replacement brushes
- Ideal for Sprinkling lawns and emptying or filling stock tanks,removing standing water from flooded areas and transferring water

SCANNED

AUG 22 2023



Governor Brad Little

Director Gary Spackman

August 22, 2023

ROBERT L LOWRY
3020 N LOCUST RD
SPOKANE WA 99206

RE: License No. 97-8752

ISSUANCE OF LICENSE

Dear Water Right Holder(s):

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,

Jean Hersley

For

Phill Hummer

Water Rights Supervisor

Enclosure(s)

SCANNED

AUG 22 2023

CERTIFICATE OF SERVICE

I hereby certify that on August 23, 2023, I served a true and correct copy of Water Right License No. 97-8752 by U.S. Mail, postage prepaid, to the following:

ROBERT L LOWRY (Current Owner)
3020 N LOCUST RD
SPOKANE WA 99206



Jean Hersley
Technical Records Specialist 2

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) The petition for reconsideration is disposed of; or
- (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATIONExam Date: 8/7/2023

1. Does this qualify for an in-office field exam (IDAPA 37.03.02.035.01.r)? X Y N
- X Irrigation of 5 acres or less
 - Storage of up to 14.6 AF for stockwater purposes only
 - Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
 - Other < >

2. Current Owner: Robert Lowry

Owner of Record Correct? NAddress of Record Correct? N

If No Explain: N/A

3. Beneficial Use Fees have been paid: X Y N Receipt No: C116814

4. Source: Tributary:

Priest River Pend Oreille River

Method of Determination:

Change in Source: Y X N**B. OVERLAP REVIEW**1. Other water rights with the same place of use: No Overlap

Water Right No.	Source	Purpose of Use	Basis
97-8689	Groundwater	Domestic	Claim
97-7181	Groundwater	Domestic, Stockwater	License

Comments: Water right 97-7181 and Claim 97-8689 overlap the proposed place of use. However, both have different sources and beneficial uses. Therefore, there is no reason to limit 97-8689, 97-7181 and this permit when combined.

2. Other water rights with the same point of diversion: X NO Overlap

Water Right No.	Source	Purpose of Use	Basis
N/A			

Comments: N/A

C. DIVERSION AND DELIVERY SYSTEM

1. Location of Point(s) of Diversion:

Source	Govt. Lot	¼	¼	¼	Sec.	Twp.	Rge.		County
Priest River			NE	SE	24	56N	05W	B.M.	Bonner
								B.M.	
								B.M.	

Method of Determination: GIS and Tax Parcel Data.Change in POD? Y X N Amendment Required? Y X N

SCANNED

AUG 22 2023

2. Place of Use:

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	05W	24													0.4				0.4
		Lot #																	N/A
Total Acres =																			0.4

Method of Determination: GIS, Tax Parcel Data, 2022 Bonner County Aerial Imagery, and Google Earth Aerial Imagery.Change in POU? Y X N Amendment Required? Y X N Delivery System Diagram Attached (required). Indicate all major components and distances between components.

Indicate weir size/pipe as applicable:

X Aerial Photo Attached (required for irrigation of 10+ acres). Photo of Diversion and System Attached

3. Diversion Id No.*	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1/2		Extraup	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1. Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A						

2. Measurement Comments: The permit holder provided a pump horsepower of ½. A lift of 21 ft was determined by finding the greatest elevational difference from the point of diversion to the furthest extent within the place of use. Therefore, a diversion rate calculation is possible.

E. FLOW CALCULATIONS

 Additional Computation Sheets Attached

Measured Method: Since the permit holder provided a pump horsepower of ½ and a lift of 21 ft was determined a diversion rate calculation was possible. According to the calculation the system can handle 0.03 cfs at 40 psi. According to Administrative Processing Memo #17 the standard diversion rate/acre for the irrigation of less than 5 acres is 0.03 cfs/acre. (0.4 acres) *(0.03 cfs/acre) = 0.012 cfs or 0.01 cfs rounded. The permit authorized 0.03 cfs. I am recommending 0.01 cfs.

$$Q = (0.5hp) (8.8) (0.70) / (21 \text{ ft}) + (2.31) * (40 \text{ psi}) = 0.03 \text{ cfs}$$

Measurement = 0.03 cfs

Permit allowed = 0.03 cfs

F. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (0.4 \text{ acres}) * (3.0 \text{ af}) = 1.2 \text{ af}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation season}) \times 1.9835 = (0.01 \text{ cfs}) * (214 \text{ days}) * (1.9835 \text{ af/day}) = 4.2 \text{ af}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 1.2 \text{ af}$$

SCANNED

AUG 22 2023

Comments: This permit authorizes irrigation diverting from a natural flowing stream/river. According to the IDAPA Beneficial Use Examination Rule 35.03.02.35. 01j.viii a diversion volume is not required for irrigation diverting from a natural flowing stream/river or spring.

G. PURPOSE OF USEIrrigation X Y N # Stock N/A Domestic # of Homes N/A

Other: < >

Change in Purpose of Use? Y X NMethod of Determination: GIS, Tax Parcel Data, 2022 Bonner County Aerial Imagery, and Google Earth Imagery.If Yes: From Use To Use Amount CFS AFA **H. NARRATIVE/REMARKS/COMMENTS**

This permit qualifies for an in-office examination. 2022 Bonner County Aerial Imagery confirmed at least 0.4 acres of irrigation occurred within the development period. However, a forested area within the permitted place of use made it difficult to determine if further irrigation occurred. After a phone conversation with the permit holder on August 3rd, 2023, it was confirmed the forested area was not irrigated. A condition on the permit requires the permit holder to install and maintain a fish screen of 1/4 an inch or smaller at the point of diversion. Unfortunately, on the permit holders submitted Statement of Completion for Proof of Beneficial Use they did not indicate a fish screen was installed. After a phone conversation with the permit holder on August 7th, 2023, it was confirmed a fish screen was installed and maintained at the POD. When determining the irrigated place of use it was discovered the projected Tax Parcel boundary and visual property boundary did not match. The POU was adjusted according to the visual property boundary.

Since the permit holder provided a pump horsepower of 1/2 and a lift of 21 ft was determined a diversion rate calculation was possible. According to the calculation the system can handle 0.03 cfs at 40 psi. The standards set in Administrative Processing Memo #17 was used to make a diversion rate recommendation. All of the conditions have been met and it has been confirmed a beneficial use was developed within authorization on the permit. Therefore, I am recommending a 0.01 cfs diversion rate.

Conditions X15, X16, 227, and X60 should remain on the license. Condition R66 should be changed to X31 because irrigation is less than one acre. Condition 004 should be removed because it was confirmed there are no legal access concerns to the point of diversion or place of use. All other conditions should be removed as standard with licensing.

Have conditions of permit approval been met? X Yes No**I. RECOMMENDATIONS**


1. Recommended Amounts:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>
Irrigation	04/01-10/31	0.01 CFS
<u>Totals:</u>		0.01 CFS

2. Recommended Amendments:

 Change P.D. as reflected above Add P.D. as reflected above X None Change P.U. as reflected above Add P.U. as reflected above X None

Other: < >

J. AUTHENTICATION Skyler Cheever – Water Resource AgentField Examiner's  Date 8/17/2023Reviewer  Date 8/15/23

SCANNED

AUG 22 2023

Field Exam Map

Map showing the authorized point of diversion (yellow point) and place of use (orange outline).



SCANNED

AUG 22 2023


Irrigation Map

2022 Bonner County Aerial Imagery confirming the irrigation of 0.4 acres. Google Earth Imagery was used to create the place of use shapefile.

97-8752 Irrigation Map



Road Centerlines		Parcels	High Resolution 60cm Imagery
Primary		World Boundaries and Places	High Resolution 30cm Imagery
Secondary		World Imagery	Citations
Local; Ramp		Low Resolution 15m Imagery	30cm Resolution Metadata



SCANNED

AUG 22 2023

July 25, 2023

Re: water Permit 97-8752

I have enclosed The statement of completion with a printout of The type of pump we are using to water The lawn. I have also enclosed \$50 for The fee but am not sure it is needed.

I may not have done This right but hope it complies with your requirements. If you have any questions please call me at 509-828-9114.

Karen Lowmy

RECEIVED

JUL 28 2023

DEPARTMENT OF
WATER RESOURCES

SCANNED

AUG 22 2023

Beneficial Use Proof Evaluation

Permit Number: 97-8752 Reviewer: AVeibell Review Date: 7/28/2023

Acceptability

- 1) Is the contact on the request the current permit holder? Yes
- 2) Does the address of record need to be updated? No
- 3) Proof Submitted Date: 7/28/2023
- 4) Proof Due Date: 8/1/2023
- 5) Days added for weekend due date? 0
- 6) Days added for holiday due date? 0
- 7) Number of days late: -4
- 8) Proof received timely? Yes

Analysis

- 1) Are the water uses correct? Yes
- 2) Are one of the following items required?
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- Yes
- 3) Are the required items installed? No
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- No
- 4) Is there a request to waive the required items? No
- 5) Drilling Permit Number:
- 6) Is a drilling permit upgrade needed? No
- 7) Was a well drillers report filed? No
- 8) Is proof accepted? Yes

Fees

- 1) Is a licensing exam fee required? Yes
- 2) Was proof submitted with an exam report from a CWE? No
- 3) Filing fee due: \$50.00
- 4) Filing fee submitted: \$50.00
- 5) Remaining fee or (refund): \$0.00

Receipt IDs

N039772

Comments

Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing.



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

May 31, 2023

ROBERT L LOWRY
3020 N LOCUST RD
SPOKANE WA 99206

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit No. 97-08752

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holder(s):

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **August 01, 2023**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a \$50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this department on or before the above proof due date. If neither is received, the department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Water Rights Section

Enclosure(s)



SCANNED

JUN 05 2023