

State of Idaho  
Department of Water Resources  
**Water Right License**  
Water Right No. 97-8786

**Priority:** June 09, 2022

**Maximum Diversion Rate:** 0.01 CFS

It is hereby certified that:

YVONNE KURTZ 325 W BRIERWOOD AVE SPOKANE WA 99218-2507 AND/OR  
KENNETH KURTZ 325 W BRIERWOOD AVE SPOKANE WA 99218-2507

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 09, 2022, and has submitted Proof of Beneficial Use on June 20, 2023. An examination confirms water is diverted from:

**Source :** PRIEST RIVER

**Tributary:** PEND OREILLE RIVER

**Beneficial Use**  
IRRIGATION

**Period of Use**  
04/01 to 10/31

**Rate of Diversion**  
0.01 CFS

**Location of Point(s) of Diversion**

PRIEST RIVER NE¼ SE¼, Sec. 24, Twp 56N, Rge 05W, B.M. BONNER County

**Place of Use:** IRRIGATION

| Twp | Rng | Sec | NE |    |    |    | NW |    |    |    | SW |    |    |    | SE  |    |    |    | Totals |
|-----|-----|-----|----|----|----|----|----|----|----|----|----|----|----|----|-----|----|----|----|--------|
|     |     |     | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | NE  | NW | SW | SE |        |
| 56N | 05W | 24  |    |    |    |    |    |    |    |    |    |    |    |    | 0.2 |    |    |    | 0.2    |

Total Acres: 0.2

**Conditions of Approval**

1. A fish screen of 1/4 inch or smaller mesh shall be installed and maintained at the point of diversion.
2. The approach velocity at the point of diversion shall not exceed 0.5 feet per second.
3. Place of use is located within Lot 1, Hollen Byron River Lots Subdivision.
4. This right when combined with all other rights shall provide no more than 0.01 cfs nor more than 0.6 afa at the field headgate for irrigation of the place of use.
5. Water shall not be diverted under this right when flows in the Priest River are below minimum flow amounts as defined by Right 97-7380. The right holder shall be responsible for monitoring the daily flow of the Priest River using real-time data and shall cease diverting water when flows in the Priest River are below established minimum flow amounts. Unless otherwise specified by the Director of the Department of Water Resources, data from the U.S. Geological Survey Priest River Gauging Station, No. 12395000 may be used for purposes of determining the daily flow amounts.
6. This right does not grant any right-of-way or easement across the land of another.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 19<sup>th</sup> day of July, 2023.

  
PHILL HUMMER  
Water Rights Supervisor

**SCANNED**  
**JUL 20 2023**

State of Idaho  
Department of Water Resources  
**Attachment to Water Right**  
97-8786

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



0 400 800 Feet

-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion



SCANNED  
JUL 20 2023

RECEIVED

JUN 20 2023

DEPARTMENT OF  
WATER RESOURCESSTATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
**STATEMENT OF COMPLETION**  
FOR SUBMITTING PROOF OF BENEFICIAL USE

## FOR OFFICE USE ONLY

Amt. of Fee \$ 50.00  
Receipt No. C116542  
Received By LM  
Date Received 6.20.23

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 97-8786 Name of Permit Holder(s) Kenneth Kurtz + Yvonne Kurtz  
Telephone No. 509-953-3359 Email KYmmK@hotmail.com  
Mailing Address 325 W. Brierwood Ave City Spokane State WA Zip 99218
2. Source of Water Priest River If Ground Water (well), Date Drilled mo. \_\_\_\_ / yr. \_\_\_\_  
Drilling Permit/Tag No. \_\_\_\_ Drilling Company's Name \_\_\_\_

## 3. Extent of use(s) completed as authorized by the water right permit:

Domestic (No. households) \_\_\_\_ Irrigation (No. acres) 1.0 Stockwater (No. and stock type) \_\_\_\_  
Other \_\_\_\_

4. Total diversion rate or volume (storage only) for which proof is submitted .03 cfs OR \_\_\_\_ af  
*If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.*

5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)

screened intake with pump + line to watering system

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

- |                                     |                                     |                                                                       |
|-------------------------------------|-------------------------------------|-----------------------------------------------------------------------|
| <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Ground water level data, pumping information, or other diversion data |
| <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Mitigation plan                                                       |
| <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Lockable controlling works                                            |
| <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Measuring device                                                      |
| <input checked="" type="checkbox"/> | <input type="checkbox"/>            | Fish screen                                                           |
| <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Other requirements of the water right permit ____                     |
| <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Reasonably Anticipated Future Needs ("RAFN") Municipal use            |

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

7. Fee Enclosed \$ 50.00 or ☐ CWRE field report attached or ☐ No fee required  
*See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.*

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: Ken Kurtz Telephone No. 509-953-3359 Email KYmmK@hotmail.com  
Mailing Address 325 W. Brierwood Ave City Spokane State WA Zip 99218

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

K-Kurtz Yvonne Kurtz  
SIGNATURE OF PERMIT HOLDER

Ken Kurtz Yvonne Kurtz 6-14-23  
PRINTED NAME AND TITLE

DATE

\*Attach power of attorney if completing on behalf of permit holder.

SCANNED

JUL 20 2023



322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098  
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: [idwrinfo@idwr.idaho.gov](mailto:idwrinfo@idwr.idaho.gov) • Website: [idwr.idaho.gov](http://idwr.idaho.gov)

Governor Brad Little

Director Gary Spackman

July 20, 2023

KENNETH KURTZ  
YVONNE KURTZ  
325 W BRIERWOOD AVE  
SPOKANE WA 99218-2507

RE: License No. 97-8786

### ISSUANCE OF LICENSE

Dear Water Right Holder(s):

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at [idwr.idaho.gov](http://idwr.idaho.gov)

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,

*Jean Hersley*

For  
Phill Hummer  
Water Rights Supervisor

Enclosure(s)

SCANNED

JUL 20 2023

## CERTIFICATE OF SERVICE

I hereby certify that on July 20, 2023, I served a true and correct copy of Water Right License No. 97-8786 by U.S. Mail, postage prepaid, to the following:

KENNETH KURTZ (Current Owner)  
325 W BRIERWOOD AVE  
SPOKANE WA 99218-2507

YVONNE KURTZ (Current Owner)  
325 W BRIERWOOD AVE  
SPOKANE WA 99218-2507

  
\_\_\_\_\_  
Jean Hersley  
Technical Records Specialist 2

## **EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER**

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

### **PETITION FOR RECONSIDERATION**

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

### **EXCEPTIONS AND BRIEFS**

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

### **REQUEST FOR HEARING**

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

### **ORAL ARGUMENT**

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

### **CERTIFICATE OF SERVICE**

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

### **FINAL ORDER**

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) The petition for reconsideration is disposed of; or
- (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

### **APPEAL OF FINAL ORDER TO DISTRICT COURT**

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

**A. GENERAL INFORMATION**

Exam Date: 06/30/2023

1. Does this qualify for an in-office field exam (IDAPA 37.03.02.035.01.r)?   X   Y    N
- a.   X   Irrigation of 5 acres or less
- b.    Storage of up to 14.6 AF for stockwater purposes only
- c.    Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
- d.    Other <     >
2. Current Owner: Kenneth & Yvonne Kurtz
- Owner of Record Correct?   X   Y    N
- Address of Record Correct?   X   Y    N
- If No Explain:
3. Beneficial Use Fees have been paid:   X   Y    N Receipt No: C116542
4. Source: Tributary:
- Priest River Pend Oreille River

Method of Determination:

Change in Source:    Y   X   N

**B. OVERLAP REVIEW**

1. Other water rights with the same place of use:    No Overlap

| Water Right No. | Source      | Purpose of Use       | Basis              |
|-----------------|-------------|----------------------|--------------------|
| 97-9329         | Groundwater | Domestic             | Adjudication Claim |
| 97-7181         | Groundwater | Stockwater/ Domestic | License            |

Comments: Right 97-9329 is a direct overlap of the permit place of use (POU). However, the claim was filed by the permit holder for groundwater historically allocated for domestic use. Right 97-7181 is for a different beneficial use and from a different source than the permitted use. There are no statutory concerns regarding overlapping rights with different sources for different beneficial uses.

2. Other water rights with the same point of diversion:   X   NO Overlap

| Water Right No. | Source | Purpose of Use | Basis |
|-----------------|--------|----------------|-------|
| NONE            | NA     | NA             | NA    |

Comments: There are no rights sharing the point of diversion (POD) with the permit.

**C. DIVERSION AND DELIVERY SYSTEM**

1. Location of Point(s) of Diversion:

| Source               | Govt. Lot | ¼ | ¼  | ¼  | Sec. | Twp. | Rge. |      | County |
|----------------------|-----------|---|----|----|------|------|------|------|--------|
| River intake to pump |           |   | NE | SE | 24   | 56N  | 05W  | B.M. | BONNER |

Method of Determination: GIS and Taxlot data.

Change in POD?    Y   X   N Amendment Required?    Y   X   N

2. Place of Use: IRRIGATION

| TWP           | RGE | Sec   | NE |    |    |    | NW |    |    |    | SW |    |    |    | SE  |    |    |    | Totals |
|---------------|-----|-------|----|----|----|----|----|----|----|----|----|----|----|----|-----|----|----|----|--------|
|               |     |       | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | NE  | NW | SW | SE |        |
| 56N           | 05W | 24    |    |    |    |    |    |    |    |    |    |    |    |    | 0.2 |    |    |    | 0.2    |
|               |     | Lot # |    |    |    |    |    |    |    |    |    |    |    |    |     |    |    |    |        |
| Total Acres = |     |       |    |    |    |    |    |    |    |    |    |    |    |    |     |    |    |    | 0.2    |

Method of Determination: GIS, Taxlot Data, and Google Earth

SCANNED  
JUL 20 2023

Change in POU?    Y   X  N Amendment Required?    Y   X  N    Delivery System Diagram Attached (required). Indicate all major components and distances between components.

Indicate weir size/pipe as applicable:

  X   Aerial Photo Attached (required for irrigation of 10+ acres).  X   Photo of Diversion and System Attached

| 3. Diversion Id No.* | Motor Make | HP  | Motor Serial No. | Pump Make | Pump Serial No. or Discharge Size |
|----------------------|------------|-----|------------------|-----------|-----------------------------------|
| 994051               | FLOTECH    | 1 ½ | UNKNOWN          | FLOTECH   | UNKNOWN                           |

\*Code to correspond with No. on map and aerial photo

**D. FLOW MEASUREMENTS**

| 1. Measurement Equipment | Type | Make | Model No. | Serial No. | Size | Calib. Date |
|--------------------------|------|------|-----------|------------|------|-------------|
| NONE                     | NA   | NA   | NA        | NA         | NA   | NA          |

2. Measurement Comments: No measurements are required for an in-office examination. However, a theoretical calculation and Administrative Memo #17 were used to determine a reasonable rate of diversion.**E. FLOW CALCULATIONS**    Additional Computation Sheets Attached

Measured Method: The permit holder provided the pump horsepower and the DRG topographical measurement were used to make a theoretical calculation to determine the rate of diversion.

$$Q = (1.5 \text{ Hp})(8.8)(0.80\text{efficiency}) / 40(\text{lift in ft}) + (2.31)*(45 \text{ pressure psi}) + (\text{friction}) = 0.07\text{cfs}$$

Theoretical Calculation= 0.07cfs

Permit allowed = 0.03cfs

Recommendation= 0.01cfs

Comments: Administrative Memo #17 allows up to 0.03cfs per acre for the irrigation of up to 5 acres. The irrigated area developed within the permitted POU is 0.2 acres. I am recommending a rate of 0.01cfs on the license.

**F. VOLUME CALCULATIONS**

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 0.2 \text{ acres} \times 3\text{AF} = 0.6 \text{ AF}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation season}) \times 1.9835 = 0.01\text{cfs} \times 213 \times 1.9835 =$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 0.6 \text{ AF}$$

Comments: It is not required to provide the volume on the license if the source is from streamflow, as per ADAPA rule 035.01.J.viii.**G. PURPOSE OF USE**Irrigation   X  Y    N # Stock            Domestic # of Homes           

Other: &lt; &gt;

Change in Purpose of Use?    Y   X  N

Method of Determination:

If Yes: From Use            To Use            Amount            CFS            AFA           

SCANNED  
JUL 20 2023

**H. NARRATIVE/REMARKS/COMMENTS**

Permit 97-8786 for the irrigation of 0.2 acres diverting water from the Priest River qualifies for an in-house examination, as per IDAPA Rule 37.03.02.035.01.r. The permit was issued for the irrigation of 1 acre with a diversion rate of 0.03cfs. GIS, Bonner County imagery, and Google Earth imagery were used to identify approximately 0.2 acres of irrigation within the permit POU (see figures 1 and 2). I called the permit holder on June 30, 2023, and emailed them an image outlining the area of possible irrigation and POD location. The permit holder emailed photos of the pump, popup sprinklers in use, and the irrigated areas surrounding the home (see Figures 3 through 6). In conversations with the permit holders, details of the system were clarified, including the pump make and horsepower, and the location of the pump on the southeastern corner of the dock. The intake line runs from the pump location to the southwestern side of the dock where it enters the lake submerging several feet to the screened intake. The owner explained that the flagstone area on the western end of the pathway leading from the home has, since the time of the aerial images, been extended north and the grass on the west end of the parcel was torn out (see figure 5). The POU was changed to the area described by the permit holder to be the actual developed POU. The permit holder confirmed that the final POU is correct, and the areas pictured are the only areas of irrigation within the permit POU. I explained to the permit holder that the rate would be reduced relative to the irrigated area, as per Administrative Memo #17.

I am recommending that the licensed be issued with a rate of 0.01cfs as per Administrative Memo #17. The annual volume is not necessary for streamflow sources, as per ADAPA rule 035.01.J.viii, however, the license will carry a combined limits condition stating an annual volume of 0.6 AF for irrigation (X31).

I am recommending the license be issued with conditions X15, X16, X60, 004, 227, and X31. R66 was removed at licensing as the POU is less than 1 acre. Condition 227 was carried to the license to ensure the right conforms with Minimum Streamflow Right 97-7380.

Have conditions of permit approval been met? ☒ Yes ☐ No

**I. RECOMMENDATIONS**

## 1. Recommended Amounts:

| <u>BENEFICIAL USE</u> | <u>PERIOD OF USE</u> | <u>DIVERSION RATE</u> | <u>ANNUAL VOLUME</u> |
|-----------------------|----------------------|-----------------------|----------------------|
| IRRIGATION            | 04/01 to 10/31       | 0.01cfs               | 0.6 AF               |
|                       | <u>Totals:</u>       | 0.01cfs               | 0.6 AF               |

## 2. Recommended Amendments:

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ None

Other: < >

**J. AUTHENTICATION- Water Resource Agent- Bob Howe**

Field Examiner's  Date 7/19/23

Reviewer  Date 7/19/23

SCANNED

JUL 20 2023



Figure 1- Bonner County image of the parcel appurtenant to the permit POU



Figure 2- Bonner County image of the confirmed irrigation POU within the parcel.



Figure 3- Photo of the Flotec 1 ½ Hp pump in the “doghouse” beside the southeast corner of the dock

SCANNED  
JUL 20 2023



Figure 4- Photo of the irrigated POU-facing east.



Figure 5- Photo of the irrigated POU facing northeast. New flagstone area continues to the right (north).



Figure 6- Photo of one of the popup sprinklers used throughout the irrigated areas.

SCANNED

JUL 20 2023



IDAHO DEPARTMENT OF  
**WATER RESOURCES**

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098  
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

May 31, 2023

KENNETH KURTZ  
YVONNE KURTZ  
325 W BRIERWOOD AVE  
SPOKANE WA 99218-2507

**NOTICE: STATEMENT OF COMPLETION DUE**

RE: Permit No. 97-08786

**IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.**

Dear Permit Holder(s):

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **August 01, 2023**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a \$50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this department on or before the above proof due date. If neither is received, the department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Water Rights Section

Enclosure(s)

**CERTIFIED MAIL**

7020 2450 0000 1566 5742

**NO**

**SCANNED**

**JUN 05 2023**