

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 95-17359

Priority: August 15, 2017

Maximum Diversion Rate: 0.06 CFS
Maximum Diversion Volume: 2.4 AF

It is hereby certified that:

PINE RIDGE DEVELOPMENT LLC C/O GEORGE WHITMIRE
PO BOX 28807 SPOKANE WA 99228-8807

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 15, 2017, and has submitted Proof of Beneficial Use on December 01, 2022. An examination confirms water is diverted from:

Source : GROUND WATER

<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>	<u>Annual Volume</u>
DOMESTIC	01/01 to 12/31	0.06 CFS	2.4 AF

Location of Point(s) of Diversion

GROUND WATER SW¼ SW¼, Sec. 32, Twp 53N, Rge 04W, B.M. KOOTENAI County

Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
53N	04W	32											X						

Conditions of Approval

- Domestic use is for 2 homes.
- The irrigation occurring under this domestic use shall not exceed 1/2 acre within each platted subdivision lot upon which a home has been constructed. This right does not provide for irrigation of common areas or for irrigation of lots upon which homes have not been constructed.
- Rights 95-12553 and 95-17359 when combined shall not exceed a total diversion rate of 0.10 cfs.
- Point of diversion is located within Lot 2, Blk. 1, Wendler Annex Subdivision.
- Place of use is located within Lots 2-3, Block. 1; Wendler Annex Two Subdivision and Lot 2, Blk. 1; Little Brian Tracts Subdivision.
- This right authorizes the diversion of ground water within the Rathdrum Prairie Ground Water Management Area (RPGWMA). Use of water under this right shall be subject to the provisions of the RPGWMA management plan approved by the director, including its conservation goals.
- When notified by the Department, the right holder shall record the quantity of water diverted and annually report diversions of water and/or other pertinent hydrologic and system information as required by Section 42-701, Idaho Code, and/or the management plan for the Rathdrum Prairie Ground Water Management Area.

SCANNED
MAR 13 2023

State of Idaho
Department of Water Resources

Water Right License

Water Right No. 95-17359

8. When notified by the Department, the right holder shall install and maintain a measuring device of a type acceptable to the Department as part of the diverting works.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 10th day of March, 2023.




PHILL HUMMER
Water Rights Supervisor

SCANNED
MAR 13 2023

State of Idaho
Department of Water Resources
Attachment to Water Right
95-17359

This map depicts the DOMESTIC place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion



0 500 1,000 Feet

SCANNED
MAR 13 2023

**BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO**

IN THE MATTER OF PERMIT NO. 95-17359	)	PRELIMINARY ORDER
IN THE NAME OF	)	REINSTATING A PERMIT
PINE RIDGE DEVELOPMENT LLC	)	
C/O GEORGE WHITMIRE	)	
_____	)	

This matter having come before the Idaho Department of Water Resources (“Department”), the Department finds, concludes and orders as follows:

FINDINGS OF FACT

1. On October 12, 2017, the Department issued Permit No. 95-17359 (“Permit”) in the name of Pine Ridge Development LLC c/o George Whitmire (“Permit Holder”) authorizing the diversion of 0.06 cubic feet per second of ground water for domestic use in the SW¼SW¼ of Section 32 of Township 53 North, Range 04 West, B.M., Kootenai County. A condition of permit approval required the Permit Holder to submit proof of beneficial use of water to the Department on or before October 1, 2022.
2. On July 29, 2022, the Department notified the Permit Holder by certified mail that proof of beneficial use was due and instructed the Permit Holder of the steps to be taken to submit a *Statement of Completion for Submitting Proof of Beneficial Use* (“Proof”), or a *Request for Extension of Time* (“Extension Request”).
3. On October 1, 2022, the Permit lapsed because the Department had not received an acceptable Proof or Extension Request.
4. On October 11, 2022, the Department notified the Permit Holder the Permit lapsed because no Proof or Extension Request had been received.
5. On December 1, 2022, the Permit Holder filed an acceptable Proof.

CONCLUSIONS OF LAW

Idaho Code § 42-218a(1) states, in pertinent part:

A permit upon which the proof of beneficial use..., has not been submitted, or a request for extension of time has not been received on or before the date set for such proof or incremental statement, shall lapse and be of no further force nor effect... . Notice of said lapsing shall be sent by the department to the permit holder at the address of record by regular mail.

SEARCHED
JAN 13 2023

Idaho Code § 42-218a(2) states, in pertinent part:

Within sixty (60) days after such notice of lapsing the department may, upon a showing of reasonable cause, reinstate the permit with the priority date advanced a time equal to the number of days that said showing is subsequent to the date set for proof.

By submitting an acceptable Proof, the Permit Holder has shown reasonable cause why this Permit should be reinstated. The Permit should be reinstated based upon the December 1, 2022 filing date.

ORDER

IT IS HEREBY ORDERED that Permit No. 95-17359 is **REINSTATED** and the Permit's priority date is advanced to August 15, 2017.

DATED this 2nd day of January, ²⁰²³~~2022~~.

Shelley W. Keen

Shelley W. Keen, Chief
Water Allocation Bureau

STAMPED
JAN 13 2023

RECEIVED

DEC 05 2022

DEC 01 2022

DEPARTMENT OF
WATER RESOURCES

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

STATEMENT OF COMPLETION

IDWR / NORTH

FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY

Amt. of Fee \$ 50.00
 Receipt No. 10041946
 Received By JL
 Date Received 12-1-22

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 95-17359 Name of Permit Holder(s) PINE RIDGE DEVELOPMENT LLC
 Telephone No. 208-661-2262 Email PINERIDGEDEV10@GMAIL.COM
 Mailing Address PO BOX 28807 City SPOKANE State WA Zip 99228

2. Source of Water GROUNDWATER If Ground Water (well), Date Drilled mo. ____ / yr. ____
 Drilling Permit/Tag No. ____ Drilling Company's Name ____

3. Extent of use(s) completed as authorized by the water right permit:

Domestic (No. households) 2 Irrigation (No. acres) ____ Stockwater (No. and stock type) ____
 Other 1/2 ACRE IRRIGATION PER HOME

4. Total diversion rate or volume (storage only) for which proof is submitted 0.06 cfs OR ____ af
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.

5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)
EXISTING WELL WITH PUMP AND STORAGE TANK; PIPED FROM TANK TO HOMES FOR USE.

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

- | | | |
|--------------------------|-------------------------------------|---|
| ☐ | ☒ | Ground water level data, pumping information, or other diversion data |
| ☐ | ☒ | Mitigation plan |
| ☐ | ☒ | Lockable controlling works |
| ☐ | ☒ | Measuring device |
| ☐ | ☒ | Fish screen |
| ☐ | ☒ | Other requirements of the water right permit |

☒ Reasonably Anticipated Future Needs ("RAFN") Municipal use

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

7. Fee Enclosed \$ 50.00 or ☐ CWRE field report attached or ☐ No fee required
See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: GEORGE WHITMIRE Telephone No. 208-661-2262 Email PINERIDGEDEV10@GMAIL.COM
 Mailing Address PO BOX 28807 City SPOKANE State WA Zip 99228

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

George Whitmire
 SIGNATURE OF PERMIT HOLDER*

George Whitmire
 PRINTED NAME AND TITLE

12/1/2022
 DATE

*Attach power of attorney if completing on behalf of permit holder.

RECEIVED
 JAN 13 2023



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

March 13, 2023

PINE RIDGE DEVELOPMENT LLC
C/O GEORGE WHITMIRE
PO BOX 28807
SPOKANE WA 99228-8807

RE: License No. 95-17359

ISSUANCE OF LICENSE

Dear Water Right Holder:

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,


for Phill Hummer
Water Rights Supervisor


Enclosures

SCANNED
MAR 13 2023

CERTIFICATE OF SERVICE

I hereby certify that on March 13, 2023, I served a true and correct copy of Water Right License No. 95-17359 by U.S. Mail, postage prepaid, to the following:

PINE RIDGE DEVELOPMENT LLC (Current Owner)
C/O GEORGE WHITMIRE
PO BOX 28807
SPOKANE WA 99228-8807



Debbi Judd
Technical Records Specialist

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATIONPermit No: 95-17359

Exam Date: 03/07/2023

1. Does this qualify for an in-office field exam (IDAPA 035.02.r)? X Y N
- Irrigation of 5 acres or less
 - Storage of up to 14.6 AF for stock water purposes only
 - Any use other than irrigation or storage if the combined diversion rate is 0.24 cfs or less.
 - Other < >

2. Current Owner: Name: Pine Ridge Development LLC, c/o George Whitmire
Owner of Record Correct? X Y N
Address of Record Correct? X Y N
If No: Address

3. Beneficial Use Fees have been paid: X Y N Receipt No: N041946

4. **SOURCE** **TRIBUTARY**
Ground Water N/A

Method of Determination: GIS and Tax lot DataChange in Source: Y X N**B. OVERLAP REVIEW**

1. Other water rights with the same place of use (POU): YES Overlap

Water Right No.	Source	Purpose of Use	Basis
95-12553	Ground Water	Fire Protection	License
95-12599 & 95-17608	Ground Water	Municipal	Permit

Comments: The place of use (POU) is overlapped by water right (WR) 95-12553, which provides fire protection 6 homes, including the areas of the 2 homes of the purposed license. The POU is also overlapped by 2 permits to divert ground water for municipal use. No overlap concerns.

2. Other water rights with the same point of diversion (POD): YES Overlap

Water Right No.	Source	Purpose of Use	Basis
95-12553	Ground Water	Domestic/Fire Protection	License

Comments: Water right 95-12553 shares the point of diversion with the purposed license. See narrative for discussion.

C. DIVERSION AND DELIVERY SYSTEM

1. **LOCATION OF POINT(S) OF DIVERSION:**

Source	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.		County
Submersible Pump			SW	SW	32	53N	04W	B.M.	Kootenai

Method of Determination: GIS and Tax lot data.Change in POD? X Y N Amendment Required? X Y N

2. **PLACE OF USE:** USE: DOMESTIC

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
53N	04W	32											D						
Total Acres =																			

SCANNED
MAR 13 2023

Method of Determination: GIS & Tax Lot dataChange in POU? X N Amendment Required? X N Delivery System Diagram Attached (required). Indicate all major components and distances between components.

Indicate weir size/pipe as applicable.

 X Aerial Photo Attached (required for irrigation of 10+ acres). Photo of Diversion and System Attached

4. Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
D0056643	Franklin	7.5	2366019020	unknown	unknown

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements: No measurement is required for an in-house exam, but a theoretical calculation was used to determine a reasonable diversion rate.**E. FLOW CALCULATIONS** Additional Computation Sheets Attached

Measured Method:

The field examination of the system for WR 95-12553 provided the system information used for the theoretical calculation, the system has not been upgraded since the previous field exam. The existing system has a 7.5Hp Franklin pump installed feeding pressure tanks. A theoretical analysis shows that a diversion rate of 0.10cfs is possible with a 7.5 Hp pump..

$$Q = (7.5 \text{ Hp}) (8.8) (0.80)/445 \text{ ft lift} + (40\text{psi} \times 2.31) = 0.10\text{cfs}$$

Measurement = 0.10cfs

Recommendation = 0.06cfs

F. VOLUME CALCULATIONS1. Volume Calculations for Irrigation:
N/A- DOMESTIC

2. Volume Calculations for Other Uses:

This permit is for domestic use. According to processing memo #22, Domestic use for 1 home and up to ½ acre of irrigation can have up to 1.2 AFA, per year. I am recommending 2.4 AF for the purposed license for 2 homes with up to ½ acre of irrigation each.

G. PURPOSE OF USEIrrigation X Y N # Stock Domestic # of Homes 2

Other: < >

Change in Purpose of Use? Y X N

SCANNED
MAR 13 2023

Method of Determination: Tax lot data and GIS data.**H. NARRATIVE/REMARKS/COMMENTS**

As the proof of beneficial use states that the 2 homes are using the existing system I emailed Mr. Whitmire February 7th, 2023, asking if there have been any upgrades to the system, or are they using the same system for all 6 homes? I also asked if he has any documentation as evidence that Lot 2 has been completed? Mr. Whitmire called on March 8th, 2023, and explained that the system in place at the time of the field exam for WR 95-12553 is the same system being used to provide water to all 6 homes at the development. Mr. Whitmore stated that he was called in the spring of 2022 by the excavator to coordinate the tie-in of the water service for the home in the southeast parcel of the SWSW qtr-qtr. He advised that as he is not at the location in the winter it could take a while to get any further documentation if needed.

Only 1 of the 2 homes on the permit could be confirmed completed using GIS imagery, Google Earth aerial imagery, or through Kootenai County records. Greg Granat is listed as the current parcel owner of Lot 3. Block 1, which appears complete on aerial imagery. Lot 2 Block 1, located in the southeastern corner of the SWSW quarter-quarter is only visible as a cleared lot on Google Earth aerial imagery from July of 2022 (the most current available). However, a new dwelling permit was issued on September 4th, 2022, for Lot 2 according to the Kootenai County Assessors website.

The previous field exam for WR 95-12553 the agent noted that there were 2 stub-outs for the 2 building sites not yet completed. At the time of the previous field exam the lot the 2 stub-outs were located on were not yet subdivided and did not have their own tax lots, since that time the undeveloped lot has been subdivided into Wendler Annex Two, lots 2 & 3, block 1. According to Licensing Memo #1, under the stub-in practice water right licenses can be issued for domestic purposes in developments if the water diversion and distribution systems were in place, including a service line to each lot, even if the water had not yet been put to beneficial use on all the buildable lots. To avoid further water right filings for domestic rights. I am recommending the license be issued for both homes for domestic purposes including up to 1/2 acre of irrigation for each.

I am recommending the license be issued with conditions X04, 070, 174, 01R, 175, X59, X60 and an additional condition (x35) limiting the combined use of water rights 95-12553 and 95-17359 to the total maximum diversion rate of 0.10cfs, which was the capacity of the system as evaluated in the field exam for 95-12553.

Have the conditions of permit approval been met? X Yes No

I. RECOMMENDATIONS**1. Recommended Amounts**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
Domestic	03/15 to 11/15	0.06 CFS	2.4 AF
<u>Totals:</u>		0.06 CFS	2.4 AF

2. Recommended Amendments

 Change P.D. as reflected above Add P.D. as reflected above X None

 Change P.U. as reflected above Add P.U. as reflected above X None

Other: < >

J. AUTHENTICATION- Water Resources Agent- Bob Howe

Water Resource Agent's Name Bob Howe Date 3/10/2023

Reviewer PH Date 3/10/23

SCANNED
MAR 13 2023




Figure 1.1- 2021 GIS image- 95-12553 Fire protection POU (outlined in blue) and domestic POUs (areas outlined in pink, within the blue outlined area). Yellow outlined areas are the 95-17359 domestic POUs, overlapped by the fire protection POU.

SCANNED
MAR 13 2023



Figure 1.2- 2021 GIS image of the purposed POU and POD (yellow outlined areas and yellow point).

SCANNED
MAR 13 2023



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little
January 13, 2023

Director Gary Spackman

PINE RIDGE DEVELOPMENT LLC
C/O GEORGE WHITMIRE
PO BOX 28807
SPOKANE WA 99228-8807

PROOF ACKNOWLEDGEMENT LETTER

RE: Permit No. 95-17359

Dear Permit Holder:

The Department acknowledges receipt of the Proof of Beneficial Use form ("proof") and license examination fee for the above-referenced water right permit. Enclosed is an order that reinstates this permit since proof and the license examination fee were submitted after the proof deadline. Please note that the priority date for this permit has been advanced to **August 15, 2017**, pursuant to Idaho Code § 42-218a(2).

The next step in the process of developing a water right is for the Department to conduct a field examination to determine and confirm the use being made of the water according to the conditions of the permit.

Please be advised that Idaho Code § 42-248, requires you or the owner of this water right to maintain current ownership and address records on file with the Department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any Department office or at the Department's website at www.idwr.idaho.gov.

If you have any questions concerning this permit, please contact the State Office of the Department located in Boise at (208) 287-4800.

Sincerely,

Debbi Judd
Technical Records Specialist

Enclosures


SCANNED
JAN 13 2023

CERTIFICATE OF SERVICE

I hereby certify that on **January 13, 2023** I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (**PRELIMINARY ORDER REINSTATING A PERMIT**) to the person listed below:

RE: Preliminary Order in the Matter of Permit No. **95-17359**

**PINE RIDGE DEVELOPMENT LLC
C/O GEORGE WHITMIRE
PO BOX 28807
SPOKANE WA 99228-8807**



Debbi Judd
Technical Records Specialist

SCANNED
JAN 13 2023

Beneficial Use Proof Evaluation

Permit Number: 95-17359 Reviewer: djudd Review Date: 12/5/2022

Acceptability

- 1) Is the contact on the request the current permit holder? Yes
- 2) Does the address of record need to be updated? No
- 3) Proof Submitted Date: 12/1/2022
- 4) Proof Due Date: 10/1/2022
- 5) Days added for weekend due date? 0
- 6) Days added for holiday due date? 0
- 7) Number of days late: 61
- 8) Proof received timely? No

Analysis

- 1) Are the water uses correct? Yes
- 2) Are one of the following items required?
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- No
- 3) Are the required items installed?
 - a. Measuring Device --
 - b. Lockable Device --
 - c. Fish Screen --
- 4) Is there a request to waive the required items?
- 5) Drilling Permit Number:
- 6) Is a drilling permit upgrade needed?
- 7) Was a well drillers report filed?
- 8) Is proof accepted? Yes

Fees

- 1) Is a licensing exam fee required? Yes
- 2) Was proof submitted with an exam report from a CWE? No
- 3) Filing fee due: \$50.00
- 4) Filing fee submitted: \$50.00
- 5) Remaining fee or (refund): \$0.00

Receipt IDs

N032715

Comments

Proof received 61 days late. Reinstate permit and advance priority date to August 15, 2017.

Reinstate Evaluation

Permit Number: 95-17359 Reviewer: djudd Review Date: 12/5/2022

Analysis

- 1) Proof/extension request received date: 12/1/2022
- 2) Number of days proof/extension request received late: 61
- 3) Was a lapsed notice sent? Yes
- 4) Date lapsed notice sent: 10/11/2022
- 5) Number of days between proof/extension request received date and date lapsed notice was sent: 51
- 6) Was the proof or extension request received more than 60 days after the lapsed notice was sent? No
- 7) Priority date: 6/15/2017
- 8) New priority date: 8/15/2017
- 9) New status: Lapsed

Comments

Proof received 61 days late. Reinstate permit and advance priority date to August 15, 2017.



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

October 11, 2022

PINE RIDGE DEVELOPMENT LLC
C/O GEORGE WHITMIRE
PO BOX 28807
SPOKANE WA 99228

LAPSE NOTICE

RE: PERMIT NO. 95-17359

IMPORTANT: This permit has lapsed because no written response was received from you by the IDWR. Development and/or use must cease.

Dear Permit Holder(s):

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in the proof due notice dated July 29, 2022. No further construction or additional development is authorized under this permit.

If water was put to beneficial use prior to the date proof of beneficial use was due, you may file the Statement of Completion (proof) now, or if you or a previous owner of this permit have not received a prior extension of time, you may file the Request for Extension of Time (extension request) if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. You may also request an extension of time if you have been delayed by a government agency, or by litigation that brings title to the water in question.

Either an acceptable proof or an acceptable extension request must be received by this Department within sixty (60) days of the mailing of this lapse notice in order to reinstate this permit.

Please contact Debbi Judd at 208-287-4920, if you need additional assistance.

Sincerely,


Angela Hansen, Manager
Water Rights Section

CERTIFICATION OF MAILING

I hereby certify that on 10-11-22
a copy/an original of this document was
deposited in the United States mail, postage
prepaid addressed to the individual(s)
named above.



SCANNED
OCT 11 2022