

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 95-17374

Priority: September 26, 2017

Maximum Diversion Rate: 0.01 CFS

Maximum Diversion Volume: 0.3 AF

It is hereby certified that:

SHAWN PHELPS 24500 E THORTON AVE LIBERTY LAKE WA 99019-8653 AND/OR
KIM PHELPS 24500 E THORTON AVE LIBERTY LAKE WA 99019-8653

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 26, 2017, and has submitted Proof of Beneficial Use on September 16, 2022. An examination confirms water is diverted from:

Source : TWIN LAKES

Tributary: RATHDRUM CREEK

Beneficial Use

IRRIGATION

Period of Use

03/15 to 11/15

Rate of Diversion

0.01 CFS

Annual Volume

0.3 AF

Location of Point(s) of Diversion

TWIN LAKES SE¼ NE¼, Sec. 6, Twp 52N, Rge 04W, B.M. KOOTENAI County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
52N	04W	6				0.1													0.1

Total Acres: 0.1

Conditions of Approval

1. A fish screen of 1/4 inch or smaller mesh shall be installed and maintained at the point of diversion.
2. Place of use is located within Lot 9, Blk. 5; Echo Beach Subdivision.
3. This right when combined with all other rights shall provide no more than 0.01 cfs nor more than 0.3 afa at the field headgate for irrigation of the place of use.
4. Use of water under this right may be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 95C.
5. This right does not grant any right-of-way or easement across the land of another.

SCANNED

JUN 01 2023

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 95-17374

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 31st day of May, 2023.

Michelle Richman

MICHELLE RICHMAN
Northern Regional Manager

SCANNED

JUN 01 2023

State of Idaho
Department of Water Resources
Attachment to Water Right License
95-17374

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

04W



-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion

0 0.035 0.07 0.14 Miles



SCANNED

JUN 01 2023

RECEIVED

SEP 16 2022

DEPARTMENT OF
WATER RESOURCESSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY

Amt. of Fee \$ 50.00
Receipt No. C114018
Received By W
Date Received 9.16.22

The Idaho Department of Water Resources considers this form a statement by the permit holder(s) that development of a water right has been **completed** and that water has been applied to beneficial use to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner.** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, contact any Department office or visit the Department's website at idwr.idaho.gov for an *Assignment of Permit* form. If you wish to relinquish your permit because you have not established the authorized use of the water and are not applying for an extension, please notify the Department in writing.

- Permit No. 95-17374 Telephone No. 509-209-0980
- Name of Permit Holder(s) Shawn and Kim Phelps
- Mailing Address 24500 E. Thornton Ave. City Liberty Lake
State WA Zip 99019 Email Kim.phelps@hotmail.com
- Source of Water Twin Lakes If **GROUND WATER** (well), Date Drilled mo. ____ / yr. ____
Well Driller _____ Drilling Permit Number _____
- Extent of use(s) completed **as authorized by the water right permit:**
Domestic (No. of households) _____ Stockwater (No. and type of stock) _____
Irrigation (No. of acres) 0.2 Other _____
- Total rate of diversion or storage volume for which proof is submitted 0.01 cfs OR _____ acre-feet.

- Compliance with a measuring device requirement, lockable controlling device requirement, and/or other conditions of permit: Refer to the approval conditions on your permit and respond accordingly.

The Department will not issue a license if permit conditions are not met.

Measuring Device	Is a measuring device required?	Yes ☐	No ☒
	If yes, has the measuring device been installed?	Yes ☐	No ☐
Lockable Controlling Device	Is a lockable device required to control the diversion?	Yes ☐	No ☒
	If yes, has the lockable device been installed?	Yes ☐	No ☐
Fish Screen	Is a fish screen required?	Yes ☒	No ☐
	If yes, has the fish screen been installed?	Yes ☒	No ☐

Other Conditions of Permit

Do the approval conditions on your permit require you to submit additional information in connection with your proof of beneficial use? If yes, list the conditions below and attach documents with the required information.

Completed? Yes ☐ No ☒

- Fee Enclosed \$ 50 or not applicable ☐. See fee schedule on page 2 of the instructions.
Proof statements filed without an appropriate fee, will be considered incomplete.
- Person to contact to accompany the Department representative during field examination of the water system.

Name Shawn Phelps Telephone Number 509-209-0979
Mailing Address 24500 E. Thornton Ave City Liberty Lake
State WA Zip 99019 Email sphelps@msn.com

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to a beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

Signature of Permit Holder Shawn Phelps Date 9/12/22
(Include your title, if on behalf of company or organization)



Northern Region • 7600 N Mineral Drive, Suite 100 • Coeur D'Alene, ID 83815-7763
Phone: 208-762-2800 • Fax: 208-762-2819 • Email: northerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

May 31, 2023

SHAWN PHELPS
KIM PHELPS
24500 E THORTON AVE
LIBERTY LAKE WA 99019-8653

RE: License No. 95-17374

ISSUANCE OF LICENSE

Dear Water Right Holder(s):

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact the Northern Regional Office at (208) 762-2800.

Sincerely,

Michelle Richman
Northern Regional Manager

Enclosure(s)

SCANNED
JUN 01 2023


CERTIFICATE OF SERVICE

I hereby certify that on May 31, 2023, I served a true and correct copy of Water Right License No. 95-17374 by U.S. Mail, postage prepaid, to the following:

SHAWN PHELPS (Current Owner)
24500 E THORTON AVE
LIBERTY LAKE WA 99019-8653

KIM PHELPS (Current Owner)
24500 E THORTON AVE
LIBERTY LAKE WA 99019-8653

WATER DISTRICT #95C
STEVE NEFF (Watermaster)
17358 N RESERVOIR RD
RATHDRUM ID 83858-7425



Tammy Allerman
Administrative Assistant 1

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) The petition for reconsideration is disposed of; or
- (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Bates, Luke

From: Shawn Phelps <sphelps@msn.com>
Sent: Monday, December 19, 2022 7:20 PM
To: Bates, Luke
Subject: Re: IDWR water right permit 95-17374
Attachments: Screenshot_20221219_190929_Drive.jpg

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

Hi Luke,

The Trust is recorded as a 50% owner with Kim and I on the property. It seems that searching on the County only displays the Trust name. I am guessing that is because all of the names are too long to display. I have attached an image of the permit we created when putting the stairs in. The permit correctly lists the property owner of record which includes Kim and I. Please let me know if you need additional information.

Thanks,
Shawn

On Dec 19, 2022, at 10:38 AM, "Bates, Luke" <luke.bates@idwr.idaho.gov> wrote:
Good morning Shawn.

I met with you back in September to perform a quick field exam for WR 95-17374. During licensing review I note the parcel associated with the small irrigation system shows up in record as The Stanley and Leslyn Phelps Family Trust.

The permit is filed in the name o Kim Phelps and/or Shawn Phelps.

For legal purpose, if the names do not correlate IDWR requests documents demonstrating Kim and yourself have legal rights to file for water rights in the name of the trust, or a 25.00 Change in ownership form to put the name of the right in the *trust* may be required.

These documents can be scan emailed in reply to this email. Please do give me a call with any questions you may have.

Thank you,

Luke Bates
Sr. Water Resource Agent
Northern Region

P: 208-762-2817



7600 N. Mineral Dr., Suite 100
Coeur D'Alene, ID 83815-7763

KOOTENAI COUNTY COMMUNITY DEVELOPMENT

NOTICE TO TITLE

REGARDING STRUCTURE OR IMPROVEMENT LAWFULLY CONSTRUCTED WITHOUT A BUILDING PERMIT

NOTICE IS HEREBY GIVEN that pursuant to section 7.1.105, Kootenai County Code, the owner of the property described below has opted out of the building permitting process with respect to the structure or improvement that is the subject of the following location permit:

LOCATION PERMIT NUMBER:	LOC18-0331
PARCEL NUMBER AND AIN:	020400050090 / 321525
PHYSICAL ADDRESS:	23857 N LAKEVIEW BLVD, RATHDRUM, ID 83858
PROPERTY OWNER OF RECORD:	STANLEY AND LESLYN PHELPS FAMILY TRUST & SHAWN E PHELPS & KIMBERLY A PHELPS
LEGAL DESCRIPTION: (ATTACH ADDITIONAL SHEETS IF NEEDED)	LOT 9, BLOCK 5, ECHO BEACH
DESCRIPTION OF STRUCTURE OR IMPROVEMENT: (BE SPECIFIC)	STAIRS WITH LANDING

NOTICE IS FURTHER GIVEN that under Title 7, Chapter 1, Kootenai County Code, single-family and two-family (duplex) residential structures and accessory structures on buildable parcels within the unincorporated area of Kootenai County are permitted of right. Owners of such parcels may opt out of the building permitting process before construction of, or improvements to, such a structure, subject to the requirement to obtain a location permit from Kootenai County Community Development. Structures or improvements constructed in accordance with a valid location permit are considered to have been lawfully constructed and occupied, even though no building permit or certificate of occupancy had been issued.

Owners who opt out of the building permitting process may elect to obtain a plan review by Kootenai County Community Development staff. However, Kootenai County Community Development does not perform inspections or any other building code enforcement actions with respect to such structures. Other

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No: 95-17374
Exam Date: 09/28/2022

1. Current Owner:
SHAWN PHELPS 24500 E THORTON AVE LIBERTY LAKE WA 99019-8653 AND/OR
KIM PHELPS 24500 E THORTON AVE LIBERTY LAKE WA 99019-8653
2. Accompanied by: Drive by with Shawn Phelps present
Phone No: 509-209-0979
Address: Same as above
Relationship to permit Holder: Current Permit holder

3. **SOURCE:**
TWIN LAKES

Tributary
RATHDRUM CREEK

Method of Determination: Arcmap and DRG.

B. OVERLAP REVIEW

1. Other water rights with the same place of use: YES Overlap

Water Right No.	Source	Purpose of Use	Basis
Numerous	Groundwater & Twin Lakes	Municipal	Decreed

Comments: There are numerous WRs with overlapping POU associated with North Kootenai Water District municipal service area which do not constitute concern for overlap with this permit's water use & POU. Condition X35 is not recommended for inclusion during licensing review.

2. Other water rights with the same point-of-diversion: NO Overlap

C. DIVERSION AND DELIVERY SYSTEM1. **LOCATION OF POINT(S) OF DIVERSION:**

TWIN LAKES SE¼ NE¼, Sec. 6, Twp 52N, Rge 04W, B.M. KOOTENAI County

Method of Determination: GPS; POD is a screened intake line with water transfer pump shoreside of the applicant's dock, located at -116°52.541, 47°53.099.

PLACE OF USE: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
52N	04W	6				0.1													0.1

Total Acres: 0.1

Method of Determination: Drive by exam to validate irrigation system & Arcmap aerial imagery.

3.
 - ☒ Delivery System Diagram Attached (required). Indicate all major components and distances between components.
 - ☒ Indicate weir size/pipe as applicable.
 - ☒ Map Attached Showing Location(s) of point(s) of diversion and place(s) of use (required). Scale must be 1:24,000 or greater.
 - ☒ Aerial Photo Attached (required for irrigation of 10+ acres).
 - ☒ Photo of Diversion and System Attached

SCANNED

JUN 01 2023

4.

Well or Diversion ID No.*	Motor Make	Hp	Motor model No.	Pump Make	Pump Serial No. or Discharge Size
WATER PUMP	MCDONALD PUMP	¾	C55CXKWF-5138		3450 RPM MAXIMUM

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements: No measurement required for an in-office exam.

E. FLOW CALCULATIONS

Flow measurement not required as per IDAPA RULE 37.03.02.035.01.r.iii.

F. DIVERSION RATES

The diversion rate for this irrigation right is limited to 0.01 CFS or 4.5 GPM.

G. VOLUME CALCULATIONS

The annual volume for this irrigation right is limited to = 0.3 AF.

H. NARRATIVE/REMARKS/COMMENTS

This permit qualifies for an in-house field examination. A drive-by exam was conducted on 9/28/2022 with the applicant Shawn Phelps to obtain photographs of the POU, verify irrigation areas, & GPS the POD. Backfile information shows the permit was approved in with the current permit holders name – Kim Phelps and/or Shawn Phelps. Kootenai County tax parcel data indicates current ownership of lots 9, Blk 5, Echo Beach Subdivision in the name of The Stanley and Leslyn Phelps Family Trust & Shawn E Phelps & Kimberly A Phelps. Mr. Shawn Phelps provided additional clarification of ownership upon request from department staff, it appears the name is to long in the county records, so the screen read out only shows the first portion of ownership and cuts out the applicant's name when viewing online.

Aerial imagery is insufficient to prove there is green space from irrigation occurring on the property due to tree canopy; photographs taken while ground truthing the POU which enabled me to accurately trace out the active irrigation acreage, coupled with pump information provided by the applicant with their statement of completion result in adequate information to license this permit.

The permit was authorized for **0.01 CFS** or 4.5 GPM diversion for the irrigation of 0.2 acres. Following the drive by Arcmap aerial imagery was used to trace out the irrigation POU equal to 0.1 acres; I have reduced the permit value to 0.1 acres recommended for licensing purposes. The diversion rate shall remain the same for licensing purposes. During the drive-by exam, the applicant's pump was observed in a small lockable pump house with 1 ¼ inch screened intake pipe in the lake. The pump specification identifies a ¾ HP McDonald water pump with small pressure pot in use, which provides adequate flow to accommodate 4.5 gpm via garden hose to water the small area POU. Due to lateness in the season the water system had already been winterized, but definite lawn watering was visible in the small acreage POU to recommend credit

for licensing this permit.

The water system incorporates two hose bibs which exit the side of the pump house shed for use during the irrigation system, but only one hose operates at a time due to low flow from the pump. The applicant connects 2 hoses which he routes throughout the POU with a sprinkler each to water small lawn space and landscaping in a lead/lag manner. Average sprinkler GPM rates operate at approximately 9-13 gpm, but the applicant irrigates a very small footprint by low flow sprinkler which Mr. Phelps asserts is adequate for their needs. Approximately half of the small parcel has been rock-chipped and serves as a recreational vehicle site, but lake water is not used for the RV. This Permit and water use falls within State Water District No. 95C, and the designated watermaster will be responsible for the distribution of water among appropriators.

The irrigation POU was traced out using Arcmap aerial imagery equaling 0.1 acres in size. The annual volume associated with irrigating 0.1 acres = **0.3 AF**, which is recommended for licensing purposes. Condition R66 was replaced with X31 to better quantify diversion rate and diversion volume associated with licensing this permit. Condition 26A was removed from the permit during licensing review. Condition X60 was added to describe the POU occurring in a named subdivision. All other conditions on the permit shall be carried to licensing. Overlap concerns are discussed on PG 1 above; there are no overlap concerns which necessitate combined use conditions for licensing purposes.

Have conditions of permit approval been met? X Yes No

H. RECOMMENDATIONS

1. Recommended Amounts

<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>	<u>Annual Volume</u>
IRRIGATION	03/15 to 11/15	0.01 CFS	0.3 AF
<u>Totals:</u>		0.01 CFS	0.3 AF

2. Recommended Amendments

 Change P.D. as reflected above Add P.D. as reflected above X None
 Change P.U. as reflected above Add P.U. as reflected above X None

I. AUTHENTICATION

Luke Bates -


Field Examiner's Name *[Signature]* Date 12/20/2020
Reviewer *Michelle Richman* Date 5/31/2023

SCANNED
JUN 01 2023

State of Idaho
Department of Water Resources
Attachment to Field Exam
95-17374

IRRIGATION system diagram.


04W




-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion

0 0.035 0.07 0.14 Miles

SCANNED
N
JUN 01 2023



BENEFICIAL USE FIELD EXAM DATE 9/28/2022




POD - 1 1/2 INCH POLY PIPE INTAKE LINE ROUTING ALONG DOC TO SCREENED INTAKE IN LAKE

SCANNED

JUN 01 2023




INTAKE PIPE ROUTES TO SMALL PUMP HOUSE



DIVERTING WORKS – WATER TRANSFER PUMP WITH SMALL PRESSURE POT


SCANNED
JUN 01 2023



¾ HP MCDONALD PUMP – MODEL C55CXKWF-5138



PRESSUER VALVE NOT REGISTERING FLOWING WATER – SYSTEM SHUT DOWN FOR SEASON



2 EA HOSE BIB ATTACHMENTS FOR IRRIGATION OF SMALL GRASS AREA ON RV LOT



IRRIGATION POU – SMALL TREE AREA WATERED BY HOSE AND SPRINKLER

SCANNED
JUN 01 2023



IRRIGATION POU – SMALL LAWN SPACE BETWEEN RV PAD AND LAKEFRONT



322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

September 27, 2022

KIM PHELPS
SHAWN PHELPS
24500 E THORTON AVE
LIBERTY LAKE WA 99019-8653

PROOF ACKNOWLEDGEMENT LETTER

RE: Permit No. 95-17374

Dear Permit Holders:

The Department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the Department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that Idaho Code § 42-248, requires you or the owner of this water right to maintain current ownership and address records on file with the Department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any Department office or at the Department's website at www.idwr.idaho.gov.

If you have any questions concerning the field examination, please contact the Northern Region Office of the Department located in Coeur d'Alene at (208) 762-2800.

Sincerely,

A handwritten signature in black ink, appearing to read "Debbi Judd".

Debbi Judd
Technical Records Specialist

Enclosures

SCANNED
SEP 28 2022

Beneficial Use Proof Evaluation

Permit Number: 95-17374 Reviewer: djudd Review Date: 9/16/2022

Acceptability

- 1) Is the contact on the request the current permit holder? Yes
- 2) Does the address of record need to be updated? No
- 3) Proof Submitted Date: 9/16/2022
- 4) Proof Due Date: 11/1/2022
- 5) Days added for weekend due date? 0
- 6) Days added for holiday due date? 0
- 7) Number of days late: -46
- 8) Proof received timely? Yes

Analysis

- 1) Are the water uses correct? Yes
- 2) Are one of the following items required?
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- Yes
- 3) Are the required items installed? Yes
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- Yes
- 4) Is there a request to waive the required items?
- 5) Drilling Permit Number:
- 6) Is a drilling permit upgrade needed?
- 7) Was a well drillers report filed?
- 8) Is proof accepted? Yes

Fees

- 1) Is a licensing exam fee required? Yes
- 2) Was proof submitted with an exam report from a CWE? No
- 3) Filing fee due: \$50.00
- 4) Filing fee submitted: \$50.00
- 5) Remaining fee or (refund): \$0.00

Receipt IDs

N032958

Comments

Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing.

*Unable to do in house
acknowledged proof*