

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 95-18078

Priority: March 08, 2021

Maximum Diversion Rate: 0.06 CFS

Maximum Diversion Volume: 1.9 AF

It is hereby certified that:

BRIAN GRIFFITH 10896 W TOURMALINE LN WORLEY ID 83876-3300 AND/OR
HEATHER GRIFFITH 10896 W TOURMALINE LN WORLEY ID 83876-3300

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 08, 2021, and has submitted Proof of Beneficial Use on March 30, 2023. An examination confirms water is diverted from:

Source : GROUND WATER

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
STOCKWATER	01/01 to 12/31	0.02 CFS	0.7 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

Location of Point(s) of Diversion

GROUND WATER NW¼ SW¼, Sec. 13, Twp 48N, Rge 05W, B.M. KOOTENAI County

Place of Use: DOMESTIC and STOCKWATER

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N	05W	13									X	X							

Conditions of Approval

1. Domestic use is for 1 home.
2. The irrigation occurring under this domestic use shall not exceed 1/2 acre.
3. Place of use is located within Lot 2, Blk. A, Meadow Lake Estates subdivision.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 3rd day of April, 2023.


PHILL HUMMER
Water Rights Supervisor

SCANNED
APR 04 2023

State of Idaho
Department of Water Resources
Attachment to Water Right
95-18078

This map depicts the STOCKWATER place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



0 0.035 0.07 0.14 Miles

-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion

SCANNED
APR 04 2023



State of Idaho
Department of Water Resources
Attachment to Water Right
95-18078

This map depicts the DOMESTIC place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



0 0.035 0.07 0.14 Miles

-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion

SCANNED
APR 04 2023



Amt. of Fee \$ 50 -
 Receipt No. C115729
 Received By ku
 Date Received 3.30.23

MAR 30 2023

DEPARTMENT OF
WATER RESOURCES

STATE OF IDAHO
 DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
 FOR SUBMITTING PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

- Permit No. 95-18078 Name of Permit Holder(s) Brian & Heather Griffith
 Telephone No. (208) 512-3498 Email mrsgriff720@icloud.com
 Mailing Address 10896 W Tourmaline Ln City Worley State ID Zip 83876
- Source of Water Ground water If Ground Water (well), Date Drilled mo. 10 / yr. 2019.
 Drilling Permit/Tag No. D008277 Drilling Company's Name H2O Well Service
- Extent of use(s) completed as authorized by the water right permit:
 Domestic (No. households) 1 Irrigation (No. acres) 1/2 Stockwater (No. and stock type) 50 head mixed stock (currently 18)
 Other _____
- Total diversion rate or volume (storage only) for which proof is submitted .06 cfs OR _____ af
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.
- Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)
Well pump

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

- | | | |
|-------------------------------------|-------------------------------------|---|
| ☐ | ☒ | Ground water level data, pumping information, or other diversion data |
| ☐ | ☒ | Mitigation plan |
| ☐ | ☒ | Lockable controlling works |
| ☐ | ☒ | Measuring device |
| ☐ | ☒ | Fish screen |
| ☐ | ☒ | Other requirements of the water right permit _____ |
| ☒ | ☐ | Reasonably Anticipated Future Needs ("RAFN") Municipal use _____ |
- If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

7. Fee Enclosed \$ _____ or ☐ CWRE field report attached or ☐ No fee required
See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: Heather Griffith Telephone No. (208) 819-8565 Email mrsgriff720@icloud.com
 Mailing Address same as property City _____ State _____ Zip _____

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

SIGNATURE OF PERMIT HOLDER*

PRINTED NAME AND TITLE

DATE

*Attach power of attorney if completing on behalf of permit holder.

SCANNED
 APR 04 2023



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

April 03, 2023

BRIAN GRIFFITH
HEATHER GRIFFITH
10896 W TOURMALINE LN
WORLEY ID 83876-3300

RE: License No. 95-18078

ISSUANCE OF LICENSE

Dear Water Right Holders:

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,

Phill Hummer
Water Rights Supervisor

Enclosures


SCANNED
APR 04 2023

CERTIFICATE OF SERVICE

I hereby certify that on April 03, 2023, I served a true and correct copy of Water Right License No. 95-18078 by U.S. Mail, postage prepaid, to the following:

BRIAN GRIFFITH (Current Owner)
10896 W TOURMALINE LN
WORLEY ID 83876-3300

HEATHER GRIFFITH (Current Owner)
10896 W TOURMALINE LN
WORLEY ID 83876-3300



Debbi Judd
Technical Records Specialist

Judd, Debbi

From: Judd, Debbi
Sent: Monday, April 3, 2023 10:12 AM
To: IdwrPayable
Subject: Refund request

TO: Fiscal
FROM: Debbi Judd
DATE: April 3, 2023
RE: Refund: Proof of Beneficial Use

Please refund \$50. Overpayment of proof.

NAME: BRIAN A GRIFFITH

ADDRESS: 10896 W TOURMALINE LN
WORLEY ID 83876-3300

RECEIPT #: C115729

Thank you.
Debbi

Debbi Judd
Technical Records Specialist
debbi.judd@idwr.idaho.gov

Idaho Department of Water Resources
322 E Front St
PO Box 83720
Boise, ID 83720-0098
208-287-4920
www.idwr.idaho.gov

SCANNED
APR 04 2023

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATIONPermit No: 95-18078

Exam Date: 3/31/2023

1. Does this qualify for an in-office field exam (IDAPA 035.02.r)? X Y N
- Irrigation of 5 acres or less
 - Storage of up to 14.6 AF for stockwater purposes only
 - Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
 - Other < >

2. Current Owner: Name: Brian and Heather Griffith
 Owner of Record Correct? X Y N
 Address of Record Correct? X Y N
 If No: Address

According to Tax Parcel Data the property is owned by Brain and Heather Griffith.

3. Beneficial Use Fees have been paid: X Y N Receipt No: C115729
4. **SOURCE** TRIBUTARY
 Groundwater N/A

Method of Determination: GIS and Tax Parcel DataChange in Source: Y X N**B. OVERLAP REVIEW**

1. Other water rights with the same place of use: No Overlap

Water Right No.	Source	Purpose of Use	Basis
N/A			

Comments: There is a permit, 95-18340, directly north of the proposed place of use but does not overlap.

2. Other water rights with the same point of diversion: No Overlap

Water Right No.	Source	Purpose of Use	Basis
N/A			

Comments: N/A

C. DIVERSION AND DELIVERY SYSTEM**1. LOCATION OF POINT(S) OF DIVERSION:**

Source	Govt. Lot	¼	¼	¼	Sec.	Twp.	Rge.		County
Groundwater			NW	SW	13	48N	05W	B.M.	Kootenai
								B.M.	
								B.M.	

Method of Determination: GIS and Tax Parcel DataChange in POD? Y X N Amendment Required? Y X N

SCANNED
APR 04 2023

2. PLACE OF USE: Use: Domestic, Stockwater

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N	05W	13									D, S	D, S							N/A
		Lot #																	N/A
Total Acres =																		N/A	

Method of Determination: GIS and Tax Parcel DataChange in POU? Y X N Amendment Required? Y X N Delivery System Diagram Attached (required). Indicate all major components and distances between components.

Indicate weir size/pipe as applicable.

 Aerial Photo Attached (required for irrigation of 10+ acres). Photo of Diversion and System Attached

4. Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
N/A					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A						

2. Measurements: The permit holders did not provide a pump horsepower; therefore, a diversion rate calculation is not possible.**E. FLOW CALCULATIONS** Additional Computation Sheets Attached

Measured Method: **Since the permit holder did not provide a pump horsepower a diversion rate calculation is not possible. According to Administrative Processing Memo #22 the standard diversion rate for a single-family home is 0.04 cfs. The permit authorizes 0.04 cfs for domestic use. According to Administrative Memo #3 the standard diversion rate for 50 head of mixed stock is 0.02 cfs. The permit authorizes 0.02 cfs for stockwater use. I am recommending a total diversion rate of 0.06 cfs.**

F. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses: **The permit authorizes stockwater for 50 mixed stock. According to Administrative Processing Memo #3 the standard diversion volume for 26-50 mixed stock is 0.7 af. According to Administrative Processing Memo #22 the standard diversion volume for a single domestic use is 0.6 af for in-house**

SCANNED
APR 04 2023

use and 0.6 af for up to ½ an acre of yard irrigation or 1.2 af. Therefore, I am recommending a total diversion volume of 1.9 af.

G. PURPOSE OF USE

Irrigation ☒ Y ☐ N # Stock 50 Domestic # of Homes 1

Other: < >

Change in Purpose of Use? ☐ Y ☒ N

Method of Determination: GIS, Tax Parcel Data and Google Earth Imagery.

If Yes: From Use _____ To Use _____ Amount _____ CFS _____ AFA _____

H. NARRATIVE/REMARKS/COMMENTS

This permit qualifies for an in-office examination. According to Tax Parcel Data the property was developed in 2020. This permit authorizes domestic use for 1 home, up to ½ an acre of yard irrigation and stockwater for up to 50 head of mixed stock. According to Google Earth Imagery irrigation seemed to have occurred in 2022. Since the permit holder did not provide a pump horsepower a diversion rate calculation was not possible. The standards set in Administrative Processing Memos #22 and #3 were used to make domestic and stockwater diversion rate and volume recommendations. All of the conditions have been met and it is believed the permit holders are using water for the beneficial uses authorized on their permit. Therefore, I am recommending a total diversion rate of 0.06 cfs and total diversion volume of 1.9 af.

Conditions X01, 187, and X60 should remain on the license. Condition X02 should be removed as standard with licensing. Condition 046 should be removed because the permit holder complied with the drilling permit requirements. Condition 004 should be removed because there are no legal access concerns to the point of diversion.

Have conditions of permit approval been met? ☒ Yes ☐ No

I. RECOMMENDATIONS**1. Recommended Amounts**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
Domestic	1/1 to 12/31	0.04 CFS	1.2 AF
Stockwater	1/1 to 12/31	0.02 CFS	0.7 AF
<u>Totals:</u>		0.06 CFS	1.9 AF

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ None

Other: < >

J. AUTHENTICATION Skyler Cheever, Water Resource Agent

Field Examiner's Name Skyler Cheever Date 3/31/23

Reviewer P. H. [Signature] Date 4/3/23


SCANNED
APR 04 2023

Permit No: 95-18078

Page 4

Field Exam Map:

The orange border shows the place of use, and the yellow point shows the point of diversion.



SCANNED
APR 04 2023

Beneficial Use Proof Evaluation

Permit Number: 95-18078 Reviewer: djudd Review Date: 3/30/2023

Acceptability

- 1) Is the contact on the request the current permit holder? Yes
- 2) Does the address of record need to be updated? No
- 3) Proof Submitted Date: 3/30/2023
- 4) Proof Due Date: 4/1/2023
- 5) Days added for weekend due date? 0
- 6) Days added for holiday due date? 0
- 7) Number of days late: -2
- 8) Proof received timely? Yes

Analysis

- 1) Are the water uses correct? Yes
- 2) Are one of the following items required?
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- No
- 3) Are the required items installed?
 - a. Measuring Device --
 - b. Lockable Device --
 - c. Fish Screen --
- 4) Is there a request to waive the required items?
- 5) Drilling Permit Number: 891912
- 6) Is a drilling permit upgrade needed? No
- 7) Was a well drillers report filed? Yes
- 8) Is proof accepted? Yes

Fees

- 1) Is a licensing exam fee required? Yes
- 2) Was proof submitted with an exam report from a CWE? No
- 3) Filing fee due: \$50.00
- 4) Filing fee submitted: \$50.00
- 5) Remaining fee or (refund): \$0.00

Receipt IDs

N036781

Comments

Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing.



Governor Brad Little

Director Gary Spackman

January 31, 2023

BRIAN GRIFFITH
HEATHER GRIFFITH
10896 W TOURMALINE LN
WORLEY ID 83876-3300

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit No. 95-18078

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holder(s):

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **April 01, 2023**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a \$50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this department on or before the above proof due date. If neither is received, the department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Debbi Judd
Technical Records Specialist

Enclosure(s)



SCANNED

JAN 31 2023