

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 95-18079

Priority: March 08, 2021

Maximum Diversion Rate: 0.06 CFS

Maximum Diversion Volume: 1.9 AF

It is hereby certified that:

PETER JOB 19058 S FINNEBOTT RD WORLEY ID 83876-7608 AND/OR
LISA JOB 19058 S FINNEBOTT RD WORLEY ID 83876-7608

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 08, 2021, and has submitted Proof of Beneficial Use on March 17, 2023. An examination confirms water is diverted from:

Source : GROUND WATER

<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>	<u>Annual Volume</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	0.7 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

Location of Point(s) of Diversion

GROUND WATER NW¼ SW¼, Sec. 13, Twp 48N, Rge 05W, B.M. KOOTENAI County

Place of Use: STOCKWATER

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N	05W	13										X							

Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N	05W	13										X							

Conditions of Approval

1. Domestic use is for 1 home.
2. The irrigation occurring under this domestic use shall not exceed 1/2 acre.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 21st day of March, 2023.



PHILL HUMMER
Water Rights Supervisor

SCANNED
MAR 23 2023

State of Idaho
Department of Water Resources
Attachment to Water Right
95-18079

This map depicts the STOCKWATER & DOMESTIC place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



-  Place Of Use Boundary
-  Domestic Place of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion



0 400 800 Feet

SCANNED
MAR 23 2023

MAR 17 2023

DEPARTMENT OF
WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY

Amt. of Fee \$ 50⁰⁰
Receipt No. C115602
Received By KU
Date Received 3.17.23

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

- Permit No. 95-18079 Name of Permit Holder(s) Peter + Lisa Job
Telephone No. 509-710-1992 Email Lolajob@gmail.com
Mailing Address 19058 S. FinneboTT Rd. City Worley State ID Zip 83876
- Source of Water Ground Water/Well If Ground Water (well), Date Drilled mo. 10 / yr. 2019
Drilling Permit/Tag No. D 0082178 Drilling Company's Name H2O
- Extent of use(s) completed as authorized by the water right permit:
Domestic (No. households) 1 Irrigation (No. acres) .5 Stockwater (No. and stock type) 50 Head Mixed Stock
Other _____
- Total diversion rate or volume (storage only) for which proof is submitted .06 cfs OR _____ af
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.
- Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)
Well pump 1.5 HP
- Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:
Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

☐	☒	Ground water level data, pumping information, or other diversion data
☐	☒	Mitigation plan
☐	☒	Lockable controlling works
☐	☒	Measuring device
☐	☒	Fish screen
☐	☒	Other requirements of the water right permit _____
☐	☒	Reasonably Anticipated Future Needs ("RAFN") Municipal use _____

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No
- Fee Enclosed \$ 50⁰⁰ or ☐ CWRE field report attached or ☐ No fee required
See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

- Person to contact to accompany a Department representative during the field examination of the water system:

Name: Peter Job Telephone No. 509-710-1992 Email lolajob@gmail.com
Mailing Address 19058 S. FinneboTT Rd. City Worley State ID Zip 83876

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

SIGNATURE OF PERMIT HOLDER*

PRINTED NAME AND TITLE

DATE

*Attach power of attorney if completing on behalf of permit holder.

SCANNED
MAR 23 2023



322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

March 22, 2023

PETER JOB
LISA JOB
19058 S FINNEBOTT RD
WORLEY ID 83876-7608

RE: License No. 95-18079

ISSUANCE OF LICENSE

Dear Water Right Holders:

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,


Phill Hummer
Water Rights Supervisor

Enclosures


SCANNED
MAR 23 2023

CERTIFICATE OF SERVICE

I hereby certify that on March 22, 2023, I served a true and correct copy of Water Right License No. 95-18079 by U.S. Mail, postage prepaid, to the following:

LISA JOB (Current Owner)
19058 S FINNEBOTT RD
WORLEY ID 83876-7608

PETER JOB (Current Owner)
19058 S FINNEBOTT RD
WORLEY ID 83876-7608



Debbi Judd
Technical Records Specialist

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATIONPermit No: 95-18079

Exam Date: 03/20/2023

1. Does this qualify for an in-office field exam (IDAPA 035.02.r)? X Y N
- Irrigation of 5 acres or less
 - Storage of up to 14.6 AF for stockwater purposes only
 - Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
 - Other < >

2. Current Owner: Name: Peter & Lisa Job
- Owner of Record Correct? X Y N
- Address of Record Correct? X Y N
- If No: Address

3. Beneficial Use Fees have been paid: X Y N Receipt No: C115602

4. SOURCE**TRIBUTARY**

Ground Water

N/A

Method of Determination: GIS and Tax lot DataChange in Source: Y X N**B. OVERLAP REVIEW**

1. Other water rights with the same place of use (POU): YES Overlap

Water Right No.	Source	Purpose of Use	Basis
95-18077	Ground Water	Domestic & Stock water	Decreed

Comments: The only water right overlapping the permitted place of use (POU) is that of WR 95-18077 (diverting ground water for domestic and stock water use), which is only described as the NWSW quarter-quarter. However, the point of diversion (POD) for WR 95-18077 is the same as that of WR 95-17903 (domestic and stock water use) located on parcel 0521300A001B, which according to parcel data is currently owned by John & Lindsay Kirby (also the owners of both rights). The parcel data confirms that the parcel appurtenant to the permit POU and POD is currently owned by the permit holder.

2. Other water rights with the same point of diversion (POD): NO Overlap

Water Right No.	Source	Purpose of Use	Basis
NA	NA	NA	NA

Comments: No water rights overlap the permit POD.

C. DIVERSION AND DELIVERY SYSTEM**1. LOCATION OF POINT(S) OF DIVERSION:**

Source	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.		County
Pump			NW	SW	13	48N	05W	B.M.	Kootenai

Method of Determination: GIS and Tax lot data.Change in POD? X N Amendment Required? X N

SCANNED
MAR 23 2023

2. **PLACE OF USE:** USE: DOMESTIC

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N	05W	13										D							
Total Acres =																			

PLACE OF USE: USE: STOCK WATER

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N	05W	13										S							
Total Acres =																			

Method of Determination: GIS & Tax Lot dataChange in POU? X N Amendment Required? X N Delivery System Diagram Attached (required). Indicate all major components and distances between components.

Indicate weir size/pipe as applicable.

 X Aerial Photo Attached (required for irrigation of 10+ acres). Photo of Diversion and System Attached

4. Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
D0082178	Unknown	1.5	Unknown	Unknown	Unknown

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1. Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements: No measurement is required for an in-house exam, but a theoretical calculation and Administrative Memos #22 and #3 were used to determine a reasonable diversion rate.**E. FLOW CALCULATIONS**

Measured Method:

The proof of beneficial use for WR 95-18079, section 5 stated that a 1.5 Hp pump was installed for use in the system. A theoretical calculation shows that a diversion rate of 0.06cfs is possible with a 1.5 Hp pump. According to Administrative memo #22 up to up to 0.04cfs is acceptable for domestic use in 1 home with up to ½ acre of irrigation. According to Administrative Memo #3 up to 0.02cfs is acceptable to provide stock water to 50 head of cattle. Based on the theoretical calculation and administrative Memos #22 & #3, I am recommending the purposed license be issued with a diversion rate of 0.06cfs.

$$Q = (1.5 \text{ Hp}) (8.8) (0.85) / 120 \text{ ft lift} + (35 \text{ psi} \times 2.31) = 0.06 \text{ cfs}$$

Permitted = 0.06cfs**Recommendation = 0.06cfs****F. VOLUME CALCULATIONS**1. Volume Calculations for Irrigation:
N/A- DOMESTIC

2. Volume Calculations for Other Uses:

The permit was issued for domestic and stock water use. According to Administrative memo #22 up to 1.2 AFA, per year is acceptable for domestic use for 1 home and up to ½ acre of irrigation. According to Administrative memo #3 up to 0.7 AF per year is acceptable to provide stock water for 50 head of cattle. I am recommending 1.9 AF for the purposed license for 1 home with up to ½ acre of irrigation and stock water for 50 head of cattle.

SCANNED
MAR 23 2023

G. PURPOSE OF USEIrrigation ☒ Y ☐ N # Stock 50 Domestic # of Homes 1

Other: < >

Change in Purpose of Use? ☐ Y ☒ NMethod of Determination: Tax lot data and GIS data.**H. NARRATIVE/REMARKS/COMMENTS**

This permit for domestic use with up to ½ acre irrigation and stock water for 50 head of cattle meets the criteria for an in-house review. The only water right overlapping the permitted place of use is that of WR 95-18077 (see figure 1.2), which is only described as the NWSW quarter-quarter legal. However, the POD location for WR 95-18077 (domestic and stock water use) is the same as that of WR 95-17903, both located on a parcel owned by the water rights owner. The parcel data confirms that the parcel appurtenant to the permit POU is currently owned by the permit holder. There are no enlargement concerns regarding the overlapping POUs for domestic and stock water uses.

I was able to use Google Earth and GIS imagery to confirm that the system is in use at the permit POU (Figure 1.1). Based on theoretical calculation and Administrative Memos #22 & #3 a reasonable rate of diversion and volume were able to be determined. I am recommending a diversion rate of 0.06cfs and a volume of 1.9AF on the license.

I am recommending the license be issued with conditions X01 and 187.

Have conditions of permit approval been met? ☒ Yes ☐ No**I. RECOMMENDATIONS****1. Recommended Amounts**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
Domestic & Stock water	01/01 to 12/31	0.06 CFS	1.9 AF
<u>Totals:</u>		0.06 CFS	1.9 AF

2. Recommended Amendments☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ None

Other: < >

J. AUTHENTICATION- Water Resources Agent- Bob HoweWater Resource Agent's Name Bob Howe Date 03/21/2023Reviewer P. Hume Date 3/21/23SCANNED
MAR 23 2023



Figure 1.1- 2022 Google Earth image of POU- irrigation evident surrounding home.




Figure 1.2- 2021 GIS image of the purposed stock water and domestic (inset) places of use are outlined in light blue. WR 95-17903 POU is outlined in pink. Red point within the POU is the shared POD for WR 95-17903 and 95-18077.

SCANNED
MAR 23 2023



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little
February 28, 2023

Director Gary Spackman

PETER JOB
LISA JOB
19058 S FINNEBOTT RD
WORLEY ID 83876-7608

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit No. 95-18079

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holders:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **May 01, 2023**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Idaho Code § 42-204. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a \$50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this Department on or before the above proof due date. If neither is received, the Department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Debbi Judd
Technical Records Specialist

Enclosures



SCANNED
MAR 01 2023