

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 95-18224

Priority: December 06, 2021

Maximum Diversion Rate: 0.06 CFS

Maximum Diversion Volume: 1.6 AF

It is hereby certified that:

PETE WILLIAMS 1305 E BRUNNER RD ATHOL ID 83801-6135 AND/OR
BARBARA WILLIAMS 1305 E BRUNNER RD ATHOL ID 83801-6135

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 06, 2021, and has submitted Proof of Beneficial Use on December 29, 2022. An examination confirms water is diverted from:

Source : GROUND WATER

<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>	<u>Annual Volume</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	0.4 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

Location of Point(s) of Diversion

GROUND WATER SE¼ SE¼, Sec. 25, Twp 53N, Rge 04W, B.M. KOOTENAI County

Place of Use: DOMESTIC AND STOCKWATER

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
53N	04W	25																X	

Conditions of Approval

1. Domestic use is for 1 home.
2. The irrigation occurring under this domestic use shall not exceed 1/2 acre.
3. This right authorizes the diversion of ground water within the Rathdrum Prairie Ground Water Management Area (RPGWMA). Use of water under this right shall be subject to the provisions of the RPGWMA management plan approved by the director, including its conservation goals.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 13th day of January, 2023.



PHILL HUMMER
Water Rights Supervisor


SCANNED
JAN 19 2023

State of Idaho
Department of Water Resources

Attachment to Water Right License

95-18224

This map depicts the STOCKWATER place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



- 04W
- 53N
- Place Of Use Boundary
- Townships
- PLS Sections
- Quarter Quarters
- Point of Diversion

0 0.045 0.09 0.18 Miles

SCANNED
JAN 19 2023




State of Idaho
Department of Water Resources
Attachment to Water Right License
95-18224

This map depicts the DOMESTIC place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



- 04W 03W
- Place Of Use Boundary
 - Townships
 - PLS Sections
 - Quarter Quarters
 - Point of Diversion



RECEIVED

JAN 03 2023

RECEIVED

DEC 29 2022

IDWR / NORTH

DEPARTMENT OF
WATER RESOURCES

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

STATEMENT OF COMPLETION

FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY

Amt. of Fee \$ 50.00Receipt No. ND42155Received By JADate Received 12-29-22

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 95-18224 Name of Permit Holder(s) Pete Williams & Barbara Williams

Telephone No. 208-691-7964 Email placustoms1@gmail.com

Mailing Address 1305 E BRUNNER Rd City Athol State ID Zip 83801

2. Source of Water Ground Water If Ground Water (well), Date Drilled mo. 06 / yr. 2021

Drilling Permit/Tag No. 0082361 Drilling Company's Name Horsley Drilling Inc

3. Extent of use(s) completed as authorized by the water right permit:

Domestic (No. households) 1 Irrigation (No. acres) 0.04 Stockwater (No. and stock type) 0.02

Other _____

4. Total diversion rate or volume (storage only) for which proof is submitted 0.06 cfs OR _____ af
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.

5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)

Drilled well. Connected to 1 house with water line to place of use

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

- | | | |
|--------------------------|-------------------------------------|---|
| ☐ | ☒ | Ground water level data, pumping information, or other diversion data |
| ☐ | ☒ | Mitigation plan |
| ☐ | ☒ | Lockable controlling works |
| ☐ | ☒ | Measuring device |
| ☐ | ☒ | Fish screen |
| ☐ | ☒ | Other requirements of the water right permit _____ |
| ☐ | ☒ | Reasonably Anticipated Future Needs ("RAFN") Municipal use |

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

7. Fee Enclosed \$ 50.00 or ☐ CWRE field report attached or ☐ No fee required

See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: Pete Williams Telephone No. 208-655-1818 Email placustoms1@gmail.com

Mailing Address 1305 E BRUNNER Rd City Athol State ID Zip 83801

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

Barbara Williams

BARBARA WILLIAMS OWNER

12/29/22

SIGNATURE OF PERMIT HOLDER*

PRINTED NAME AND TITLE

DATE

*Attach power of attorney if completing on behalf of permit holder.

SCANNED
JAN 13 2023



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

January 18, 2023

PETE WILLIAMS
BARBARA WILLIAMS
1305 E BRUNNER RD
ATHOL ID 83801-6135

RE: License No. 95-18224

ISSUANCE OF LICENSE

Dear Water Right Holders:

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,

for Phill Hummer
Water Rights Supervisor

Enclosures


SCANNED
JAN 19 2023

CERTIFICATE OF SERVICE

I hereby certify that on January 18, 2023, I served a true and correct copy of Water Right License No. 95-18224 by U.S. Mail, postage prepaid, to the following:

BARBARA WILLIAMS (Current Owner)
1305 E BRUNNER RD
ATHOL ID 83801-6135

PETE WILLIAMS (Current Owner)
1305 E BRUNNER RD
ATHOL ID 83801-6135



Debbi Judd
Technical Records Specialist

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATIONPermit No: 95-18224

Exam Date: 01/04/2023

1. Does this qualify for an in-office field exam (IDAPA 035.02.r)? X Y N
- Irrigation of 5 acres or less
 - Storage of up to 14.6 AF for stockwater purposes only
 - Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
 - Other < >
2. Current Owner: Name: Pete & Barbara Williams
Owner of Record Correct? X Y N
Address of Record Correct? X Y N
If No: Address
3. Beneficial Use Fees have been paid: X Y N Receipt No: N042155
4. **SOURCE** TRIBUTARY
Ground water N/A

Method of Determination: GIS Parcel Data and well drillers reportChange in Source: Y X N**B. OVERLAP REVIEW**

1. Other water rights with the same place of use:
- NO
- Overlap

Water Right No.	Source	Purpose of Use	Basis
NONE			

Comments: There are no water rights overlapping the place of use.

2. Other water rights with the same point of diversion:
- NO
- Overlap

Water Right No.	Source	Purpose of Use	Basis
NONE			

Comments: There are no water rights overlapping the point of diversion.**C. DIVERSION AND DELIVERY SYSTEM**

- 1.
- LOCATION OF POINT(S) OF DIVERSION:**

Source	Govt. Lot	¼	¼	¼	Sec.	Twp.	Rge.		County
WELL/PUMP			SE	SE	25	53N	04W	B.M.	Kootenai

Method of Determination: GIS data and Well drillers report.Change in POD? X N Amendment Required? X N

SCANNED
JAN 13 2023

2. **PLACE OF USE:** Use: Domestic and Stock water

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
53N	04W	25																D/S	
		Lot #																	
Total Acres =																			

Method of Determination: GIS, Google Earth imagery, and parcel data

Change in POU? X N Amendment Required? X N

 Delivery System Diagram Attached (required). Indicate all major components and distances between components.

Indicate weir size/pipe as applicable.

X Aerial Photo Attached (required for irrigation of 10+ acres).

 Photo of Diversion and System Attached

4. Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Tag-D0088361	Unknown	3Hp	Unknown	Unknown	Unknown

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements: No measurement is required for an in-house exam; administrative guidance memos were used to determine if the permitted flow is acceptable based on the usage.

E. FLOW CALCULATIONS

Measured Method:

The permit holder called on January 5th, 2023 and stated the pump they had installed is 3Hp, but had no further information on the system. Based on processing memo #22 allowed flow for Domestic use for in-house and yard irrigation is up to 0.04cfs and processing memo #3 states that the allowed rate of flow for 0-10 head of livestock is up to 0.02cfs (the permit holder has 5 head of stock). I will recommend a total diversion rate of 0.06cfs, which is what was requested on their application for permit.

Permit allowed = 0.06cfs

F. VOLUME CALCULATIONS

This purposed water right is for domestic and stock water use. According to processing memo #22, and Domestic use for in-house and yard irrigation can have up to 1.2acre feet of annual water use. Processing memo #3 states the acceptable rate and volume for 0-10 head of stock is 0.4AF (the permit holder has 5 head of stock). I am purposing a maximum annual volume of 1.6AF on this license.

SCANNED
JAN 19 2023

G. PURPOSE OF USEIrrigation ☒ Y ☐ N # Stock 5 Domestic # of Homes 1Change in Purpose of Use? ☐ Y ☒ NMethod of Determination: GIS data and conversations with owner.**H. NARRATIVE/REMARKS/COMMENTS**

This permit for domestic and stock water use qualifies for an in-house exam. There are no water rights that overlap the place of use or point of diversion. No protests were filed after advertisement. I was able to confirm through Google Earth imagery, circa 2022, that the home is built, and the system is being used (see figure 1.1 and 1.2). The parcel data shows that the place of use and point of diversion are on property owned by the permit holder. According to processing memo #22, domestic use for in-house and yard irrigation can have up to 0.04cfs and 1.2acre feet of annual water use. Processing memo #3 states the acceptable rate and volume for 0-10 head of stock are 0.02cfs and 0.4AF/Yr (the permit holder has 5 head of stock). I am recommending issuing a licensing for a flow rate of 0.06cfs and an annual volume for domestic including irrigation and stockwater of 1.6AFA, as per administrative memos #22 and #3.

Conditions X01, 187 and 174, should be included on the license. Condition 046 should be removed, the well construction is already completed and the tag#, drillers report and drilling company's name were provided in the submitted proof. Condition 004 should be removed, the applicant stated in the permit application section 11 that they own the property the well and place of use are within (this is also supported by the parcel data).

Have conditions of permit approval been met? ☒ Yes ☐ No**I. RECOMMENDATIONS****1. Recommended Amounts**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
Domestic	01/01 – 12/31	0.04 CFS	1.2 AF
Stock Water	01/01 – 12/31	0.02 CFS	0.4 AF
	<u>Totals:</u>	0.06 CFS	1.6 AF

2. Recommended Amendments☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ None**J. AUTHENTICATION**Field Examiner's Name Bob Hume Date 1/4/2023Reviewer PHume Date 1/13/23

SCANNED
JAN 13 2023




Figure 1.1- Google Earth aerial image of the place of use, circa 2022. The home is outlined in yellow.



Figure 1.2- Google Earth aerial image of the home and surrounding grounds, circa 2022.

SCANNED
JAN 17 2023




Figure 1.3- GIS aerial image of the stock water POU (outlined in blue), domestic POU (outlined in yellow) and the POD (yellow point), circa 2021.

SCANNED
JAN 19 2023

Beneficial Use Proof Evaluation

Permit Number: 95-18224 Reviewer: djudd Review Date: 1/3/2023

Acceptability

- 1) Is the contact on the request the current permit holder? Yes
- 2) Does the address of record need to be updated? No
- 3) Proof Submitted Date: 12/29/2022
- 4) Proof Due Date: 1/1/2023
- 5) Days added for weekend due date? 0
- 6) Days added for holiday due date? 0
- 7) Number of days late: -3
- 8) Proof received timely? Yes

Analysis

- 1) Are the water uses correct? Yes
- 2) Are one of the following items required?
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- No
- 3) Are the required items installed?
 - a. Measuring Device --
 - b. Lockable Device --
 - c. Fish Screen --
- 4) Is there a request to waive the required items?
- 5) Drilling Permit Number: 900501
- 6) Is a drilling permit upgrade needed? No
- 7) Was a well drillers report filed? Yes
- 8) Is proof accepted? Yes

Fees

- 1) Is a licensing exam fee required? Yes
- 2) Was proof submitted with an exam report from a CWE? No
- 3) Filing fee due: \$50.00
- 4) Filing fee submitted: \$50.00
- 5) Remaining fee or (refund): \$0.00

Receipt IDs

N037953

Comments

Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing.



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

October 31, 2022

PETE WILLIAMS
BARBARA WILLIAMS
PO BOX 3013
HAYDEN ID 83835-3013

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit No. 95-18224

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holder(s):

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **January 01, 2023**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a \$50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this department on or before the above proof due date. If neither is received, the department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Debbi Judd
Technical Records Specialist

Enclosure(s)

CERTIFIED MAIL

7022 1670 0001 2370 9140

NO _____

SCANNED

NOV 02 2022