

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 95-18230

Priority: December 08, 2021

Maximum Diversion Rate: 0.04 CFS

Maximum Diversion Volume: 1.2 AF

It is hereby certified that:

KURT ZIMMERMAN 1305 PEREGRINE RD SPIRIT LAKE ID 83869-7014 AND/OR
SUSAN ZIMMERMAN 1305 PEREGRINE RD SPIRIT LAKE ID 83869-7014

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 08, 2021, and has submitted Proof of Beneficial Use on December 07, 2022. An examination confirms water is diverted from:

Source : GROUND WATER

Beneficial Use

DOMESTIC

Period of Use

01/01 to 12/31

Rate of Diversion

0.04 CFS

Annual Volume

1.2 AF

Location of Point(s) of Diversion

GROUND WATER SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 21, Twp 54N, Rge 04W, B.M. BONNER County

Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
54N	04W	21											X						

Conditions of Approval

1. Domestic use is for 1 home and 1 shop with bathroom.
2. The irrigation occurring under this domestic use shall not exceed 1/2 acre.
3. Place of use is located within Lot 15; Blk. 2; Quail Ridge Amended subdivision.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 19th day of December, 20 22.



PHILL HUMMER
Water Rights Supervisor

SCANNED
DEC 7 0 2022


State of Idaho
Department of Water Resources
Attachment to Water Right License
95-18230

This map depicts the DOMESTIC place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

04W



-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion



RECEIVED

DEC 12 2022

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

RECEIVED

DEC 07 2022

DEPARTMENT OF
WATER RESOURCES

STATEMENT OF COMPLETION

FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY

Amt. of Fee \$ _____

Receipt No. _____

Received By _____

Date Received _____

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete an Assignment of Permit form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

- Permit No. 95-18230 Name of Permit Holder(s) Kurt & Susan Zimmerman
Telephone No. 253-797-9100 Email LtZim911@gmail.com
Mailing Address 1305 Peregrine RD City Spirit Lake State ID Zip 83869
- Source of Water well If Ground Water (well), Date Drilled mo. 7/1 / yr. 2013
Drilling Permit/Tag No. 00061550 Drilling Company's Name Horsley
- Extent of use(s) completed as authorized by the water right permit:
Domestic (No. households) 1 Irrigation (No. acres) _____ Stockwater (No. and stock type) _____
Other Shop with bathroom
- Total diversion rate or volume (storage only) for which proof is submitted 0.04 cfs OR _____ af
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.
- Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)
Well with pump to house & shop
- Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:
Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

☐	☒	Ground water level data, pumping information, or other diversion data
☐	☒	Mitigation plan
☐	☒	Lockable controlling works
☐	☒	Measuring device
☐	☒	Fish screen
☐	☒	Other requirements of the water right permit _____
☐	☒	Reasonably Anticipated Future Needs ("RAFN") Municipal use

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No
- Fee Enclosed \$ _____ or ☐ CWRE field report attached or ☒ No fee required
See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: Kurt Zimmerman Telephone No. 253-797-9100 Email LtZim911@gmail.com
Mailing Address 1305 Peregrine RD City Spirit Lake State ID Zip 83869

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

Kurt Zimmerman Susan Zimmerman Kurt Zimmerman Susan Zimmerman 12/7/22
SIGNATURE OF PERMIT HOLDER* PRINTED NAME AND TITLE DATE

*Attach power of attorney if completing on behalf of permit holder.

SCANNED

DEC 20 2022



322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little
December 20, 2022

Director Gary Spackman

KURT ZIMMERMAN
SUSAN ZIMMERMAN
1305 PEREGRINE RD
SPIRIT LAKE ID 83869-7014

RE: License No. 95-18230

ISSUANCE OF LICENSE

Dear Water Right Holders:

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,

Phill Hummer
Water Rights Supervisor

Enclosures

SCANNED
DEC 20 2022

CERTIFICATE OF SERVICE

I hereby certify that on December 20, 2022, I served a true and correct copy of Water Right License No. 95-18230 by U.S. Mail, postage prepaid, to the following:

KURT ZIMMERMAN (Current Owner)
1305 PEREGRINE RD
SPIRIT LAKE ID 83869-7014

SUSAN ZIMMERMAN (Current Owner)
1305 PEREGRINE RD
SPIRIT LAKE ID 83869-7014



Debbi Judd
Technical Records Specialist

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATIONPermit No: 95-18230

Exam Date: 12/14/2022

1. Does this qualify for an in-office field exam (IDAPA 035.02.r)? X Y ___ N
 a. Irrigation of 5 acres or less
 b. Storage of up to 14.6 AF for stockwater purposes only
 c. Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
 d. Other < >

2. Current Owner: Name: Kurt and Susan Zimmerman
 Owner of Record Correct? X Y ___ N
 Address of Record Correct? X Y ___ N
 If No: Address

According to GIS Tax Parcel Data the owner of the property is Kurt and Susan Zimmerman.

3. Beneficial Use Fees have been paid: X Y ___ N Receipt No: N/A
 4. SOURCE TRIBUTARY
 Groundwater N/A

Method of Determination: GIS and Tax Parcel Data

Change in Source: ___ Y X ___ N

B. OVERLAP REVIEW

1. Other water rights with the same place of use: No Overlap

Water Right No.	Source	Purpose of Use	Basis
N/A			

Comments: N/A

2. Other water rights with the same point of diversion: No Overlap

Water Right No.	Source	Purpose of Use	Basis
N/A			

Comments: N/A

C. DIVERSION AND DELIVERY SYSTEM**1. LOCATION OF POINT(S) OF DIVERSION:**

Source	Govt. Lot	¼	¼	¼	Sec.	Twp.	Rge.		County
Groundwater			SW	SW	21	54N	04W	B.M.	Bonner
								B.M.	
								B.M.	

Method of Determination: GIS and Tax Parcel Data

Change in POD? ___ Y X ___ N Amendment Required? ___ Y X ___ N

SCANNED
DEC 20 2022

2. **PLACE OF USE:** Use: Domestic

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
54N	04W	21											D						
		Lot #																	
Total Acres =																			N/A

Method of Determination: GIS and Tax Parcel DataChange in POU? Y X N Amendment Required? Y X N Delivery System Diagram Attached (required). Indicate all major components and distances between components.

Indicate weir size/pipe as applicable.

 Aerial Photo Attached (required for irrigation of 10+ acres). Photo of Diversion and System Attached

4. Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
N/A					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1. Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A						

2. Measurements: Since the permit holder did not provide pump horsepower a diversion rate calculation is not possible.**E. FLOW CALCULATIONS** Additional Computation Sheets Attached

Measured Method:

According to Administrative Processing Memo #22 the standard rate for a single-family home is 0.04 cfs. The permit authorizes 0.04 cfs. Therefore, I will recommend a 0.04 cfs diversion rate.

F. VOLUME CALCULATIONS

2. Volume Calculations for Other Uses:

According to Administrative Processing Memo #22 the standard volume for a single-family home is 0.6 af for in house use and 0.6 for ½ acre yard irrigation, a total of 1.2 af. I will recommend a 1.2 af volume.

SCANNED
DEC 7 0 2022

G. PURPOSE OF USEIrrigation ☒ Y ☐ N # Stock N/A Domestic # of Homes 1 and shop with bathroom

Other: < >

Change in Purpose of Use? ☐ Y ☒ NMethod of Determination: Tax Parcel Data and GIS Imagery.

If Yes: From Use _____ To Use _____ Amount _____ CFS _____ AFA _____

H. NARRATIVE/REMARKS/COMMENTS

The permit qualifies for an in-house exam. According to GIS Tax Parcel Data the property was developed in 2011. The permit authorizes domestic use for one home and a shop with a bathroom. The permit holder did not provide pump horsepower, so a diversion rate calculation was not possible. The recommended rate and volume were taken from the standards set Administrative Processing Memo #22. Google Imagery showed that there could be irrigation occurring to the southwest of the home. All the conditions have been met, and it is reasonable to believe that the permit holders are using water for the beneficial use authorized on their permit. Therefore, I am recommending a 0.04 cfs diversion rate and 1.2 af volume.

Conditions X04, 187 and X60 should remain on the license. Condition 046 should be removed as standard with licensing. All other conditions should be removed.

Have conditions of permit approval been met? ☒ Yes ☐ No**I. RECOMMENDATIONS****1. Recommended Amounts**

BENEFICIAL USE	PERIOD OF USE	DIVERSION RATE	ANNUAL VOLUME
Domestic	1/1 to 12/31	0.04 CFS	1.2 AF
<u>Totals:</u>		0.04 CFS	1.2 AF

2. Recommended Amendments☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ None

Other: < >

J. AUTHENTICATION Skyler Cheever, Water Resource AgentField Examiner's Name Skyler Cheever Date 12/14/2022Reviewer T. Thuma Date 12/19/22

SCANNED
DEC 20 2022

Field Exam Map:

The orange border shows the place of use, and the yellow point shows the point of diversion.



SCANNED
DEC 20 2022

Irrigation Map

Google Imagry shows some irrigation near the small building to the southwest.



SCANNED
DEC 20 2022

Beneficial Use Proof Evaluation

Permit Number: 95-18230 Reviewer: djudd Review Date: 12/12/2022

Acceptability

- 1) Is the contact on the request the current permit holder? Yes
- 2) Does the address of record need to be updated? No
- 3) Proof Submitted Date: 12/12/2022
- 4) Proof Due Date: 2/1/2023
- 5) Days added for weekend due date? 0
- 6) Days added for holiday due date? 0
- 7) Number of days late: -51
- 8) Proof received timely? Yes

Analysis

- 1) Are the water uses correct? Yes
- 2) Are one of the following items required?
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- No
- 3) Are the required items installed?
 - a. Measuring Device --
 - b. Lockable Device --
 - c. Fish Screen --
- 4) Is there a request to waive the required items?
- 5) Drilling Permit Number: 869052
- 6) Is a drilling permit upgrade needed? No
- 7) Was a well drillers report filed? Yes
- 8) Is proof accepted?

Fees

- 1) Is a licensing exam fee required? No
- 2) Was proof submitted with an exam report from a CWE? No
- 3) Filing fee due: \$0.00
- 4) Filing fee submitted: \$0.00
- 5) Remaining fee or (refund): \$0.00

Receipt IDs

N037960

Comments

Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing.



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little
November 30, 2022

Director Gary Spackman

KURT ZIMMERMAN
SUSAN ZIMMERMAN
1305 PEREGRINE RD
SPIRIT LAKE ID 83869-7014

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit No. 95-18230

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holders:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **February 01, 2023**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Idaho Code § 42-204. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a \$50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this Department on or before the above proof due date. If neither is received, the Department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Debbi Judd
Technical Records Specialist

Enclosures



7016 1370 0000 2018 3304

SCANNED
NOV 30 2022