

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 96-11661

Priority: June 06, 2022

Maximum Diversion Rate: 0.12 CFS

Maximum Diversion Volume: 8.4 AF

It is hereby certified that:

BRISBOYS ROAD HOMEOWNERS ASSN INC 388 BRISBOYS RD SAGLE ID 83860-9398

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 06, 2022, and has submitted Proof of Beneficial Use on June 12, 2023. An examination confirms water is diverted from:

Source : GROUND WATER

Beneficial Use
DOMESTIC

Period of Use
01/01 to 12/31

Rate of Diversion
0.12 CFS

Annual Volume
8.4 AF

Location of Point(s) of Diversion

GROUND WATER SW¼ SE¼, Sec. 3, Twp 56N, Rge 02W, B.M. BONNER County

Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	02W	3															X		

Conditions of Approval

1. Point of diversion is located within Lot 3, Blk. 1, Sunrise Terrace First Addition Subdivision.
2. Place of use is located within Lots 1-4, Blk. 1 and Lots 1, 4, and 5, Blk. 2; Sunrise Terrace First Addition Subdivision.
3. Domestic use is for 7 homes.
4. The irrigation occurring under this domestic use shall not exceed 1/2 acre within each platted subdivision lot. This right does not provide for irrigation of common areas.
5. This right does not grant any right-of-way or easement across the land of another.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 22nd day of June, 20 23.



PHILL HUMMER
Water Rights Supervisor


SCANNED

JUN 23 2023

State of Idaho
Department of Water Resources
Attachment to Water Right
96-11661

This map depicts the DOMESTIC place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

02W



0 0.0375 0.075 0.15 Miles

-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion

SCANNED
JUN 23 2013



RECEIVED

JUN 12 2023

DEPARTMENT OF
WATER RESOURCESSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY

Amt. of Fee \$ 50.00
Receipt No. C116475
Received By RM
Date Received 6.12.23

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

- Permit No. 96-11661 Name of Permit Holder(s) Brisboys Road Homeowners INC
Telephone No. 208-293-4157 Email SAHSTSTEWART@GMAIL.COM
Mailing Address 388 Brisboys Rd City Sagle State ID Zip 83860
- Source of Water Well If Ground Water (well), Date Drilled mo. ____ / yr. 1978
Drilling Permit/Tag No. 96-78-N-172 Drilling Company's Name NA
- Extent of use(s) completed as authorized by the water right permit:
Domestic (No. households) 7 Irrigation (No. acres) ____ Stockwater (No. and stock type) ____
Other 1/2 Acre per parcel
- Total diversion rate or volume (storage only) for which proof is submitted 0.13 cfs OR ____ af
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.
- Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)
Pump and pipe line run to water service connections.
- Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:
Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

☐	☒	Ground water level data, pumping information, or other diversion data
☐	☒	Mitigation plan
☐	☒	Lockable controlling works
☐	☒	Measuring device
☐	☒	Fish screen
☐	☐	Other requirements of the water right permit _____
☐	☒	Reasonably Anticipated Future Needs ("RAFN") Municipal use

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No
- Fee Enclosed \$ 50.00 or ☐ CWRE field report attached or ☐ No fee required
See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

- Person to contact to accompany a Department representative during the field examination of the water system:

Name: JOHN RODGERS Telephone No. 208 290 3079 Email _____
Mailing Address 407 BRISBOYS RD. City SAGLE State ID Zip 83860

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

SAHST
SIGNATURE OF PERMIT HOLDER*

Shawn Stewart
PRINTED NAME AND TITLE

05 JUN 23
DATE

*Attach power of attorney if completing on behalf of permit holder.

SCANNED

JUN 15 2023



Idaho Corporation Annual Report Form

File online at: sosbiz.idaho.gov

Due no later than: 08/31/2022

For Office Use Only

Return complete **-FILED-** 30 days to:

Idaho Secretary

Attn: An File #: 0004836448

450 North Date Filed: 8/1/2022 10:26:00 AM

Boise, ID 83720

Phone: (208) 334-2300

Annual Report: No filing fee if received by the due date.

SOS Control Number: 491641

Filing Status: Active-Good Standing

Non-Profit Corporation (D)

Date Formed: 08/15/2005

Formation Locale: ID

Name and Mailing Address:

BRISBOYS ROAD HOMEOWNERS ASSOCIATION, INC.

454 BRISBOYS RD

SAGLE, ID 83860-8980

(1) Add or Change Mailing Address:

388 brisboys rd
SAGLE, ID 83860

Registered Agent (RA) and Registered Office (RO) Address:

EDWARD W SUMMERHILL

454 BRISBOYS RD

SAGLE, ID 83860

(2) Change RA and/or RO Address:

Shawn Stewart
388 brisboys rd
SAGLE, ID 83860

Note: The Registered Office address must be a physical Idaho address (no postal box).

(3) New Registered Agent (RA) Signature:

If a new agent is appointed in item (2) above, the new agent must sign here to accept the appointment

(4) Corporations: Enter names and business addresses (with zip code) of the President, Vice President, Secretary, Treasurer.

Title	Name	Business Address	City, State, Zip
President	Shawn Stewart	388 brisboys rd	SAGLE, ID 83860
Vice pres	John Rogers	407 brisboys rd	SAGLE, ID 83860
Director	PATRICK RAYVOR	459 brisboys rd	SAGLE, ID 83860

(5) Board of Directors names and business addresses (with zip code). Attach additional sheet if necessary.

Name	Business Address	City, State, Zip

(5) Signature:

Shawn Stewart

(6) Date:

27 JULY 22

(7) Type/Print Name:

Shawn Stewart

(8) Title:

President

Instructions: Legibly complete the form above. Sign and date this form and return to the address provided above.

SCANNED

JUN 15 2023

B0696-9135-08/01/2022 10:26 AM Received by ID Secretary of State Lawrence Denney

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

CHANGE IN ADDRESS

RECEIVED
JUN 08 2023
IDWR / NORTHThis form can be used to notify the Department of a change in
address of the owners of record for the listed water rights.

(Please print or type)

Water Right Number(s): 96-11661

Name(s): Shawn Stewart
388 brisboys rd Sagle ID 83860

Old Mailing Address: Edward Summerh:jl
454 brisboys rd
Sagle, ID 83860

New Mailing Address: 388 brisboys rd
SAGLE, IDAHO 83860

Telephone Number: 208-293-4157

Email: sahstewart@gmail.com

Signature(s) of Owner(s) [Signature]
President
(Include your title if on behalf of company or organization.)

Date: 05 June 23

Send a signed original to your closest regional office:

IDWR Northern Region
7600 N. Mineral Dr., Suite 100
Coeur d'Alene, ID 83815-7763
(208) 762-2800IDWR Western Region
2735 Airport Way
Boise, ID 83705-5082
(208) 334-2190IDWR Eastern Region
900 N. Skyline Dr., Suite A
Idaho Falls, ID 83402-1718
(208) 525-7161IDWR Southern Region
650 Addison Ave W, Suite 500
Twin Falls, ID 83301-5858
(208) 736-3033SCANNED
JUL 03 2023

RECEIVED
JUN 26 2023
IDWR / NORTH

Brisboys Road Homeowners Association meeting minutes

Location: 454 Brisboys Rd

Date: 12 July 2022

Time: 12:00

Attendees: Edward W Summerhill, John Rodgers, Shawn Stewart

Agenda Items

1. New homeowners association president named.
2. Wheeler Summerhill steps down as president and nominates Shawn Stewart.
3. John Rodgers confirms said action.
4. Shawn Stewart accepts new role as President of Brisboys road homeowners association.

Action Items	Owner(s)	Deadline	Status
Voting in new president	Shawn Stewart	12 July 2022	complete

Signature:

Edward W Summerhill-

John Rodgers-

Shawn Stewart

SCANNED
JUL 03 2023



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

June 23, 2023

BRISBOYS ROAD HOMEOWNERS ASSN INC
388 BRISBOYS RD
SAGLE ID 83860-9398

RE: License No. 96-11661

ISSUANCE OF LICENSE

Dear Water Right Holder(s):

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,

Jean Hersley

FOR
Phill Hummer
Water Rights Supervisor

Enclosure(s)

SCANNED

JUN 23 2023

CERTIFICATE OF SERVICE

I hereby certify that on June 23, 2023, I served a true and correct copy of Water Right License No. 96-11661 by U.S. Mail, postage prepaid, to the following:

BRISBOYS ROAD HOMEOWNERS ASSN INC (Current Owner)
388 BRISBOYS RD
SAGLE ID 83860-9398

JOHN RODGERS
407 BRISBOYS RD
SAGLE ID 83860



Jean Hersley
Technical Records Specialist 2

SCANNED

JUN 23 2023

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) The petition for reconsideration is disposed of; or
- (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATIONExam Date: 6/16/2023

1. Does this qualify for an in-office field exam (IDAPA 37.03.02.035.01.r)? X Y N
- a. Irrigation of 5 acres or less
b. Storage of up to 14.6 AF for stockwater purposes only
c. X Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
d. Other < >
2. Current Owner: Brisbuys Road Homeowners Ass. Inc.
Owner of Record Correct? N
Address of Record Correct? N
If No Explain: N/A
3. Beneficial Use Fees have been paid: X Y N Receipt No: C116475
4. Source: Groundwater Tributary: N/A
- Method of Determination:
Change in Source: Y X N

B. OVERLAP REVIEW

1. Other water rights with the same place of use:
-
- No Overlap

Water Right No.	Source	Purpose of Use	Basis
96-8494	Groundwater	Irrigation	License
96-8860	Groundwater	Domestic	License

Comments: Water right 96-8860 overlaps the proposed place of use and is for domestic use for 21 homes. However, the water right backfile and the place of use for a claim filed indicate use is occurring in homes to the east of this permits place of use and would not overlap. Water right 96-8494 also overlaps the proposed place of use. However, the right has a different beneficial use so there would be no reason to combine limit 96-8494 and this permit.

2. Other water rights with the same point of diversion:
- X
- NO Overlap

Water Right No.	Source	Purpose of Use	Basis

Comments: N/A

C. DIVERSION AND DELIVERY SYSTEM

1. Location of Point(s) of Diversion:

Source	Govt. Lot	¼	¼	¼	Sec.	Twp.	Rge.		County
Groundwater			SW	SE	3	56N	02W	B.M.	Bonner
								B.M.	
								B.M.	

Method of Determination: GIS and Tax Parcel Data.Change in POD? Y X N Amendment Required? Y X N**SCANNED**

JUN 23 2023

2. Place of Use: Domestic

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	02W	3															D		N/A
		Lot #																	N/A
Total Acres =																		N/A	

Method of Determination: GIS and Tax Parcel DataChange in POU? Y X N Amendment Required? Y X NDelivery System Diagram Attached (required). Indicate all major components and distances between components.

Indicate weir size/pipe as applicable:

X Aerial Photo Attached (required for irrigation of 10+ acres).Photo of Diversion and System Attached

3. Diversion Id No.*	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
N/A					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1. Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A						

2. Measurement Comments: The permit holder did not provide a pump horsepower. Therefore, a diversion rate calculation is not possible.**E. FLOW CALCULATIONS**Additional Computation Sheets Attached

Measured Method: Since the permit holder did not provide a pump horsepower a diversion rate calculation is not possible.
According to Administrative Processing Memo #22 the standard diversion rate for 7 homes is 0.12 cfs. The permit authorizes 0.13 cfs. I am recommending a 0.12 cfs diversion rate.

F. VOLUME CALCULATIONS

2. Volume Calculations for Other Uses: According to Administrative Processing Memo #22 the standard diversion volume for a single domestic use is 0.6 af for in house use and 0.6 af for up to ½ an acre of yard irrigation or 1.2 af. The permit authorizes 7 home and is conditioned for a ½ an acre of yard irrigation per platted subdivision lot, 1.2 af*7 homes= 8.4 af. I am recommending an 8.4 af diversion volume.

G. PURPOSE OF USEIrrigation X Y N # Stock N/A Domestic # of Homes 7

Other: < >

Change in Purpose of Use? Y X NMethod of Determination: GIS, Tax Parcel Data, and 2022 Bonner County Aerial Imagery.

If Yes: From Use _____ To Use _____ Amount _____ CFS _____ AFA _____

SCANNED
JUN 23 2023

H. NARRATIVE/REMARKS/COMMENTS

The permit qualifies for an in-office examination. The permit authorized domestic use for 7 home including in house use and ½ an acre of year irrigation per platted subdivision lot. Two lots, Sunrise Terrace, Block 2, lots 2 and 3, are within the same subdivision area but not included on this permit. The permit holder was contacted on June 20th, 2023, and confirmed these lots are not connected to the diversion system and were not included on the permit. According to 2022 Bonner County Aerial Imagery irrigation occurred in each authorized platted subdivision lot. The projected parcel boundaries were not consistent with the visual property boundary. The place of use was adjusted to the visual property boundary. Since the permit holder did not provide a pump horsepower a diversion rate calculation was not possible. The standards set in Administrative Processing Memo #22 were used to make diversion rate and volume recommendations. All of the conditions have been met and it has been confirmed a beneficial use has been developed within what was authorized on the permit. Therefore, I am recommending a 0.12 cfs diversion rate and 8.4 af diversion volume.

Conditions X59, X60, 070, and 004 should remain on the license. Condition 046 should be removed because the permit holder complied with the well drilling requirements of the Department. All other conditions should be removed as standard with licensing.

Have conditions of permit approval been met? ☒ Yes ☐ No

I. RECOMMENDATIONS

1. Recommended Amounts:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
Domestic	01/01-12/31	0.12 CFS	8.4 AF
<u>Totals:</u>		0.12 CFS	8.4 AF

2. Recommended Amendments:


☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ None

Other: < >

J. AUTHENTICATION Skyler Cheever – Water Resource Agent

Field Examiner's  Date 6/16/2023

Reviewer  Date 6/22/23

Field Exam Map

SCANNED
JUN 23 2023

Field Exam Map

Map showing the authorized point of diversion (yellow point) and place of use (orange outline).




SCANNED

JUN 23 2023

Irrigation Map

2022 Bonner County Aerial Imagery indicating irrigation occurred within the place of use (green polygon)

96-11661



6/16/2023

Road Centerlines

- Primary
- Secondary
- Local; Ramp

 Parcels

- World Boundaries and Places
World Imagery
Low Resolution 15m Imagery


High Resolution 60cm Imagery

High Resolution 30cm Imagery

Citations

1.2m Resolution Metadata

1:4,425



Esri HERE, Garmin, (c) OpenStreetMap

SCANNED

JUN 23 2023

Beneficial Use Proof Evaluation

Permit Number: 96-11661 Reviewer: AVeibell Review Date: 6/15/2023

Acceptability

- 1) Is the contact on the request the current permit holder? Yes
- 2) Does the address of record need to be updated? Yes
- 3) Proof Submitted Date: 6/12/2023
- 4) Proof Due Date: 8/1/2023
- 5) Days added for weekend due date?
- 6) Days added for holiday due date?
- 7) Number of days late: -50
- 8) Proof received timely? Yes

Analysis

- 1) Are the water uses correct? Yes
- 2) Are one of the following items required?
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- No
- 3) Are the required items installed? Yes
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- No
- 4) Is there a request to waive the required items? No
- 5) Drilling Permit Number:
- 6) Is a drilling permit upgrade needed? No
- 7) Was a well drillers report filed? Yes
- 8) Is proof accepted? Yes

Fees

- 1) Is a licensing exam fee required? Yes
- 2) Was proof submitted with an exam report from a CWE? No
- 3) Filing fee due: \$50.00
- 4) Filing fee submitted: \$50.00
- 5) Remaining fee or (refund): \$0.00

Receipt IDs

N039911

Comments

Address updated during evaluation process. Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing.



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

May 31, 2023

BRISBOYS ROAD HOMEOWNERS ASSN INC
454 BRISBOYS RD
SAGLE ID 83860-8980

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit No. 96-11661

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holder(s):

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **August 01, 2023**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a \$50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this department on or before the above proof due date. If neither is received, the department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Water Rights Section

Enclosure(s)

c: EDWARD SUMMERHILL



SCANNED
JUN 05 2023