

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 96-11704

Priority: May 12, 2022

Maximum Diversion Rate: 0.04 CFS

Maximum Diversion Volume: 1.2 AF

It is hereby certified that:

TALLY HO TRUST PO BOX 21078 SPOKANE WA 99201-7197

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 12, 2022, and has submitted Proof of Beneficial Use on March 03, 2023. An examination confirms water is diverted from:

Source : PEND OREILLE RIVER

Tributary: COLUMBIA RIVER

Beneficial Use

DOMESTIC

Period of Use

01/01 to 12/31

Rate of Diversion

0.04 CFS

Annual Volume

1.2 AF

Location of Point(s) of Diversion

PEND OREILLE RIVER SE¼ SW¼, Sec. 36, Twp 56N, Rge 04W, B.M. BONNER County

Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	04W	36												X L2					

Conditions of Approval

1. This right does not grant any right-of-way or easement across the land of another.
2. Domestic use is for 1 home.
3. The irrigation occurring under this domestic use shall not exceed 1/2 acre.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 9th day of March, 20 23.



PHILL HUMMER
Water Rights Supervisor

SCANNED
MAR 13 2023

State of Idaho
Department of Water Resources
Attachment to Water Right
96-11704

This map depicts the DOMESTIC place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion



0 400 800 Feet

SCANNED
MAR 13 2023

RECEIVED

MAR 07 2023

Form 42-217 Rev. 6/22

RECEIVED

MAR 03 2023

DWR / NORTH

DEPARTMENT OF
WATER RESOURCES

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

STATEMENT OF COMPLETION

FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY

Amt. of Fee \$ 50⁰⁰Receipt No. N042626Received By NSDate Received 3/3/23

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. Re-11704 Name of Permit Holder(s) TALLY HO TRUST
 Telephone No. (509) 710-0904 Email JM13PD13@gmail.com
 Mailing Address PO. Box 21078 City SPOKANE State WA Zip 99301

2. Source of Water End of Elk River If Ground Water (well), Date Drilled mo. ____ / yr. ____
 Drilling Permit/Tag No. ____ Drilling Company's Name ____

3. Extent of use(s) completed as authorized by the water right permit:

Domestic (No. households) 1 Irrigation (No. acres) ____ Stockwater (No. and stock type) ____
 Other ____

4. Total diversion rate or volume (storage only) for which proof is submitted ____ cfs OR ____ af
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.

5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)

Submersible pump with water line to crawl space
and sprinkler system for lawn

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

- | | | |
|--------------------------|-------------------------------------|---|
| ☐ | ☒ | Ground water level data, pumping information, or other diversion data |
| ☐ | ☒ | Mitigation plan |
| ☐ | ☒ | Lockable controlling works |
| ☐ | ☒ | Measuring device |
| ☐ | ☒ | Fish screen <u>INSTALLED @ pump</u> |
| ☐ | ☐ | Other requirements of the water right permit ____ |

☐ Reasonably Anticipated Future Needs ("RAFN") Municipal use

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

7. Fee Enclosed \$ \$30⁰⁰ or ☐ CWRE field report attached or ☐ No fee required

See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: JANET PEDEY Telephone No. 509 710 0904 Email JM13PD13@gmail.com
 Mailing Address PO Box 21078 City SPOKANE State WA Zip 99301

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

JANET PEDEY

SIGNATURE OF PERMIT HOLDER*

JANET PEDEY, OWNER

PRINTED NAME AND TITLE

3/3/23

DATE

*Attach power of attorney if completing on behalf of permit holder.

SCANNED

MAR 13 2023



322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little
March 10, 2023

Director Gary Spackman

TALLY HO TRUST
PO BOX 21078
SPOKANE WA 99201-7197

RE: License No. 96-11704

ISSUANCE OF LICENSE

Dear Water Right Holder:

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,

A handwritten signature in black ink, appearing to read "Phill Hummer".

Phill Hummer
Water Rights Supervisor

Enclosures

SCANNED
MAR 13 2023

CERTIFICATE OF SERVICE

I hereby certify that on March 10, 2023, I served a true and correct copy of Water Right License No. 96-11704 by U.S. Mail, postage prepaid, to the following:

TALLY HO TRUST (Current Owner)
PO BOX 21078
SPOKANE WA 99201-7197

JANET M PEDEY (Trustee)
PO BOX 21078
SPOKANE WA 99201



Debbi Judd
Technical Records Specialist

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATIONPermit No: 96-11704Exam Date: 03/08/2023

1. Does this qualify for an in-office field exam (IDAPA 035.02.r)? X Y N
- Irrigation of 5 acres or less
 - Storage of up to 14.6 AF for stockwater purposes only
 - Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
 - Other < >

2. Current Owner: Name: Tally Ho Trust- Trustee- Janet Pedey
- Owner of Record Correct? X Y N
- Address of Record Correct? X Y N

3. Beneficial Use Fees have been paid: X Y N Receipt No: N042626

4. **SOURCE** TRIBUTARY

Pend Oreille River

Columbia River

Method of Determination: GIS and Tax lot DataChange in Source: Y X N**B. OVERLAP REVIEW**

1. Other water rights with the same place of use (POU): NO Overlap

Water Right No.	Source	Purpose of Use	Basis
NONE			

Comments: No water rights, permits or claims were found to be overlapping the purposed place of use at the time of this review.

2. Other water rights with the same point of diversion (POD): NO Overlap

Water Right No.	Source	Purpose of Use	Basis
NONE			

Comments: No water rights, permits or claims were found to be overlapping with the purposed point of diversion at the time of this review.

C. DIVERSION AND DELIVERY SYSTEM

1. **LOCATION OF POINT(S) OF DIVERSION:**

Source	Govt. Lot	¼	¼	¼	Sec.	Twp.	Rge.		County
Submersible Pump			SE	SW	36	56N	04W	B.M.	BONNER

Method of Determination: GIS and Tax lot data.Change in POD? X N Amendment Required? X N

2. **PLACE OF USE:** USE: DOMESTIC

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	04W	36												D					
		Lot #												2					
Total Acres =																			

SCANNED
MAR 13 2023

Permit No: 96-11704

Page 2

Method of Determination: GIS & Tax Lot data

Change in POU? X N Amendment Required? X N

 Delivery System Diagram Attached (required). Indicate all major components and distances between components.

Indicate weir size/pipe as applicable.

 X Aerial Photo Attached (required for irrigation of 10+ acres).

 Photo of Diversion and System Attached

4. Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Sub Pump	Unknown		unknown	unknown	unknown

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements: No measurement is required for an in-house exam, but Processing Memo #22 was referenced to determine a reasonable diversion rate.

E. FLOW CALCULATIONS

 Additional Computation Sheets Attached

Measured Method:

No measurement is required for an in-house exam. I am recommending 0.04cfs for the license, as per Processing Memo #22.

Permit rate = 0.04cfs

Recommendation = 0.04cfs

F. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:
N/A- DOMESTIC/STREAMFLOW

2. Volume Calculations for Other Uses:
IDWR standard policy is described in Application Processing Memo No. 22. The standard volume for Domestic uses with inhouse and irrigation is 1.2 af.

G. PURPOSE OF USE

Irrigation X Y N # Stock Domestic # of Homes 1

Change in Purpose of Use? Y X N

Method of Determination: Tax lot data and GIS data.

SCANNED
MAR 13 2023

H. NARRATIVE/REMARKS/COMMENTS

The parcel appurtenant to the purposed place of use is owned by the permit holder. The parcel has been developed and the home and small irrigated area north of the home can be identified via aerial imagery (Figure 1.1 & 1.2). There are no water rights overlapping the purposed place of use or point of diversion (figure 1.3). The permit holder stated in the proof of beneficial use that the system runs into the house crawl space and to the sprinkler system for the lawn (the total area of the parcel is 0.3 acres). Small submersible pumps can typically provide a rate of 0.04cfs, and the rate is standard for domestic use in one house.

I am recommending the license be issued with conditions 004, x01, & 187. No comment was received from IDFG and the permit holder confirmed on the proof of beneficial use that a fish screen has been installed at the intake, so condition 029 has been removed for the license.

Have the conditions of permit approval been met? ☒ Yes ☐ No

I. RECOMMENDATIONS**1. Recommended Amounts**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
Domestic	01/01 to 12/31	0.04 CFS	1.2
<u>Totals:</u>		0.04 CFS	

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ None

Other: < >

J. AUTHENTICATION- Water Resources Agent- Bob Howe

Water Resource Agent's Name Bob Howe Date 3/9/2023

Reviewer Plhmy Date 3/1/23

SCANNED
MAR 13 2023




Figure 1.1-2022 Google Earth image of purposed POU (outlined in yellow) facing north.

SCANNED
MAR 13 2023




Figure 1.2- Google Earth image of the proposed POU (outlined in yellow) facing south. The lawn & garden are visible, partially shrouded by tree cover.

SCANNED
MAR 13 2023




Figure 1.3- 2021 GIS image of purposed POU (outlined in light blue) and point of diversion (bright blue point). Areas with appurtenant water rights are shaded in pink.

SCANNED
MAR 13 2023

Beneficial Use Proof Evaluation

Permit Number: 96-11704 Reviewer: djudd Review Date: 3/7/2023

Acceptability

- 1) Is the contact on the request the current permit holder? Yes
- 2) Does the address of record need to be updated? No
- 3) Proof Submitted Date: 3/3/2023
- 4) Proof Due Date: 8/1/2023
- 5) Days added for weekend due date? 0
- 6) Days added for holiday due date? 0
- 7) Number of days late: -151
- 8) Proof received timely? Yes

Analysis

- 1) Are the water uses correct? Yes
- 2) Are one of the following items required?
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- No
- 3) Are the required items installed?
 - a. Measuring Device --
 - b. Lockable Device --
 - c. Fish Screen --
- 4) Is there a request to waive the required items?
- 5) Drilling Permit Number:
- 6) Is a drilling permit upgrade needed?
- 7) Was a well drillers report filed?
- 8) Is proof accepted? Yes

Fees

- 1) Is a licensing exam fee required? Yes
- 2) Was proof submitted with an exam report from a CWE? No
- 3) Filing fee due: \$50.00
- 4) Filing fee submitted: \$50.00
- 5) Remaining fee or (refund): \$0.00

Receipt IDs

N039578

Comments

Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing.