

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 96-9670

Priority: August 08, 2017

Maximum Diversion Rate: 0.04 CFS

It is hereby certified that:

LAURIE WILLIAMS 5 E EVERGREEN RD SAGLE ID 83860-9188

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 08, 2017, and has submitted Proof of Beneficial Use on September 09, 2022. An examination confirms water is diverted from:

Source : PEND OREILLE RIVER

Tributary: COLUMBIA RIVER

Beneficial Use
DOMESTIC

Period of Use
01/01 to 12/31

Rate of Diversion
0.04 CFS

Location of Point(s) of Diversion

PEND OREILLE RIVER L5 (NW¼ SE¼), Sec. 9, Twp 56N, Rge 03W, B.M. BONNER County

Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	03W	9														X			
																L5			

Conditions of Approval

1. This right does not grant any right-of-way or easement across the land of another.
2. A fish screen of 1/4 inch or smaller mesh shall be installed and maintained at the point of diversion.
3. Domestic use is for 1 home.
4. The irrigation occurring under this domestic use shall not exceed 1/2 acre.
5. The domestic use authorized under this right shall not exceed 13,000 gallons per day per home.
6. Place of use is located within Lot 37, Lot 38 and Lot 39, Blk. 2, Evergreen Lots subdivision.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 23rd day of September, 2022.



PHILL HUMMER
Water Rights Supervisor

SCANNED
SEP 28 2022

State of Idaho
Department of Water Resources
Attachment to Water Right License
96-9670


This map depicts the DOMESTIC place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

03W



56N

-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion



SCANNED
SEP 28 2022
N

SEP 09 2022
DEPARTMENT OF
WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY

Amt. of Fee \$ 50.00
Receipt No. C113963
Received By KU
Date Received 9-9-22

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 96-09670 Name of Permit Holder(s) Laurie Williams
Telephone No. 714 926-2707 Email laurie-williams424@roadrunner.com
Mailing Address 5 East Evergreen Road City Sagle State ID Zip 83860
2. Source of Water Lake Pend Oreille River If Ground Water (well), Date Drilled mo. ____ / yr. ____
Drilling Permit/Tag No. ____ Drilling Company's Name ____

3. Extent of use(s) completed as authorized by the water right permit:

Domestic (No. households) ____ Irrigation (No. acres) 242 Stockwater (No. and stock type) ____
Other ____

4. Total diversion rate or volume (storage only) for which proof is submitted 0.04 cfs OR ____ af
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.

5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)

We only pull for irrigation for 242 Acre. Submersible pump located in Pend Oreille River. (10 Gallon GPM Goulds Pump. We are not using for domestic water we have a well 96-9663)

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

- | | | |
|-------------------------------------|-------------------------------------|---|
| ☐ | ☐ | Ground water level data, pumping information, or other diversion data |
| ☐ | ☐ | Mitigation plan |
| ☐ | ☐ | Lockable controlling works |
| ☐ | ☐ | Measuring device |
| ☒ | ☒ | Fish screen |
| ☐ | ☐ | Other requirements of the water right permit |
| ☐ | ☐ | Reasonably Anticipated Future Needs ("RAFN") Municipal use |

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

7. Fee Enclosed \$ 50.00 or ☐ CWRE field report attached or ☐ No fee required
See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: Laurie Williams Telephone No. 714 926-2707 Email laurie-williams424@roadrunner.com
Mailing Address 5 East Evergreen Road City Sagle State ID Zip 83860

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

Laurie Williams
SIGNATURE OF PERMIT HOLDER*

Laurie Williams, Owner
PRINTED NAME AND TITLE

9/2/2022
DATE

*Attach power of attorney if completing on behalf of permit holder.

SCANNED
SEP 28 2022



322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

September 28, 2022

LAURIE WILLIAMS
5 E EVERGREEN RD
SAGLE ID 83860-9188

RE: License No. 96-9670

ISSUANCE OF LICENSE

Dear Water Right Holder:

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,

for Phill Hummer
Water Rights Supervisor


Enclosures

SCANNED
SEP 28 2022

CERTIFICATE OF SERVICE

I hereby certify that on September 28, 2022, I served a true and correct copy of Water Right License No. 96-9670 by U.S. Mail, postage prepaid, to the following:

LAURIE WILLIAMS (Current Owner)
5 E EVERGREEN RD
SAGLE ID 83860-9188



Debbi Judd
Technical Records Specialist

SCANNED
SEP 28 2022

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATIONPermit No: 96-9670

Exam Date: 9/19/2022

1. Does this qualify for an in-office field exam (IDAPA 035.02.r)? X Y N
- Irrigation of 5 acres or less
 - Storage of up to 14.6 AF for stockwater purposes only
 - Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
 - Other < >

2. Current Owner: Name: Laurie Williams
- Owner of Record Correct? X Y N
- Address of Record Correct? X Y N
- If No: Address

According to GIS and Tax data the property is owned by Laurie Williams

3. Beneficial Use Fees have been paid: X Y N Receipt No: ~~N032852~~ C113963
4. SOURCE TRIBUTARY
- Pend Oreille River Columbia River

Method of Determination: GIS and Tax DataChange in Source: Y X N**B. OVERLAP REVIEW**

1. Other water rights with the same place of use: YES Overlap

Water Right No.	Source	Purpose of Use	Basis
96-2258	Pend Oreille River	Irrigation	License
96-7815	Pend Oreille River	Irrigation	License
96-9663	Groundwater	Domestic	License

Comments: Water right (WR#) 96-2258, 96-7815, and 96-9663 do overlap the place of use listed in this permit. WR# 96-2258 and 96-7815 have a beneficial use of irrigation, not domestic use. Thus, this permit would not interfere with these rights because they do not share the same use. Both the permit and WR# 96-663 are issued to Laurie Williams according to Proof of Beneficial Use Report. WR# 96-9663 is listed as domestic use but is from ground water, not surface water.

2. Other water rights with the same point of diversion: NO Overlap

Water Right No.	Source	Purpose of Use	Basis
96-2258	Pend Oreille River	Irrigation	License
96-7815	Pend Oreille River	Irrigation	License
96-9444	Pend Oreille River	Irrigation	License

Comments: All three water rights share the same source, the Pend Oreille River. However, this permit is from a separate pumping system, according to the Proof of Beneficial Use Report. Thus, would not overlap these rights.

SCANNED
SEP 28 2022

C. DIVERSION AND DELIVERY SYSTEM**1. LOCATION OF POINT(S) OF DIVERSION:**

Source	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.		County
Submersible Pump	5		NW	SE	9	56N	03W	B.M.	Bonner
								B.M.	
								B.M.	

Method of Determination: GIS and Tax data.Change in POD? X N Amendment Required? X N**2. PLACE OF USE:** Use: Domestic

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	03W	9														D			
		Lot #														5			
Total Acres =																			

Method of Determination: GIS and Tax DataChange in POU? X N Amendment Required? X N Delivery System Diagram Attached (required). Indicate all major components and distances between components.

Indicate weir size/pipe as applicable.

 Aerial Photo Attached (required for irrigation of 10+ acres). Photo of Diversion and System Attached

4. Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
N/A					

*Code to correspond with No. on map and aerial photo

SCANNED
SEP 7 8 2022

D. FLOW MEASUREMENTS

1. Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A						

2. Measurements: No measurement is required for an in-house exam, but a theoretical calculation is not possible without pump horsepower.

E. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

According to Administrative Processing Memo #22, the standard rate for a single household use is 0.04 cfs. The flow rate listed on the permit is 0.04 cfs. I will recommend a diversion rate of 0.04 cfs.

F. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

This is a domestic use. According to processing memo #22, in-house and yard irrigation can have up to 1.2-acre feet of annual water use. However, this is not necessary because there is a condition, 071, limiting use to 13,000 gal per day. Accordingly, under Idaho Administrative Code 37.03.02, 35, 01j condition 071 sets the volume for a day at 13,000 gal.

G. PURPOSE OF USE

Irrigation ☒ Y ☐ N # Stock _____ Domestic # of Homes 1

Other: < >

Change in Purpose of Use? ☐ Y ☐ N

Method of Determination: Tax data and conversations with owner.

If Yes: From Use _____ To Use _____ Amount _____ CFS _____ AFA _____

H. NARRATIVE/REMARKS/COMMENTS

This permit qualifies for an in-house exam. According to the Proof of Beneficial Use Report the owner installed a fish screen in accordance with condition X15 on the permit. The owner did not provide pump horsepower, so a diversion rate could not be calculated. The diversion rate is then set by the standards of Administrative Processing Memo #22. A volume is not necessary since there is a condition, 071, on the permit limiting use to 13,000 gal per day. Under Idaho Administrative Code 37.03.02, 35, 01j the limitation set in condition 071 is the set volume allowed per day. According to the overlap analysis there are no conflicting water rights, with point of diversion or beneficial use, with what is listed on the permit.

All of the conditions are met. Therefore, I am recommending a diversion rate of 0.04 cfs, which is the standard for domestic uses. GIS and Tax Data indicates the home, shown in the permit, was built in 1974.

Conditions 004, X01, X15, X60, 071 and 187 should remain on the license. All other conditions should be removed.

Have conditions of permit approval been met? ☒ Yes ☐ No

SCANNED
SEP 28 2022

I. RECOMMENDATIONS**1. Recommended Amounts**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
Domestic	01/01 to 12/31	0.04 CFS	N/A
<u>Totals:</u>		0.04 CFS	N/A

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ☒ None

___ Change P.U. as reflected above ___ Add P.U. as reflected above ☒ None

Other: < >

J. AUTHENTICATION Skyler Cheever, Water Resource Agent

Field Examiner's Name Skyler Cheever Date 9/19/2022

Reviewer P. Hume Date 9/22/22

SCANNED

SEP 28 2022

Field Exam Map:

The orange border shows the place of use, and the yellow point shows the point of diversion.



Beneficial Use Proof Evaluation

Permit Number: 96-9670 Reviewer: djudd Review Date: 9/13/2022

Acceptability

- 1) Is the contact on the request the current permit holder? Yes
- 2) Does the address of record need to be updated? No
- 3) Proof Submitted Date: 9/9/2022
- 4) Proof Due Date: 11/1/2022
- 5) Days added for weekend due date? 0
- 6) Days added for holiday due date? 0
- 7) Number of days late: -53
- 8) Proof received timely? Yes

Analysis

- 1) Are the water uses correct? Yes
- 2) Are one of the following items required?
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- Yes
- 3) Are the required items installed? Yes
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- Yes
- 4) Is there a request to waive the required items?
- 5) Drilling Permit Number:
- 6) Is a drilling permit upgrade needed?
- 7) Was a well drillers report filed?
- 8) Is proof accepted? Yes

Fees

- 1) Is a licensing exam fee required? Yes
- 2) Was proof submitted with an exam report from a CWE? No
- 3) Filing fee due: \$50.00
- 4) Filing fee submitted: \$50.00
- 5) Remaining fee or (refund): \$0.00

Receipt IDs

N032852

Comments

Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing.