

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 96-9724

Priority: September 27, 2018

Maximum Diversion Rate: 0.01 CFS

It is hereby certified that:

MARK HIXSON 3784 COLBURN CULVER RD SANDPOINT ID 83864 AND
MICHELLE HIXSON 3784 COLBURN CULVER RD SANDPOINT ID 83864

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 27, 2018, and has submitted Proof of Beneficial Use on July 21, 2023. An examination confirms water is diverted from:

Source : GROUSE CREEK

Tributary: PACK RIVER

Beneficial Use
IRRIGATION

Period of Use
04/01 to 10/31

Rate of Diversion
0.01 CFS

Location of Point(s) of Diversion

GROUSE CREEK SW¼ SW¼, Sec. 3, Twp 58N, Rge 01W, B.M. BONNER County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
58N	01W	3											0.1						0.1

Total Acres: 0.1

Conditions of Approval

1. This right does not grant any right-of-way or easement across the land of another.
2. This right when combined with all other rights shall provide no more than 0.01 cfs nor more than 0.3 afa at the field headgate for irrigation of the place of use.
3. A fish screen of 1/4 inch or smaller mesh shall be installed and maintained at the point of diversion.
4. Water shall not be diverted under this right when flows in the Grouse Creek are below established minimum flow amounts established by Right 96-7980.
5. Water shall not be diverted under this right when flows in the Pack River are below minimum flow amounts as defined by Right 96-9724. The right holder shall be responsible for monitoring the daily flow of the Pack River using real-time data and shall cease diverting water when flows in the Pack River are below established minimum flow amounts. Unless otherwise specified by the Director of the Department of Water Resources, data from the U.S. Geological Survey gauging station near Colburn, ID, No. 12392300, may be used for purposes of determining the daily flow amounts.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 25th day of August, 2023.




PHILL HUMMER
Water Rights Supervisor

SCANNED
AUG 29 2023

State of Idaho
Department of Water Resources
Attachment to Water Right
96-9724

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

01W



0 400 800 Feet

-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion



SCANNED
AUG 29 2023

RECEIVED

JUL 21 2023

DEPARTMENT OF
WATER RESOURCESSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY

Amt. of Fee \$ 100
Receipt No. C116773
Received By gms
Date Received 7-21-23

The Idaho Department of Water Resources considers this form a statement by the permit holder(s) that development of a water right has been **completed** and that water has been applied to beneficial use to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner.** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, contact any Department office or visit the Department's website at idwr.idaho.gov for an *Assignment of Permit* form. If you wish to relinquish your permit because you have not established the authorized use of the water and are not applying for an extension, please notify the Department in writing.

1. Permit No. 96-9724 Telephone No. 208-304-3160
 2. Name of Permit Holder(s) Mark Hixson
 3. Mailing Address 3784 Colburn Culver Road City Sandpoint
 State ID Zip 83864 Email MRKHIXSON@AOL.COM
 4. Source of Water Grouse Creek If **GROUND WATER** (well), Date Drilled mo. ____ / yr. ____
 Well Driller _____ Drilling Permit Number _____

5. Extent of use(s) completed as authorized by the water right permit:

Domestic (No. of households) _____ Stockwater (No. and type of stock) _____
 Irrigation (No. of acres) _____ Other APPLE TREE

6. Total rate of diversion or storage volume for which proof is submitted 0.06 cfs OR _____ acre-feet.

7. Compliance with a measuring device requirement, lockable controlling device requirement, and/or other conditions of permit:
 Refer to the approval conditions on your permit and respond accordingly.

The Department will not issue a license if permit conditions are not met.

Measuring Device	Is a measuring device required?	Yes ☐	No ☒
	If yes, has the measuring device been installed?	Yes ☐	No ☐
Lockable Controlling Device	Is a lockable device required to control the diversion?	Yes ☐	No ☒
	If yes, has the lockable device been installed?	Yes ☐	No ☐
Fish Screen	Is a fish screen required?	Yes ☐	No ☒
	If yes, has the fish screen been installed?	Yes ☐	No ☐

Other Conditions of Permit

Do the approval conditions on your permit require you to submit additional information in connection with your proof of beneficial use? If yes, list the conditions below and attach documents with the required information.

_____ Completed? Yes ☐ No ☐

8. Fee Enclosed \$ _____ or not applicable ☐. See fee schedule on page 2 of the instructions.

Proof statements filed without an appropriate fee, will be considered incomplete.

9. Person to contact to accompany the Department representative during field examination of the water system.

Name Mark Hixson Telephone Number 208 304 3160
 Mailing Address 3784 Colburn Culver RD City Sandpoint
 State ID Zip 83864 Email MRKHIXSON@AOL.COM

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to a beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

Signature of Permit Holder Mark Hixson Date 6/24/23
 (Include your title, if on behalf of company or organization)



Governor Brad Little

Director Gary Spackman

August 28, 2023

MARK HIXSON
MICHELLE HIXSON
3784 COLBURN CULVER RD
SANDPOINT ID 83864

RE: License No. 96-9724

ISSUANCE OF LICENSE

Dear Water Right Holder(s):

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,

Jean Hersley

for
Phill Hummer
Water Rights Supervisor

Enclosure(s)

SCANNED


AUG 29 2023

CERTIFICATE OF SERVICE

I hereby certify that on August 28, 2023, I served a true and correct copy of Water Right License No. 96-9724 by U.S. Mail, postage prepaid, to the following:

MARK HIXSON (Current Owner)
3784 COLBURN CULVER RD
SANDPOINT ID 83864

MICHELLE HIXSON (Current Owner)
3784 COLBURN CULVER RD
SANDPOINT ID 83864



Jean Hersley
Technical Records Specialist 2

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) The petition for reconsideration is disposed of; or
- (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Exam Date: 08/22/2023

1. Does this qualify for an in-office field exam (IDAPA 37.03.02.035.01.r)? X Y ___ N
- a. X Irrigation of 5 acres or less
b. ___ Storage of up to 14.6 AF for stockwater purposes only
c. ___ Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
d. ___ Other < >
2. Current Owner: **MARK HIXSON**
Owner of Record Correct? ___ N
Address of Record Correct? ___ N
If No Explain:
3. Beneficial Use Fees have been paid: X Y ___ N Receipt No: C116773
4. Source: **GROUSE CREEK** Tributary: **PACK RIVER**

Method of Determination:
Change in Source: ___ Y X N

B. OVERLAP REVIEW

1. Other water rights with the same place of use: X No Overlap

Water Right No.	Source	Purpose of Use	Basis
NONE	NA	NA	NA

Comments: There are no rights overlapping the permit place of use (POU).

2. Other water rights with the same point of diversion: X NO Overlap

Water Right No.	Source	Purpose of Use	Basis
NONE	NA	NA	NA

Comments: There are no rights sharing the permit point of diversion (POD).

C. DIVERSION AND DELIVERY SYSTEM

1. Location of Point(s) of Diversion:

Source	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.		County
Inlet in Creek to Trash Pump			SW	SW	3	58N	01W	B.M.	BONNER

Method of Determination: GIS and Taxlot data.

Change in POD? ___ Y X N Amendment Required? ___ Y X N

2. Place of Use: IRRIGATION

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
58N	01W	3											0.1						0.1
		Lot #																	
Total Acres =																			0.1

Method of Determination: Bonner County Maps, GIS, and TAXLOT DATA

Change in POU? ___ Y X N Amendment Required? ___ Y X N

SCANNED

AUG 29 2023

X Delivery System Diagram Attached (required). Indicate all major components and distances between components.

Indicate weir size/pipe as applicable:

X Aerial Photo Attached (required for irrigation of 10+ acres).

X Photo of Diversion and System Attached

3. Diversion Id No.*	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Screened inlet in Cr	Unknown	5.5	Unknown	HD Power Inc.	Model HD3XH, 60m ³ /Hr

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1. Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE	NA	NA	NA	NA	NA	NA

2. Measurement Comments: The permit holder provided photos of the trash pump with a 5.5 Hp motor and a rated maximum output of 60m³/Hr (0.59cfs). A maximum head of about 40 ft was estimated using the DRG map.

E. FLOW CALCULATIONS

___ Additional Computation Sheets Attached

Measured Method:

A theoretical calculation and Administrative Memo #17 were used to determine a reasonable rate of diversion.

$$Q = (5.5\text{Hp})(8.8)(0.80 \text{ efficiency})/(40 \text{ ft lift}) + (2.31)*(45 \text{ psi}) = 0.27\text{cfs}$$

Theoretical Calculation= 0.27cfs

Permit allowed = 0.06cfs

Recommendation= 0.01cfs

Comments:

The permit holder submitted a system diagram, which outlined the boundary of the irrigated area, approximately 0.1 acre (consisting of 2 apple trees). The system was described as the pump feeding 175 ft of 2" plastic hose, reduced to a 1" nozzle at a water tank, which is used to gravity feed through about 50 ft of garden hose to a drip line. The permit holder estimates that the system only uses about 150 gallons per week.

Approximately 0.27cfs is possible with the 5.5 Hp pump. According to Administrative memo #17 up to 0.03cfs per acre is standard for the irrigation of up to 5 acres. I am recommending a diversion rate of 0.01cfs for the license.

F. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{\text{I.R.}} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 0.1 \text{ acre} \times 3.0 \text{ AF} = 0.3 \text{ AF}$$

$$V_{\text{D.R.}} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation season}) \times 1.9835 = 0.01\text{cfs} \times 213 \text{ days} \times 1.9835 = 4.2 \text{ AF}$$

$$V = \text{Smaller of } V_{\text{I.R.}} \text{ and } V_{\text{D.R.}} = 0.3 \text{ AF}$$

Comments:

This permit was issued for irrigation use from a natural stream/river source. According to the IDAPA Beneficial Use Examination Rules 37.03.02.35. 01j.viii a diversion volume is not required for irrigation if water is diverted from a natural flowing stream/river or spring.

G. PURPOSE OF USE

Irrigation ___Y___N # Stock ___NA___ Domestic # of Homes ___NA___

Change in Purpose of Use? ___Y___X___N

Method of Determination: Bonner County Maps, GIS, and Taxlot Data

SCANNED

AUG 29 2023

H. NARRATIVE/REMARKS/COMMENTS

This permit for the irrigation of 2 acres qualifies for an in-office examination for license. The permit holder submitted the Proof of Beneficial Use, received by IDWR on July 21st, 2023, stating in section #5 that the beneficial use was developed for "Apple Tree". I was unable to confirm any beneficial use was developed using aerial imagery (see figures 1 & 2). I called the permit holder on August 3rd, 2023, requesting additional information including photos of the development and a system diagram. An email was received from the permit holder August 14th, 2023, with 2 attached aerial photographs with the system diagram drawn on them (see figures 3 & 4), and further system details were included in one of several emails with photos of the use developed (see photos 1-5).

The use developed, as previously described, was a drip line supplied by a water tank filled by a trash pump with a screened inlet in Grouse Creek. A theoretical calculation confirmed that the pump is capable of providing the 0.06cfs rate on the permit. However, the area and use developed was only for 2 trees, so only the minimal reportable rate of 0.01cfs and approximately 0.3 AF could be licensed (as per Administrative Memos #17 and 6). As the diversion is from streamflow the volume was not reported on the license (IDAPA Rules 37.03.02.35. 01j.viii).

I am recommending the license be issued with a rate of 0.01cfs and conditions 004, X31, X15, WB9, and 227. Condition R66 was replaced with condition X31 at licensing, as the irrigated area is less than 1 acre. Both 227 conditions from the permit were replaced with condition 227 identifying the Pack River minimum stream flow (MSF) Right 96-8717 and USGS gauging station #12392300. Condition WB9 identifies the Grouse Creek MSF right 96-9780.

Have conditions of permit approval been met? X Yes No

I. RECOMMENDATIONS

1. Recommended Amounts:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 TO 10/31	0.01CFS	NA
<u>Totals:</u>		0.01CFS	


2. Recommended Amendments:

 Change P.D. as reflected above Add P.D. as reflected above X None

 Change P.U. as reflected above Add P.U. as reflected above X None

Other: < >

J. AUTHENTICATION- Bob Howe- Water Resource Agent

Field Examiner's  Date 8/24/23

Reviewer  Date 8/25/23

SCANNED

AUG 29 2023



Figure 1- Bonner County maps- image of the POU. No discernible development when compared to any previous years GIS imagery.




Figure 2- GIS, 2021 image of the POU, boundary outlined in blue.

SCANNED

AUG 29 2023



Figure 3 (above) & 4 (below)- System Diagrams submitted by permit holder. Dashed line is the 2" plastic line from the pump to the storage tank. Garden hose from the storage tank provides gravity fed flow to the drip line at the trees (watered 1 at a time).



SCANNED

AUG 29 2023



Photo 1- Pump into creek via 4" inlet with fish screen on the intake.



Photo 2- Up close of pump- rated max output+ 60 cubic meters/ Hr.

SCANNED

AUG 29 2023



Photo 3- Water tank with 2" plastic line from pump attached to fill at the top.



Photo 4- Irrigated area. 2 apple trees receive water via dripline on the end of garden hose.

SCANNED

AUG 29 2023



Photo 5- Garden hose with several holes drilled in it, for use as a gravity fed drip line.

SCANNED

AUG 29 2023

From: Mrkhixson <mrkhixson@aol.com>
Sent: Monday, August 14, 2023 4:40 PM
To: Howe, Bob
Subject: Re: Additional Information Requested for License Review of Permit 96-9724
Attachments: C90D62A1-34AD-4FF9-B1D3-F18FD1BBEFEE.jpeg; 86CF95C5-38E7-4C50-9DB0-CD1B29D1BB8C.jpeg; 9F476CB4-034D-46D3-A68D-7C8BF10AE54B.jpeg

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

On Monday, August 14, 2023, 03:30:41 PM PDT, Mrkhixson <mrkhixson@aol.com> wrote:

Dear Bob, I sent you two maps from the library. I also have included a few photos of the pump. I will include more photos in a second email. The pump feeds 175' of 2" plastic hose, indicated by the dotted line on the map, that is reduced to a one inch nozzle at the tank. From the tank water is gravity fed through 50' of garden hose to a short section of hose with for holes drilled to allow water to drip out. I manually move the hose between the two trees. The system uses 150 gallons of water per week. Thank you for your patience. I don't have a computer larger than my phone.

Mark Hixson

On Thursday, August 3, 2023, 03:35:06 PM PDT, Howe, Bob <bob.howe@idwr.idaho.gov> wrote:

Dear Mark Hixson,

The Department received the Proof of Beneficial Use you submitted for permit #96-9724. I am currently reviewing the permit eligibility for an in-office examination for licensing. In-office examination expedites the licensing process by using information and documentation submitted by the permit holder(s) and GIS images to process the examination without the need for a field examination to be scheduled and conducted at a later time. The permit issued provided a scope for the development of future uses. The purpose of the examination is to record the details for the uses that have been developed.

After reviewing your Proof of Beneficial Use, there are a several items that need further information or clarification. On the Proof of Beneficial Use, section 5 you stated "Apple Tree" as the extent of use developed. No area of irrigation is indicated. No photos or system diagram were included with the Statement of Completion, and current aerial imagery does not support any beneficial use developed. You stated on your initial application that you were seeking to develop a small orchard. If this is what was developed then photos of the orchard and a system diagram will need to be submitted.

I have attached an Bonner County aerial image of the permitted place of use as well as a GIS satellite image. The GIS image also outlines the place of use area in yellow (as submitted on the permit). Please label to identify and diagram the system for irrigation water use on the image, or you may use an image or sketch of your own. Please label the image identifying the point of diversion, storage and/or pressure tank(s), sprinklers, driplines, pump(s), outline the boundary of

the irrigated area, and draw in the location of any buried or surface waterlines. Please take photos of any items on the system diagram that are accessible, including the pump, diversion point at the creek, storage tank(s) and sprinklers or driplines.

Finally, please attach the diagram and photos to an email detailing the size (Hp and/or output, make and model if possible) of the pump, pipe diameter and material (for example: 1" PVC).

Please feel free to reach out to me via phone or email with any questions or concerns. I am in the office from 8:30am to 5:00pm MST, Monday-Friday. My phone number is listed below my signature.

Regards,

Bob Howe



Bob Howe | Water Resource Agent

322 E Front St, PO Box 83720, Boise, ID 83720

(208) 287-4800 | www.idwr.idaho.gov

SCANNED

AUG 29 2023

Howe, Bob

From: techmanager@ebonnerlibrary.org
Sent: Monday, August 14, 2023 3:08 PM
To: Howe, Bob
Subject: Your EBCL ScanEZ Email!
Attachments: image.pdf

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

Mark Hixson maps

Hello,
The attachment is the image(s) scanned at East Bonner County Library District by ScanEZ Station.
Thank you.

SCANNED
AUG 29 2023

Beneficial Use Proof Evaluation

Permit Number: 96-9724 Reviewer: AVeibell Review Date: 7/25/2023

Acceptability

- 1) Is the contact on the request the current permit holder? Yes
- 2) Does the address of record need to be updated? No
- 3) Proof Submitted Date: 7/21/2023
- 4) Proof Due Date: 3/1/2024
- 5) Days added for weekend due date?
- 6) Days added for holiday due date?
- 7) Number of days late: -224
- 8) Proof received timely? Yes

Analysis

- 1) Are the water uses correct? Yes
- 2) Are one of the following items required?
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- Yes
- 3) Are the required items installed? No
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- No
- 4) Is there a request to waive the required items? No
- 5) Drilling Permit Number:
- 6) Is a drilling permit upgrade needed? No
- 7) Was a well drillers report filed? No
- 8) Is proof accepted? Yes

Fees

- 1) Is a licensing exam fee required? Yes
- 2) Was proof submitted with an exam report from a CWE? No
- 3) Filing fee due: \$50.00
- 4) Filing fee submitted: \$100.00
- 5) Remaining fee or (refund): (\$50.00)

Receipt IDs

N033790

Comments

Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing.