

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 96-9829

Priority: November 12, 2020

Maximum Diversion Rate: 0.08 CFS

It is hereby certified that:

SCOTT SALESKY
PO BOX 352
LACLEDE ID 83841-0352

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 12, 2020, and has submitted Proof of Beneficial Use on November 18, 2022. An examination confirms water is diverted from:

Source : PEND OREILLE RIVER

Tributary: COLUMBIA RIVER

Beneficial Use

IRRIGATION

Period of Use

04/01 to 10/31

Rate of Diversion

0.08 CFS

Location of Point(s) of Diversion

PEND OREILLE RIVER SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 30, Twp 56N, Rge 03W, B.M. BONNER County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	03W	30															2.6		2.6
56N	03W	31		0.1 L1															0.1

Total Acres: 2.7

Conditions of Approval

1. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the place of use.
2. This right does not grant any right-of-way or easement across the land of another.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 30th day of November, 20 22.



PHILL HUMMER
Water Rights Supervisor

SCANNED

DEC 02 2022

State of Idaho
Department of Water Resources

Attachment to Water Right License

96-9829

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

03W



-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion

0 0.035 0.07 0.14 Miles

DEC 12 2022



NOV 18 2022

DEPARTMENT OF
WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY

Amt. of Fee \$ 50.00
Receipt No. C114681
Received By KA
Date Received 11.18.22

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 96-9829 Name of Permit Holder(s) Scott Salesky

Telephone No. 208 217-5724 Email scott350salesky@gmail.com

Mailing Address P.O. Box 352 City Lacleda State Id. Zip 83841

2. Source of Water Pond Orville River If Ground Water (well), Date Drilled mo. - / yr. -

Drilling Permit/Tag No. - Drilling Company's Name -

3. Extent of use(s) completed as authorized by the water right permit:

Domestic (No. households) 1 Irrigation (No. acres) 2.7 Stockwater (No. and stock type) -

Other -

4. Total diversion rate or volume (storage only) for which proof is submitted 0.08 cfs OR - af
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.

5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)

1.5 hp submersible pump into an 1.25 in pvc line

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

- | | | |
|--------------------------|-------------------------------------|---|
| ☐ | ☒ | Ground water level data, pumping information, or other diversion data |
| ☐ | ☒ | Mitigation plan |
| ☐ | ☒ | Lockable controlling works |
| ☐ | ☒ | Measuring device |
| ☐ | ☒ | Fish screen |
| ☐ | ☒ | Other requirements of the water right permit |
| ☐ | ☒ | Reasonably Anticipated Future Needs ("RAFN") Municipal use |

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

7. Fee Enclosed \$ 100.00 50.00 or ☐ CWRE field report attached or ☐ No fee required

See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: Scott Salesky Telephone No. 208 217-5724 Email scott350salesky@gmail.com

Mailing Address P.O. Box 352 City Lacleda State Id. Zip 83841

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

Scott Salesky
SIGNATURE OF PERMIT HOLDER*

Scott Salesky
PRINTED NAME AND TITLE

11-15-22
DATE

*Attach power of attorney if completing on behalf of permit holder.

SCANNED
DEC 02 2022



322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

December 2, 2022

SCOTT SALESKY
PO BOX 352
LACLEDE ID 83841-0352

RE: License No. 96-9829

ISSUANCE OF LICENSE

Dear Water Right Holder:


The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,

for 

Phill Hummer
Water Rights Supervisor


Enclosures

SCANNED
DEC 02 2022

CERTIFICATE OF SERVICE

I hereby certify that on December 2, 2022, I served a true and correct copy of Water Right License No. 96-9829 by U.S. Mail, postage prepaid, to the following:

SCOTT SALESKY (Current Owner)
PO BOX 352
LACLEDE ID 83841-0352



Debbi Judd
Technical Records Specialist

SCANNED
DEC 02 2022

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATIONPermit No: 96-9829

Exam Date: 11/30/2022

1. Does this qualify for an in-office field exam (IDAPA 37.03.02.035.01.r)? X Y ___ N
- a. Irrigation of 5 acres or less
 - b. Storage of up to 14.6 AF for stockwater purposes only
 - c. Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
 - d. Other < >

2. Current Owner: Name: Scott Salesky
Owner of Record Correct? X Y ___ N
Address of Record Correct? Y ___ N
If No: Address

The Department's parcel data shows Scott and Kris Salesky as the owners of the two parcels associated with this permit. There doesn't appear to be any issues with ownership.

3. Beneficial Use Fees have been paid: X Y ___ N Receipt No: C114681

4. **SOURCE** TRIBUTARY
Pend Oreille River Columbia River
Method of Determination: GIS and Tax Parcel Data
Change in Source: ___ Y ___ X ___ N

B. OVERLAP REVIEW

1. Other water rights with the same place of use: YES Overlap

Water Right No.	Source	Purpose of Use	Basis
97-7616	Pend Oreille River	Industrial and domestic	License

Comments: Water right 96-7616 is a domestic and industrial right for Laclede Water District. I am assuming this right provides the in-house culinary water use for this property. There are various other rights that are in this area, but they don't appear to be an issue.

2. Other water rights with the same point of diversion: NO Overlap

Water Right No.	Source	Purpose of Use	Basis

Comments: There are no other water rights using this point of diversion, but there are rights in the general area.

SCANNED
DEC 02 2022

C. DIVERSION AND DELIVERY SYSTEM**1. LOCATION OF POINT(S) OF DIVERSION:**

Source	Govt. Lot	¼	¼	¼	Sec.	Twp.	Rge.		County
Pend Oreille River Diversion			SW	SE	30	56N	3W	B.M.	Bonner
								B.M.	
								B.M.	

Method of Determination: GIS and Tax Parcel Data.Change in POD? X N Amendment Required? X N**2. PLACE OF USE:** Use: Irrigation

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	35W	30															2.6		2.6
		Lot #																	
56N	35W	31		0.1															0.1
		Lot #		1															
Total Acres =																			2.7

Method of Determination: GIS and Tax Parcel DataChange in POU? X N Amendment Required? X N Delivery System Diagram Attached (required). Indicate all major components and distances between components.

Indicate weir size/pipe as applicable.

 X Aerial Photo Attached (required for irrigation of 10+ acres). Photo of Diversion and System Attached

4. Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
River Pump	Grundfos	1.5			1.25 inch pipeline

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements: No measurement is required for an in-house exam.

SCANNED
DEC 02 2022

E. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

The permit holder states in the application for permit that they have a 1.5 Hp pump. Google Earth imagery shows that there is approximately 13 feet of lift. This allowed me to perform a theoretical calculation to ensure the capacity

$$\text{Theoretical} = (8.8 \times 1.5 \times 0.70) / [13 + (50 \text{ psi} \times 2.31)] = 0.08 \text{ cfs or } 35 \text{ gpm}$$

$$\text{Administrative Memo \#17} = 0.03 \text{ cfs/acre} \times 2.7 = 0.081 \text{ cfs rounded to } 0.08 \text{ cfs}$$

Permit allowed = 0.08 cfs for irrigation use

I am recommending 0.08 cfs for irrigation use based on the permit limit, system capacity, and Administrative Memorandum #17.

F. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2.7 \text{ acres} \times 3.0 \text{ af/ac} = 8.1 \text{ acre-feet}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation season}) \times 1.9835 = 0.08 \text{ cfs} \times 214 \text{ days} \times 1.9835 = 34.0 \text{ acre-feet}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 8.1 \text{ acre-feet}$$

Please Note: This permit is for irrigation from a river, so no volume is required per the Beneficial Use IDAPA Rule 37.06.02.035.01.j.

2. Volume Calculations for Other Uses:

N/A

G. PURPOSE OF USE

Irrigation ☒ Y ☐ N # Stock _____ Domestic # of Homes _____

Other: < >

Change in Purpose of Use? ☐ Y ☐ N

Method of Determination: Taxlot data and GIS

If Yes: From Use _____ To Use _____ Amount _____ CFS _____ AFA _____

H. NARRATIVE/REMARKS/COMMENTS

This permit qualifies for an in-house examination. This permit authorized the irrigation of up to 2.7 acres from the Pond Oreille River. There were 2.7 acres of irrigation developed as can be seen in the attached maps. There is no question that the full acres were developed, and that the system was developed to match the irrigated acreage.

The Statement of Completion for Submitting Proof of Beneficial Use statement didn't provide confirmation of the fish screen requirement. However, the application for permit states "Grundfos well pump 1.5 Hp. Pump is screened. 1.25 PVC pipe from pump to 1 inch sprinkler line." Therefore, I am convinced the fish screen is installed.

Conditions R66 and 004 should be carried forward to licensing. Condition 029 can be dropped due the information provided in the application for permit. No further conditions are required for the licensing of this permit.

Have conditions of permit approval been met? ☒ Yes ☐ No

SCANNED
DEC 02 2022

I. RECOMMENDATIONS**1. Recommended Amounts**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
Irrigation	04/01 to 10/31	0.08 CFS	
<u>Totals:</u>		0.08 CFS	

Please Note: This permit is for irrigation from a river, so no volume is required per the Beneficial Use IDAPA Rule 37.06.02.035.01.j.

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above X None

___ Change P.U. as reflected above ___ Add P.U. as reflected above X None

Other: < >

J. AUTHENTICATION – DANIEL A. NELSON – WATER RIGHT ANALYST 3

Field Examiner's Name Daniel A. Nelson Date 11-30-22

Reviewer PH Date 11/30/22

SCANNED
DEC 02 2022


Field Exam Map:

The yellow border shows the place of use and the yellow point shows the point of diversion. The parcel boundaries are shown in green.



SCANNED
DEC 02 2022

Google Earth Imagery. The bottom image shows the elevation difference between the river and the end of the system is approximately 13 feet.



DEC 02 2022

Beneficial Use Proof Evaluation

Permit Number: 96-9829 Reviewer: djudd Review Date: 11/21/2022

Acceptability

- 1) Is the contact on the request the current permit holder? Yes
- 2) Does the address of record need to be updated? No
- 3) Proof Submitted Date: 11/18/2022
- 4) Proof Due Date: 1/1/2023
- 5) Days added for weekend due date? 0
- 6) Days added for holiday due date? 0
- 7) Number of days late: -44
- 8) Proof received timely? Yes

Analysis

- 1) Are the water uses correct? Yes
- 2) Are one of the following items required?
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- No
- 3) Are the required items installed?
 - a. Measuring Device --
 - b. Lockable Device --
 - c. Fish Screen --
- 4) Is there a request to waive the required items?
- 5) Drilling Permit Number:
- 6) Is a drilling permit upgrade needed?
- 7) Was a well drillers report filed?
- 8) Is proof accepted? Yes

Fees

- 1) Is a licensing exam fee required? Yes
- 2) Was proof submitted with an exam report from a CWE? No
- 3) Filing fee due: \$50.00
- 4) Filing fee submitted: \$50.00
- 5) Remaining fee or (refund): \$0.00

Receipt IDs

N036552

Comments

Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing.



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

October 31, 2022

SCOTT SALESKY
PO BOX 352
LACLEDE ID 83841-0352

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit No. 96-09829

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holder(s):

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **January 01, 2023**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a \$50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this department on or before the above proof due date. If neither is received, the department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Debbi Judd
Technical Records Specialist

Enclosure(s)

CERTIFIED MAIL

7022 1670 0001 2370 9171

NO

SCANNED

NOV 02 2022