

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 96-9896

Priority: August 19, 2021

Maximum Diversion Rate: 0.01 CFS

It is hereby certified that:

DAVID A RUD 109 CANOE CV SANDPOINT ID 83864-7968 AND
JENNIFER L RUD 109 CANOE CV SANDPOINT ID 83864-7968

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 19, 2021, and has submitted Proof of Beneficial Use on August 07, 2023. An examination confirms water is diverted from:

Source: CHUCK SLOUGH

Tributary: PEND OREILLE RIVER

Beneficial Use
IRRIGATION

Period of Use
04/01 to 10/31

Rate of Diversion
0.01 CFS

Location of Point(s) of Diversion

CHUCK SLOUGH NE¼ NW¼, Sec. 28, Twp 57N, Rge 02W, B.M. BONNER County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
57N	02W	28					0.3												0.3

Total Acres: 0.3

Conditions of Approval

1. This right does not grant any right-of-way or easement across the land of another.
2. This right when combined with all other rights shall provide no more than 0.01 cfs nor more than 0.9 afa at the field headgate for irrigation of the place of use.
3. Place of use is located within, Lot 17, Canoe Cove subdivision.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 25th day of August, 2023.



PHILL HUMMER
Water Rights Supervisor

SCANNED
AUG 29 2023

State of Idaho
Department of Water Resources
Attachment to Water Right
96-9896

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

02W



0 400 800 Feet

-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion



SCANNED
AUG 29 2023

RECEIVED

AUG 07 2023

DEPARTMENT OF
WATER RESOURCESSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY

Amt. of Fee \$ 50 -Receipt No. C116847Received By KUDate Received 8-7-23

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete an Assignment of Permit form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 96-9896 Name of Permit Holder(s) David A. Rud and Jennifer L. RudTelephone No. 208-258-5566 Email davejenrud@gmail.comMailing Address 109 Canoe Cove City Sandpoint State ID Zip 838642. Source of Water Chuck Slough If Ground Water (well), Date Drilled mo. ____ / yr. ____

Drilling Permit/Tag No. ____ Drilling Company's Name ____

3. Extent of use(s) completed as authorized by the water right permit:

Domestic (No. households) ____ Irrigation (No. acres) .5 Stockwater (No. and stock type) ____

Other ____

4. Total diversion rate or volume (storage only) for which proof is submitted .02 cfs OR ____ af
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.

5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)

pump to irrigation system for lawn

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

☐ ☐ ☐ Ground water level data, pumping information, or other diversion data☐ ☐ ☐ Mitigation plan☐ ☐ ☐ Lockable controlling works☐ ☐ ☐ Measuring device☐ ☐ ☐ Fish screen☐ ☐ ☐ Other requirements of the water right permit ____☐ ☐ Reasonably Anticipated Future Needs ("RAFN") Municipal useIf RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No7. Fee Enclosed \$ 50.00 or ☐ CWRE field report attached or ☐ No fee required

See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: Dave Rud Telephone No. 208-258-5566 davejenrud@gmail.comMailing Address 109 Canoe Cove City Sandpoint State ID Zip 83864

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

SIGNATURE OF PERMIT HOLDER*

PRINTED NAME AND TITLE

DATE

*Attach power of attorney if completing on behalf of permit holder.

David A. Rud owner7/31/23

AUG 29 2023



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

August 28, 2023

JENNIFER L RUD
DAVID A RUD
109 CANOE COVE
SANDPOINT ID 83864-7968

RE: License No. 96-9896

ISSUANCE OF LICENSE

Dear Water Right Holder(s):

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,

Jean Hersley

For

Phill Hummer
Water Rights Supervisor

Enclosure(s)

SCANNED

AUG 29 2023

CERTIFICATE OF SERVICE

I hereby certify that on August 28, 2023, I served a true and correct copy of Water Right License No. 96-9896 by U.S. Mail, postage prepaid, to the following:

JENNIFER L RUD (Current Owner)
109 CANOE CV
SANDPOINT ID 83864-7968

DAVID A RUD (Current Owner)
109 CANOE CV
SANDPOINT ID 83864-7968



Jean Hersley
Technical Records Specialist 2

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) The petition for reconsideration is disposed of; or
- (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Exam Date: 08/16/2023

1. Does this qualify for an in-office field exam (IDAPA 37.03.02.035.01.r)? X Y N

- a. X Irrigation of 5 acres or less
 b. Storage of up to 14.6 AF for stockwater purposes only
 c. Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
 d. Other < >

2. Current Owner: **David & Jennifer Rud**Owner of Record Correct? NAddress of Record Correct? N

If No Explain:

3. Beneficial Use Fees have been paid: X Y N Receipt No: C116847

4. Source: Tributary:

CHUCK SLOUGH**PEND OREILLE RIVER**

Method of Determination:

Change in Source: Y X N**B. OVERLAP REVIEW**1. Other water rights with the same place of use: X No Overlap

Water Right No.	Source	Purpose of Use	Basis
96-9543	Pend Oreille River	Municipal	Current Claim-License
96-4447	Chuck Slough	Irrigation	Current Claim-License
96-4496	Chuck Slough	Irrigation	Statutory Claim
96-2241	Lake Pend Oreille	Irrigation	License
96-9464	Chuck Slough	Irrigation	License

Comments: Right 96-9543 for municipal use diverting from the Pend Oreille River overlaps the place of use (POU) of the permit but is not an impact or injury concern for the licensing of this small acreage irrigation permit (different beneficial uses, different administration by MSF 96-8730). Right 96-4447 for irrigation diverting from Chuck Slough, has a GIS shape overlapping the permit POU, but has different appurtenant parcels as identified on the adjudication claim. Right 96-4496 for irrigation use is a statutory claim that is a complete overlap of the permit POU, however the POU area has been subdivided since 2003 or earlier and there is no parcel within the NENW of section 28 currently held by Kenneth Johnson. Right 96-2241 has a GIS shape overlapping the permit POU but a review of the water right backfile indicates it is for a parcel to the east of the slough. Finally, Right 96-9464 for irrigation use from the Chuck Slough has a GIS shape partially overlapping the southern extreme of the permit POU. However, the field exam report includes a map and parcel information indicating that the POU is appurtenant to Lot 16, south of the permit POU. As the only POUs with actual overlap of the permit POU are a municipal right (96-9543) and a statutory claim (96-4496) that is likely forfeit as it was for the irrigation of 16 acres, which have since been developed into a subdivision within a municipal service area.

2. Other water rights with the same point of diversion: X NO Overlap

Water Right No.	Source	Purpose of Use	Basis
NONE	NA	NA	NA

Comments: No rights share the point of diversion (POD) with the permitted use.

C. DIVERSION AND DELIVERY SYSTEM

1. Location of Point(s) of Diversion:

Source	Govt. Lot	¼	¼	¼	Sec.	Twp.	Rge.		County
Pump in the Chuck Slough			NE	NW	28	57N	02W	B.M.	BONNER

Method of Determination: GIS and Taxlot data.Change in POD? Y X N Amendment Required? Y X N**SCANNED**

AUG 29 2023

2. Place of Use: IRRIGATION

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
57N	02W	28					0.3												0.3
		Lot #																	
Total Acres =																			0.3

Method of Determination:

Change in POU? ☐ Y ☒ X N Amendment Required? ☐ Y ☒ X N☐ Delivery System Diagram Attached (required). Indicate all major components and distances between components.

Indicate weir size/pipe as applicable:

☐ Aerial Photo Attached (required for irrigation of 10+ acres).☐ Photo of Diversion and System Attached

3. Diversion Id No.*	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Slough Pump	Unknown	¾	Unknown	Unknown	Unknown

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1. Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE	NA	NA	NA	NA	NA	NA

2. Measurement Comments: : No measurement is required for an in-house exam, but a theoretical calculation and Application Processing Memo #17 were used to determine a reasonable diversion rate

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

Measured Method:

The permit holder provided no pump details in the Statement of Completion, but on a phone call August 16th, 2023, the permit holder stated that a ¾ Hp submersible pump was installed in the slough. The total lift is estimated at 45 ft, using the DRG.

$$Q = (3/4 \text{ Hp})(8.8)(0.80 \text{ efficiency})/(45 \text{ ft lift}) + (2.31)(40 \text{ psi}) = 0.04 \text{ cfs}$$

Theoretical Calculation = 0.04cfs

Permit allowed = 0.02cfs

Recommended = 0.01cfs

Comments: The area irrigated is 0.3 acres, based on GIS measurement of the irrigated lawn and landscaping (not including riparian vegetation), which was confirmed by the permit holder on a phone call August 16th, 2023. According to Administrative memo #17 up to 0.03cfs per acre is standard for the irrigation of up to 5 acres. I am recommending a diversion rate of 0.01cfs for the license.

F. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 0.3 \text{ acres} \times 3.0 \text{ AF} = 0.9 \text{ AF}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation season}) \times 1.9835 = 0.01 \text{ cfs} \times 213 \text{ days} \times 1.9835 = 4.2 \text{ AF}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 0.9 \text{ AF}$$

Comments: This permit was issued for irrigation use from a natural stream/river source. According to the IDAPA Beneficial Use Examination Rules 37.03.02.35. 01j.viii a diversion volume is not required for irrigation if water is diverted from a natural flowing stream/river or spring.

SCANNED

AUG 29 2023

G. PURPOSE OF USEIrrigation X Y N # Stock Domestic # of Homes

Other: < >

Change in Purpose of Use? Y X N

Method of Determination:

If Yes: From Use To Use Amount CFS AFA **H. NARRATIVE/REMARKS/COMMENTS**

This permit for the irrigation of 1/2 acre diverting water from the Chuck Slough qualifies for an in-office examination for license. The permit holder submitted the Proof of Beneficial Use, received by IDWR on August 7th, 2023, stating that the beneficial use was developed for 1/2 acre of irrigation for the lawn surrounding their home. However, Aerial imagery indicated the area irrigated were approximately 0.3 acres (see figure 1), as any additional area was covered in riparian overgrowth (see figure 2). The applicant failed to indicate in section #6 of the Proof of Beneficial Use if any fish screen was installed at the intake in the slough. I left a voicemail and emailed the permit holder on August 16th, 2023, requesting additional information including a system diagram, the pump information, inquiring if riparian vegetation is being irrigated within the POU, and inquiring if they had installed a fish screen or foot valve at the intake. The permit holder called back the same day and explained that the 0.3 acre area outlined in imagery attached to the email was fairly accurate (see figure 1); they are not watering the riparian overgrowth (figure 2). The permit holder confirmed that the system uses a submersible 3/4 Hp pump with a fish screen enclosed intake. The pump is not accessible for photos, but the permit holder offered to email a system diagram, photos of the point of diversion, underground sprinkler control valve box, and sprinklers. On August 17th, 2023, the permit holder emailed a system sketch (see figure 3) and a description of the components in the email body. He also included photos of the control valves and the point of diversion, with the screened intake visible. The system was described as a submersible pump attached to a 1 1/2" poly pipe feeding to 2 control boxes (with 4 zones each). From the control boxes 3/4" pipe feeds the 8 zones for the 31 sprinkler heads and an estimated 20 drip fittings (see photos 1-5).

I am recommending the license be issued with a rate of 0.01cfs and conditions 004, X31, ~~227~~²²⁷, and X60. Condition 029 was removed at licensing, as the permit holder confirmed a fish screen was installed at the pump intake. Condition R66 was replaced with condition X31, as the irrigated area is less than 1 acre.

Have conditions of permit approval been met? X Yes No**I. RECOMMENDATIONS**


1. Recommended Amounts:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 TO 10/31	0.01cfs	NA
<u>Totals:</u>		0.01cfs	

2. Recommended Amendments:

 Change P.D. as reflected above Add P.D. as reflected above X None Change P.U. as reflected above Add P.U. as reflected above X None

Other: < >

J. AUTHENTICATION- Bob Howe- Water Resource AgentField Examiner's  Date 8/23/23Reviewer  Date 8/15/23

SCANNED

AUG 29 2023



Figure 1- Bonner County image of the irrigated POU, as confirmed by permit holder.



Figure 2- Bonner County image of POU as it appears on the permit, including the riparian vegetation.

SCANNED

AUG 29 2023



Figure 3- GIS, 2021- image of POU (outlined in blue) and POD (blue point).

SCANNED
AUG 29 2023




Figure 4- Sketch of property with system components including irrigated areas, pump location, and the location for the control valves for the sprinkler system.


SCANNED

AUG 29 2023



Photos 1 & 2 - Image of the dock (top) and submersible pump with screened intake (bottom).

SCANNED
AUG 29 2023



Photos 3 & 4- Control boxes 1 & 2, each with 4 control valves (zones).

SCANNED

AUG 29 2023



Photo 5- Pop up sprinklers used for system with drip lines.

SCANNED

AUG 29 2023

Howe, Bob

From: DaveJen Rud <davejenrud@gmail.com>
Sent: Thursday, August 17, 2023 2:29 PM
To: Howe, Bob
Subject: Re: Additional Information Requested for Permit 96-9896
Attachments: Valave box2.pdf; Valve box1.pdf

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

This is the 2nd of 2 emails with the remaining pictures.

Dave

On Wed, Aug 16, 2023 at 8:55 AM Howe, Bob <Bob.Howe@idwr.idaho.gov> wrote:

Dear David & Jennifer Rud,

The Department received the Proof of Beneficial Use you submitted for permit #96-9896. I am currently reviewing the permit eligibility for an in-office examination for licensing. In-office examination expedites the licensing process by using information and documentation submitted by the permit holder(s) and GIS aerial images to process the examination without the need for a field examination to be scheduled and conducted at a later time. The permit issued provided a scope for the development of future uses. The purpose of the examination is to record the details of the use that has been developed.

After reviewing your Proof of Beneficial Use, there are a few items in need of further information or clarification.

(1) The aerial imagery indicates approximately 0.3 acres of lawn is irrigated; other areas appear to be riparian (see attached image). On section #3 of the Statement of Completion you stated that the extent of the irrigation use developed is 0.5 acres. Are you irrigating the parcel to the shoreline east of the home, including riparian vegetation (see image including riparian area attached)?

(2) Please provide a sketch of the system diagram from the point of diversion to delivery for the irrigation occurring. Making sure to identify the **boundary of the area(s) irrigated, sprinklers, water lines** (including dia. and type, for example ½" poly pipe), the **pump** (including the Hp, make and model). This can be drawn on one of the images I have attached to this email, or you may use your own. Then attach the diagram to an email with any additional information regarding the system and/or that would be helpful in describing the system diagram.

SCANNED

AUG 29 2023

(3) On your permit condition # 4 requires that you comply with all Idaho Fish and Game requirements, including those requiring fish screens at the intake. On Section #6 of your Statement of Completion you did not indicate that you have installed a fish screen. Is a fish screen installed at this time? If so, please confirm that it is and provide a photo of the screen or foot valve installed with the system diagram email.

Feel free to reach out to me with any questions or concerns regarding the items requested. If I am unavailable any of my team members should be able to assist you, if you provide your permit # 96-9896. It is important that you **respond to this request within 14 days** by email and/or phone, in order to pursue this method to expedite your licensing process.

Thank you for your time and attention in this matter.

Best Regards,

Bob Howe



Bob Howe | Water Resource Agent

322 E Front St, PO Box 83720, Boise, ID 83720

(208) 287-4800 | www.idwr.idaho.gov

SCANNED

AUG 29 2023

Howe, Bob

From: DaveJen Rud <davejenrud@gmail.com>
Sent: Thursday, August 17, 2023 2:27 PM
To: Howe, Bob
Subject: Re: Additional Information Requested for Permit 96-9896
Attachments: Property Sketch.pdf; Overall of dock.pdf; Pump in water under dock.pdf

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

Bob,

This is 1 of 2 emails. Google wouldn't let me send all the pictures in one email.

We are not irrigating the riparian area of the property, and the 1/3 acre satellite image is correct for the areas irrigated. I have attached pictures of the location of the pump (which is attached to the North side of the dock), two pictures of the valves, and one of a sprinkler head. We have 31 sprinkler heads and approximately 20 drip fittings on the system. The pump is attached to about a 1 1/2 inch polypipe and the lines to the heads for the different zones are 3/4 inch.

Respectfully,
Dave Rud
208-258-5566

On Wed, Aug 16, 2023 at 8:55 AM Howe, Bob <Bob.Howe@idwr.idaho.gov> wrote:

Dear David & Jennifer Rud,

The Department received the Proof of Beneficial Use you submitted for permit #96-9896. I am currently reviewing the permit eligibility for an in-office examination for licensing. In-office examination expedites the licensing process by using information and documentation submitted by the permit holder(s) and GIS aerial images to process the examination without the need for a field examination to be scheduled and conducted at a later time. The permit issued provided a scope for the development of future uses. The purpose of the examination is to record the details of the use that has been developed.

After reviewing your Proof of Beneficial Use, there are a few items in need of further information or clarification.

(1) The aerial imagery indicates approximately 0.3 acres of lawn is irrigated; other areas appear to be riparian (see attached image). On section #3 of the Statement of Completion you stated that the extent of the irrigation use developed is 0.5 acres. Are you irrigating the parcel to the shoreline east of the home, including riparian vegetation (see image including riparian area attached)?

SCANNED
AUG 29 2023

(2) Please provide a sketch of the system diagram from the point of diversion to delivery for the irrigation occurring. Making sure to identify the **boundary of the area(s) irrigated, sprinklers, water lines** (including dia. and type, for example ½" poly pipe), the **pump** (including the Hp, make and model). This can be drawn on one of the images I have attached to this email, or you may use your own. Then attach the diagram to an email with any additional information regarding the system and/or that would be helpful in describing the system diagram.

(3) On your permit condition # 4 requires that you comply with all Idaho Fish and Game requirements, including those requiring fish screens at the intake. On Section #6 of your Statement of Completion you did not indicate that you have installed a fish screen. Is a fish screen installed at this time? If so, please confirm that it is and provide a photo of the screen or foot valve installed with the system diagram email.

Feel free to reach out to me with any questions or concerns regarding the items requested. If I am unavailable any of my team members should be able to assist you, if you provide your permit # 96-9896. It is important that you **respond to this request within 14 days** by email and/or phone, in order to pursue this method to expedite your licensing process.

Thank you for your time and attention in this matter.

Best Regards,

Bob Howe



Bob Howe | Water Resource Agent

322 E Front St, PO Box 83720, Boise, ID 83720

(208) 287-4800 | www.idwr.idaho.gov

SCANNED
AUG 29 2023

Beneficial Use Proof Evaluation

Permit Number: 96-9896 Reviewer: AVeibell Review Date: 8/11/2023

Acceptability

- 1) Is the contact on the request the current permit holder? Yes
- 2) Does the address of record need to be updated? No
- 3) Proof Submitted Date: 8/7/2023
- 4) Proof Due Date: 10/1/2026
- 5) Days added for weekend due date? 0
- 6) Days added for holiday due date? 0
- 7) Number of days late: -1151
- 8) Proof received timely? Yes

Analysis

- 1) Are the water uses correct? Yes
- 2) Are one of the following items required?
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- No
- 3) Are the required items installed?
 - a. Measuring Device --
 - b. Lockable Device --
 - c. Fish Screen --
- 4) Is there a request to waive the required items? No
- 5) Drilling Permit Number:
- 6) Is a drilling permit upgrade needed? No
- 7) Was a well drillers report filed? No
- 8) Is proof accepted? Yes

Fees

- 1) Is a licensing exam fee required? Yes
- 2) Was proof submitted with an exam report from a CWE? No
- 3) Filing fee due: \$50.00
- 4) Filing fee submitted: \$50.00
- 5) Remaining fee or (refund): \$0.00

Receipt IDs

N037284

Comments

Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing.