

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 96-9899

Priority: September 01, 2021

Maximum Diversion Rate: 0.04 CFS

Maximum Diversion Volume: 1.2 AF

It is hereby certified that:

PAUL HAWKINS 2423 FLUME CREEK RD SANDPOINT ID 83864-4785

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 01, 2021, and has submitted Proof of Beneficial Use on October 24, 2022. An examination confirms water is diverted from:

Source : GROUND WATER

Tributary: FLUME CREEK

Beneficial Use
DOMESTIC

Period of Use
1/1 to 12/31

Rate of Diversion
0.04 CFS

Annual Volume
1.2 AF

Location of Point(s) of Diversion

GROUND WATER NE¼ NW¼, Sec. 13, Twp 58N, Rge 01E, B.M. BONNER County (Rediversion)

Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
58N	01E	13					X												0.0

Conditions of Approval

1. Domestic use is for 1 home.
2. The irrigation occurring under this domestic use shall not exceed 1/2 acre.
3. This right does not grant any right-of-way or easement across the land of another.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 7th day of November, 2022.



PHILL HUMMER
Water Rights Supervisor

SCANNED
NOV 11 8 2022


State of Idaho
Department of Water Resources

Attachment to Water Right License

96-9899

This map depicts the DOMESTIC place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

01E



-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion

0 0.035 0.07 0.14 Miles

SCANNED
NOV 08 2022

RECEIVED

OCT 24 2022

DEPARTMENT OF
WATER RESOURCESSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY

Amt. of Fee \$ 50.00
Receipt No. C114397
Received By KL
Date Received 10.24.22

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 96-9899 Name of Permit Holder(s) Paul Hawkins
 Telephone No. 909-936-2275 Email paulhawkins_ra@yahoo.com
 Mailing Address 2423 Flume Creek Road City Sandpoint State ID Zip 83864
2. Source of Water Ground Water - Flume Creek Tributary If Ground Water (well), Date Drilled mo. ____ / yr. ____
 Drilling Permit/Tag No. ____ Drilling Company's Name ____
3. Extent of use(s) completed as authorized by the water right permit:
 Domestic (No. households) 1 Irrigation (No. acres) 0.5 Stockwater (No. and stock type) ____
 Other ____
4. Total diversion rate or volume (storage only) for which proof is submitted 0.04 cfs OR ____ af
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.
5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)
See attached document with detailed explanation and pictures.

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:
 Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)
- | | | | |
|--------------------------|--------------------------|-------------------------------------|---|
| ☐ | ☐ | ☒ | Ground water level data, pumping information, or other diversion data |
| ☐ | ☐ | ☒ | Mitigation plan |
| ☐ | ☐ | ☒ | Lockable controlling works |
| ☐ | ☐ | ☒ | Measuring device |
| ☐ | ☐ | ☒ | Fish screen |
| ☐ | ☐ | ☐ | Other requirements of the water right permit ____ |
| | ☐ | ☐ | Reasonably Anticipated Future Needs ("RAFN") Municipal use |
- If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No
7. Fee Enclosed \$ 50.00 or ☐ CWRE field report attached or ☐ No fee required
See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:
 Name: Paul Hawkins Telephone No. 909-936-2275 Email paulhawkins_ra@yahoo.com
 Mailing Address 2423 Flume Creek Road City Sandpoint State ID Zip 83864

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

Paul Hawkins Paul Hawkins October 17, 2022
 SIGNATURE OF PERMIT HOLDER* PRINTED NAME AND TITLE DATE

*Attach power of attorney if completing on behalf of permit holder.

SCANNED

NOV 10 2022

Explanation for Proof of Beneficial Use - Permit No 96-9899

We purchased the property in August, 2019. At that time, water was provided to the primary home by sump pump in cistern located approximately 5-7 feet from the Flume Creek Tributary and to the cabin. Water is collected in the cistern via the ground water, as no piping is in place between the cistern and tributary. Water is piped to both the primary home and cabin. A Well X Troll pressure tank was in place at the primary home, and a Star Water System shallow well jet pump in place to provide water to the cabin.

Subsequently, a well was drilled on the property and in October 2021, the piping from the cistern to the primary home was capped close to the home. Piping was then installed between the well head and home, with water now being provided by well to the primary home.

Although, the piping for water to the primary home has been terminated, there continues to be water provided to the cabin with no change in the point of diversion for that structure.

Cistern for cabin:



SCANNED
NOV 5 8 2022

Cabin cistern and Flume Creek Tributary:



SCANNED
NOV 08 2022

Cabin Cistern, and structure that houses the pressure tank



Pressure tank for Cabin:



Cistern with cabin in background:



SCANNED
NOV 08 2022

State of Idaho
Department of Water Resources

Attachment to Permit to Appropriate Water

96-9899

This map depicts the DOMESTIC place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes



- Point of Diversion
- Place Of Use Boundary
- Townships
- PLS Sections
- Quarter Quarters

0 0.035 0.07 0.14 Miles

27

SCANNED
NOV 08 2007



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

November 8, 2022

PAUL HAWKINS
2423 FLUME CREEK RD
SANDPOINT ID 83864-4785

RE: License No. 96-9899

ISSUANCE OF LICENSE

Dear Water Right Holder):

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,

Phill Hummer
Water Rights Supervisor


Enclosures

SCANNED
NOV 08 2022

CERTIFICATE OF SERVICE

I hereby certify that on November 8, 2022, I served a true and correct copy of Water Right License No. 96-9899 by U.S. Mail, postage prepaid, to the following:

PAUL HAWKINS (Current Owner)
2423 FLUME CREEK RD
SANDPOINT ID 83864-4785



Debbi Judd
Technical Records Specialist

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATIONPermit No: 96-9899Exam Date: 11/4/2022

- a. Does this qualify for an in-office field exam (IDAPA 37.03.02.035.01.r)? X Y N
- b. Irrigation of 5 acres or less
- c. Storage of up to 14.6 AF for stockwater purposes only
- d. Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
- e. Other < >

2. Current Owner: Name: Paul Hawkins
 Owner of Record Correct? X Y N
 Address of Record Correct? Y N
 If No: Address

The Department's parcel data shows Paul and Judi Hawkins CPWRS & Regina Wagoner, Paul and Judi Hawkins trustee. There are 2 parcels associated with permits 96-9899 and 96-9900, which shows the same owners for both parcels. There doesn't appear to be an issue with the ownership.

3. Beneficial Use Fees have been paid: X Y N Receipt No: C114397

4. **SOURCE** TRIBUTARY

Ground Water

Flume Creek

Method of Determination: GIS, Tax Parcel Data, and a telephone conversation with permit holder.Change in Source: Y X N**B. OVERLAP REVIEW**

1. Other water rights with the same place of use: NO Overlap

Water Right No.	Source	Purpose of Use	Basis

Comments: There are no other water rights in this area not owned by the Hawkins. Mr. Hawkins has 2 water right permits, 96-9899 and 96-9900, but these two rights are on separate systems for separate domestic uses. There is also a ground water well supplying another home, which is authorized by Idaho Code §42-227.

2. Other water rights with the same point of diversion: NO Overlap

Water Right No.	Source	Purpose of Use	Basis

Comments: There are no other water rights in this area not owned by the Hawkins. Mr. Hawkins has 2 water right permits, 96-9899 and 96-9900, but these two rights are on separate systems for separate domestic uses. There is also a ground water well supplying another home, which is authorized by Idaho Code §42-227.

SCANNED
NOV 08 2022

C. DIVERSION AND DELIVERY SYSTEM**1. LOCATION OF POINT(S) OF DIVERSION:**

Source	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.		County
Ground Water			NE	NW	13	58N	1E	B.M.	BONNER
								B.M.	
								B.M.	

Method of Determination: GIS, Tax Parcel Data, and conversation with permit holder.Change in POD? X N Amendment Required? X N**2. PLACE OF USE:** Use: Domestic

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
58N	1E	13					D												
		Lot #																	
Total Acres =																			

Method of Determination: GIS, Tax Parcel Data, and conversation with permit holder.Change in POU? X N Amendment Required? X N Delivery System Diagram Attached (required). Indicate all major components and distances between components.

Indicate weir size/pipe as applicable.

 X Aerial Photo Attached (required for irrigation of 10+ acres). Photo of Diversion and System Attached

4. Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well Pump	Unknown				

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements: No measurement is required for an in-house exam.SCANNED
NOV 08 2022

E. FLOW CALCULATIONS

___Additional Computation Sheets Attached

Measured Method:

There was no information submitted with the application for permit to determine the flow rate for the well. Therefore, I am required to fall back on the standard for domestic use set forth by Administrative Processing Memo #22. The application for permit states that there will be one home.

Administrative Memo #22 = 0.04 cfs for domestic use.

Permit allowed = 0.04 cfs for domestic use

I am recommending 0.04 cfs for domestic use based on the limits imposed by the permit and Administrative Processing Memorandum #22.

F. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

Administrative Processing Memorandum #22 provides guidance to allow 1.2 acre-feet for in-house use and yard irrigation. **I am recommending that this permit be limited to 1.2 acre-feet for domestic use.**

G. PURPOSE OF USE

Irrigation ___Y___N # Stock _____ Domestic # of Homes 1

Other: < >

Change in Purpose of Use? ___Y___N

Method of Determination: Taxlot data and conversations with owner.

If Yes: From Use _____ To Use _____ Amount _____ CFS _____ AFA _____

H. NARRATIVE/REMARKS/COMMENTS

This permit qualifies for an in-house examination. This permit authorized a water use for shallow ground water tributary to Flume Creek. The permit holder diverts water from a shallow cistern collecting shallow groundwater for a single home.

On November 11, 2022, I contact the permit holder by telephone to determine the homes where permits 96-9899, and 96-9900 were being used. On these two parcels there are 3 homes/cabins and two cisterns. The permit holder told me the southern home is the main residence and is supplied by a recently developed well. There is no water right for this system. This home used to be connected into the system, but it was disconnected when the new well was drilled and put into use.

The permit holder confirmed that permit 96-9899 was diverted from the cistern showed in the Google Earth imagery below slightly northwest of what the permit holder called the cabin. The cabin is the small building on the parcel line between the two homes. The cabin's only source of water is the southern cistern and it isn't connected into the other two domestic systems.

The northern cistern is diverted the northern home. This use is covered by permit 96-9900. The permit holder informed me that this cistern is just north of the cabin along the driveway. You can see this cistern in the Google Earth imagery below.

SCANNED
NOV 08 2022

Both of these permits are for separate water systems. Neither of these two permits are connected to the main home which only uses the ground water well.

Conditions X01, 187, and 004 should be carried forward to licensing. No further conditions are required for the licensing of this permit.

Have conditions of permit approval been met? ☒ Yes ☐ No

I. RECOMMENDATIONS

1. Recommended Amounts

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
Domestic	01/01 to 12/31	0.04 CFS	1.2 AFA
<u>Totals:</u>		0.02 CFS	1.2 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ None

Other: < >

J. AUTHENTICATION - DANIEL A. NELSON - WATER RIGHT ANALYST 3


Field Examiner's Name  Date 11-4-22

Reviewer  Date 11/7/22

SCANNED
NOV 08 2022


Field Exam Map:

The yellow border shows the place of use, and the yellow point shows the point of diversion for permit 96-9899. The red border shows the place of use, and the red point shows the point of diversion for permit 96-9900. The green borders show the tax parcels for these permits.



SCANNED
NOV 08 2022

Google Earth 2022 Aerial Imagery showing the points of diversion and the places of use for both water rights 96-9899 and 96-9900.



SCANNED
NOV 08 2022

Beneficial Use Proof Evaluation

Permit Number: 96-9899 Reviewer: djudd Review Date: 10/24/2022

Acceptability

- 1) Is the contact on the request the current permit holder? Yes
- 2) Does the address of record need to be updated? No
- 3) Proof Submitted Date: 10/24/2022
- 4) Proof Due Date: 11/1/2022
- 5) Days added for weekend due date? 0
- 6) Days added for holiday due date? 0
- 7) Number of days late: -8
- 8) Proof received timely? Yes

Analysis

- 1) Are the water uses correct? Yes
- 2) Are one of the following items required?
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- No
- 3) Are the required items installed?
 - a. Measuring Device --
 - b. Lockable Device --
 - c. Fish Screen --
- 4) Is there a request to waive the required items?
- 5) Drilling Permit Number:
- 6) Is a drilling permit upgrade needed?
- 7) Was a well drillers report filed?
- 8) Is proof accepted? Yes

Fees

- 1) Is a licensing exam fee required? Yes
- 2) Was proof submitted with an exam report from a CWE? No
- 3) Filing fee due: \$50.00
- 4) Filing fee submitted: \$50.00
- 5) Remaining fee or (refund): \$0.00

Receipt IDs

T110827

Comments

Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing.