

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 96-9508

Priority: December 21, 2012

Maximum Diversion Rate: 0.02 CFS

It is hereby certified that:

COREY LINQUIST 2521 CLARKSVILLE RD RESCUE CA 95672-9606 AND
KARIN MARCHANT LINQUIST 2521 CLARKSVILLE RD RESCUE CA 95672-9606

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 15, 2012, and has submitted Proof of Beneficial Use on May 09, 2018. An examination confirms water is diverted from:

Source : LAKE PEND OREILLE

Tributary: PEND OREILLE RIVER

<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>	<u>Annual Volume</u>
IRRIGATION	04/01 to 10/31	0.02 CFS	
DOMESTIC	01/01 to 12/31	0.02 CFS	1.2 AF

Location of Point(s) of Diversion

LAKE PEND OREILLE L3 (NW¼ SE¼), Sec. 17, Twp 56N, Rge 01E, B.M. BONNER County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	01E	17														0.5 L3			0.5

Total Acres: 0.5

Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	01E	17														X L3			

Conditions of Approval

- Domestic use is for 2 homes. Irrigation of lawn, garden and landscaping associated with the home is authorized under the irrigation component of this right.
- This right when combined with all other rights shall provide no more than 0.02 cfs nor more than 1.5 afa at the field headgate for irrigation of the place of use.
- This right does not grant any right-of-way or easement across the land of another.

SCANNED
APR 18 2023

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 96-9508

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 17th day of April, 2023.


Michelle Richman

MICHELLE RICHMAN
Northern Regional Manager

SCANNED
APR 18 2023

State of Idaho
Department of Water Resources
Attachment to Water Right License
96-9508

This map depicts the DOMESTIC place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion
-  State Outline

0 0.035 0.07 0.14 Miles

SCANNED
APR 16 2023

State of Idaho
Department of Water Resources
Attachment to Water Right License
96-9508

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



- Place Of Use Boundary
- Townships
- PLS Sections
- Quarter Quarters
- Point of Diversion
- State Outline

0 0.035 0.07 0.14 Miles

SCANNED
APR 18 2023

State of Idaho
Department of Water Resources
Application for Amendment
(For Licensing Purposes)
Water Right No. 96-9508

RECEIVED

DEC 09 2022

IDWR / NORTH

Priority: December 21, 2012

Maximum Diversion Rate: 0.02 CFS

The owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 96-9508

COREY LINQUIST 2521 CLARKSVILLE RD RESCUE CA 95672-9606 AND
KARIN MARCHANT LINQUIST 2521 CLARKSVILLE RD RESCUE CA 95672-9606

requests the permit be changed as follows:

Source : LAKE PEND OREILLE

Tributary: PEND OREILLE RIVER

<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>	<u>Annual Volume</u>
IRRIGATION	04/01 to 10/31	0.02 CFS	
DOMESTIC	01/01 to 12/31	0.02 CFS	1.2 AF

Location of Point(s) of Diversion

LAKE PEND OREILLE L3 (NW¼ SE¼), Sec. 17, Twp 56N, Rge 01E, B.M. BONNER County

Place of Use: IRRIGATION


Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	01E	17														0.5 L3			0.5

Total Acres: 0.5

Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	01E	17														X L3			

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed this 5th day of December, 2022.

(Signature)

SCANNED

APR 18 2023

State of Idaho
Department of Water Resources
Application for Amendment
(For Licensing Purposes)
Water Right No. 96-9508

FOR DEPARTMENT USE ONLY

Preliminary check by JA Fee = \$100 Received by JA # N042010 Date 12-9-22

ACTION OF THE DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources hereby approves the above Application for Amendment for Permit No. 96-9508 with the following:

Conditions of Approval

1. Domestic use is for 2 homes. Irrigation of lawn, garden and landscaping associated with the home is authorized under the irrigation component of this right.
2. This right when combined with all other rights shall provide no more than 0.02 cfs nor more than 1.5 afa at the field headgate for irrigation of the place of use.
3. This right does not grant any right-of-way or easement across the land of another.

This amendment is issued pursuant to the provisions of Idaho Code § 42-211.

Signed this 17th day of April, 20 23.

Michelle Richman
MICHELLE RICHMAN
Northern Regional Manager

SCANNED
APR 18 2023

State of Idaho
Department of Water Resources

Attachment for Application to Amend a Permit

96-9508

This map depicts the DOMESTIC place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



- Place Of Use Boundary
- Townships
- PLS Sections
- Quarter Quarters
- Point of Diversion
- State Outline

0 0.035 0.07 0.14 Miles

SCANNED
APR 18 2023

State of Idaho
Department of Water Resources

Attachment for Application to Amend a Permit

96-9508

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



- Place Of Use Boundary
- Townships
- PLS Sections
- Quarter Quarters
- Point of Diversion
- State Outline

0 0.035 0.07 0.14 Miles

SCANNED
APR 18 2023



Northern Region • 7600 N Mineral Drive, Suite 100 • Coeur D'Alene, ID 83815-7763
Phone: 208-762-2800 • Fax: 208-762-2819 • Email: northerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

April 18, 2023

COREY LINQUIST
KARIN MARCHANT LINQUIST
2521 CLARKSVILLE RD
RESCUE CA 95672-9606

RE: License No. 96-9508

ISSUANCE OF LICENSE

Dear Water Right Holder(s):

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact the Northern Region Office at (208) 762-2800.

Sincerely,

Michelle Richman
Northern Regional Manager

Enclosure(s)

SCANNED
APR 18 2023

CERTIFICATE OF SERVICE

I hereby certify that on April 18, 2023, I served a true and correct copy of Water Right License No. 96-9508 by U.S. Mail, postage prepaid, to the following:

COREY LINQUIST (Current Owner)
2521 CLARKSVILLE RD
RESCUE CA 95672-9606

KARIN MARCHANT LINQUIST (Current Owner)
2521 CLARKSVILLE RD
RESCUE CA 95672-9606



Tammy Alleman
Administrative Assistant 1

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) The petition for reconsideration is disposed of; or
- (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.



Northern Region • 7600 N Mineral Drive, Suite 100 • Coeur D'Alene, ID 83815-7763
Phone: 208-762-2800 • Fax: 208-762-2819 • Email: northerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

November 9, 2022

COREY LINQUIST & KARIN
MARCHANT LINQUIST
2521 CLARKSVILLE RD
RESCUE CA 95672-9606

RE: Water Right Permit No. 96-9508

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit(s) referenced above prior to issuing water right license(s). By issuing a license, the Department confirms the extent of development that has been established in compliance with the terms of the permit.

The examiner who verified your water use reported that certain elements of the permit(s) have been developed differently than described on your permit(s). Changes that do not increase the authorized use of water under the permit(s) can be requested and approved in accordance with Idaho Code § 42-211. Before license(s) can be issued, your permit(s) must be amended to depict your water use as it was actually developed.

Based on the examiner's report, the following elements were developed differently than described on your permit(s):

 X Point(s) of Diversion: Permit approved POD legally described Twp 56N, Rge 01E, Sec 17, Government Lot 3 of the **NE** $\frac{1}{4}$ **SW** $\frac{1}{4}$. Beneficial use field exam located POD from Lake legally described in the **NW** $\frac{1}{4}$ **SE** $\frac{1}{4}$.

 X Place(s) of Use: Permit approve Domestic & Irrigation POU legally described for development Twp 56N, Rge 01E, Sec 17, Government Lot 3 of the **NE** $\frac{1}{4}$ **SW** $\frac{1}{4}$. Beneficial use field exam located two residence(s) and irrigation POU legally described in the **NW** $\frac{1}{4}$ **SE** $\frac{1}{4}$.

The enclosed Application for Amendment form(s) depicts the elements of the water right(s) as they will appear on the license(s) when issued. Please review the amendment form(s) carefully. If you concur with the information presented, **please sign and return the form(s) with the filing fee of \$100.00 within fourteen (14) days.**

SCANNED
APR 18 2023

If you have any questions, please call me at (208) 762-2817.

Sincerely,



Luke Bates
Sr. Water Resource Agent

Enclosure(s): Application for Amendment w/Map(s)
Copy of Permit w/Map(s)
Change in Address form

SCANNED

APR 18 2023

Bates, Luke

From: Bates, Luke
Sent: Tuesday, November 8, 2022 3:24 PM
To: Corey Linquist
Subject: FW: Follow Up
Attachments: 0.1 change-in-address.pdf

Mr. Linquist,

Good afternoon. I have prepared your water permit for a licensing amendment but backfile review shows the change in address form has not been updated in our system yet.

By chance were you able to submit the change address form to the E-File account with IDWR: FILE@IDWR.IDAHO.GOV

I note the old mailing address from your assignment of permit is as follows:

COREY LINQUIST
KARIN MARCHANT LINQUIST
2521 CLARKSVILLE RD
RESCUE CA 95672-9606

RE: Assignment of Permit No(s): 96-9508

Once we get that document submitted, I can move forward with mailing the amendment out. I apologize for any inconvenience, just one of the wheel in the cog of paperwork required to finalize.

Thank you Sir,

Luke Bates

Sr. Water Resource Agent
Northern Region
P: 208-762-2817



IDAHO DEPARTMENT OF
WATER RESOURCES

7600 N. Mineral Dr., Suite 100
Coeur D'Alene, ID 83815-7763

-----Original Message-----

From: Bates, Luke
Sent: Thursday, May 26, 2022 3:27 PM
To: Corey Linquist <corey_links@yahoo.com>
Subject: RE: Follow Up

Cory,

I appreciate your time and Bernie's this morning. It was nice to meet both of you.

Attached is the change in address form required to update the mailing address for your water right. You can email the form back to IDWR using the email address below - but not my email address.... Or you may mail it into our office at the address listed below.

Electronic water right documents may be mailed to the State Office at FILE@IDWR.IDAHO.GOV Please ensure that you include the WR No. 96-9508 in the email if electing email submission.

Thank you,
Luke Bates
Water Resource Agent
Northern Region
P: 208-762-2817

Idaho Department of Water Resources
7600 N. Mineral Dr., Suite 100
Coeur D'Alene, ID 83815-7763

-----Original Message-----

From: Corey Linquist <corey_links@yahoo.com>
Sent: Thursday, May 26, 2022 1:33 PM
To: Bates, Luke <Luke.Bates@idwr.idaho.gov>
Subject: Follow Up

It was a pleasure meeting you today at my lake house at:
111 Driftwood Shore
Sagle, ID 83860

If you require anything from me, please mail it along with instructions to me, Corey Linquist at my full time address in Post Falls. The address there is:
670 N Chisholm Court
Post Falls, ID 83854

Sincerely,

Corey Linquist

Sent from my iPad

Bates, Luke

From: Corey Linquist <corey_links@yahoo.com>
Sent: Thursday, May 26, 2022 1:33 PM
To: Bates, Luke
Subject: Follow Up

It was a pleasure meeting you today at my lake house at:
111 Driftwood Shore
Sagle, ID 83860

If you require anything from me, please mail it along with instructions to me, Corey Linquist at my full time address in
Post Falls. The address there is:
670 N Chisholm Court
Post Falls, ID 83854

Sincerely,

Corey Linquist

Sent from my iPad

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No: 96-9508
Exam Date: 05/26/2022

1. Current Owner:
COREY LINQUIST 2521 CLARKSVILLE RD RESCUE CA 95672-9606 AND
KARIN MARCHANT LINQUIST 2521 CLARKSVILLE RD RESCUE CA 95672-9606
2. Accompanied by: Bernie Cunningham
Phone No: 208-819-7352
Address: PO BOX 275 Spirit Lake, ID 83869
Relationship to permit Holder: Representative

3. **SOURCE:**
LAKE PEND OREILLE

Tributary
PEND OREILLE RIVER

Method of Determination: Arcmap and DRG

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NO Overlap
2. Other water rights with the same point-of-diversion: NO Overlap

C. DIVERSION AND DELIVERY SYSTEM1. **LOCATION OF POINT(S) OF DIVERSION:**

LAKE PEND OREILLE L3 (NW¼ SE¼), Sec. 17, Twp 56N, Rge 01E, B.M. BONNER County

Method of Determination: GPS; POD is a screened intake with pump located at -116°21.751, 48°12.207.

PLACE OF USE: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	01E	17														0.5 L3			0.5

Total Acres: 0.5

PLACE OF USE: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	01E	17														X L3			

Method of Determination: Beneficial use field exam & Arcmap aerial imagery.

3.
 - ☒ Delivery System Diagram Attached (required). Indicate all major components and distances between components.
 - ☒ Indicate weir size/pipe as applicable.
 - ☒ Map Attached Showing Location(s) of point(s) of diversion and place(s) of use (required). Scale must be 1:24,000 or greater.
 - ☒ Aerial Photo Attached (required for irrigation of 10+ acres).
 - ☒ Photo of Diversion and System Attached

SCANNED
APR 18 2023

4.

Well or Diversion ID No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
LAKE PUMP	FRANKLIN ELECTRIC	2			

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5-GAL BUCKET MEASUREMENT						

2. Measurements: Three 5-gallon bucket tests were completed from a hose connected to the transfer pump, with average of three resulting in a diversion rate of 5 gal / 31.10 sec x 60 sec/min = 9.65 gpm = **0.02 cfs**, considering department rounding standards.

E. FLOW CALCULATIONS

Measured Method: 5-GAL Bucket Test = (5 gal / 31.28 sec) x 60 sec/min = 9.59 gpm
 = (5 gal / 31.05 sec) x 60 sec/min = 9.66 gpm
 = (5 gal / 30.97 sec) x 60 sec/min = 9.96 gpm

Average of 3ea 5-GAL Bucket Tests = (9.59 gpm + 9.66 gpm + 9.96 gpm) / 3 = 9.74 gpm = 0.02 cfs considering department rounding standards.

F. VOLUME CALCULATIONS

1. Volume Calculations for irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 0.5 \text{ ac} \times 3.0 \text{ afa} = 1.5 \text{ af}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation season}) \times 1.9835 = 0.02 \text{ cfs} \times 214\text{-days} \times 1.9835 = 8.5 \text{ af}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = \mathbf{1.5 \text{ af}}$$

2. Volume Calculations for Other Uses: This water right uses a surface source for irrigation; there is no diversion volume associated with the annual volume for irrigation beneficial use nor a maximum diversion rate applied to the face of the license. Condition X31 replaced permit approved condition R66 to accurately describe diversion rate and annual diversion volume during licensing review.

G. NARRATIVE/REMARKS/COMMENTS

Administrative Note: Permit 96-9508's Statement of Completion was received by the department on March 09, 2018. Due to this date being prior to commencement of the Clark Fork Pend Oreille River Basin Adjudication CFPRBA = June 15, 2021, the applicant is required to file an adjudication claim in the ongoing CFPRBA process to keep the water right active as recommended for licensing.

Field exam performed on 5/26/2022 with the applicant's representative, Bernie Cunningham, showed water being diverted from Lake Pend Oreille for irrigation & domestic uses. At the POD, the applicant's diverting works include a 2 HP submersible pump with intake line in lake. Mr. Cunningham asserts the external water use for irrigation on the property is

SCANNED
APR 18 2023

not filtered and tees from the main line for irrigation purposes prior to water being distributed through a filtration system for domestic in-home use. Three 5-gal bucket tests were completed from a hose bib co-located with the main service line shut-off valve, with average of three resulting in a diversion rate of $5 \text{ gal} / 31.10 \text{ sec} \times 60 \text{ sec/min} = 9.65 \text{ gpm} = \mathbf{0.02 \text{ cfs}}$, considering department rounding standards which is recommended as the maximum diversion rate for licensing this water right. The permit approved development with larger diversion rates for domestic & irrigation than found at time of exam, and the permit is limited by pump performance found during the field exam.

The applicant's water system incorporates the main service line from lake with manual shutoff/tee valve located on the NE corner of the primary residence. From there the main tee line distributes irrigation water via a control box with 4 zones for the lower lawn & landscape area & service to a separate control box with 5 zones for the upper lawn & landscape watering area. The main line runs into the basement of the primary residence where it is filtered before use, and a dedicated post filtration pipeline routes out of the primary residence to the original small lake cabin located in the NW portion of the parcel.

The domestic POU consists of two residences – primary lake front home and original lake cabin which is lived in by a renter. I took photos of each home and sketched out the POU on field maps. During licensing review Arcmap aerial imagery was used to accurately trace out the domestic POU. The annual volume recommended for licensing equals $2\text{ea in-home domestic use} \times 0.6 \text{ af per home} = \mathbf{1.2 \text{ af}}$ annually.

The irrigation POU was walked with Mr. Cunningham and sketched out on field maps during the exam. The entirety of the irrigation POU is not clearly illustrated by aerial imagery; lawn watering and landscape watering does take place beneath a large 2nd story deck, and this acreage was included in my irrigation POU analysis. Irrigation also takes place along the edge of the primary residence up to the front door with decorative trees & shrubs. Active irrigation acreage equals 0.5 acres with an annual volume for licensing purposes equaling $0.5 \text{ ac} \times 3.0 \text{ afa} = 1.5 \text{ af}$. As this water right uses a surface water source no annual volume nor maximum diversion volume is recommended for licensing purposes. Condition X31 has been incorporated during licensing review to accurately detail irrigation diversion rate and diversion volume limitations annually. Irrigation of the POU is clearly evidenced by a pressurized system that uses pop-up sprinklers and micro-emitters by zone(s).

During licensing review department staff identified the application for permit designated POD & POU legal descriptions that are different than found at time of exam/licensing review. An Application for Amendment (For Licensing Purposes) was developed requiring amendment to the POD from Twp 56N, Rge 01E, Sec 17, Gov Lot 3, NE $\frac{1}{4}$ SW $\frac{1}{4}$ to reflect GPS located POD found in the NW $\frac{1}{4}$ SE $\frac{1}{4}$. Additionally, amendment to the POU were required for domestic and irrigation beneficial uses for the same legal description variances found between application and field exam as described above. An applicant for amendment was mailed to the applicant on 11/9/2022, and Mr. Corey Linquist returned the signed amendment with \$100.00 fee received by the department on 12/9/2022.

Condition 082 was removed from the permit during licensing review. As discussed above, condition X31 replaces R66 to better describe small acreage irrigation less than 1 acre occurring at the POU. All other conditions on the permit shall be carried forward to licensing. There are no overlap concerns for this water right. Following the field exam I identified the applicant's mailing address reflects 251 Clarksville RD, Rescue CA 95672. Multiple emails between staff and Mr. Linquist established his desire to have mail sent to a different address (reference email correspondence); I have sent the change in address form by email & along with the amendment of permit to the applicant requesting he update contact information. The amendment to permit was submitted by Mr. Linquist along with the returned blank change of address form. As such, the licensing documents will remain with the California contact information address until changed by form from the applicant.

SCANNED
APR 18 2023

Have conditions of permit approval been met? ☒ Yes ☐ No

H. RECOMMENDATIONS

1. Recommended Amounts

<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>	<u>Annual Volume</u>
IRRIGATION	04/01 to 10/31	0.02 CFS	
DOMESTIC	01/01 to 12/31	0.02 CFS	1.2 AF

Totals: 0.02 CFS

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None

☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ None

I. AUTHENTICATION

Luke Bates -

Field Examiner's Name

[Signature]

Date

12/12/2022

Reviewer

Michelle Rehman

Date

4/17/2023

SCANNED

APR 18 2023

State of Idaho
Department of Water Resources
Attachment to Field Exam
96-9508

DOMESTIC system diagram.



-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion

0 0.025 0.05 0.1 Miles

SCANNED
APR 18 2023

State of Idaho
Department of Water Resources
Attachment to Field Exam
96-9508

IRRIGATION system diagram.




- Place Of Use Boundary
- Townships
- PLS Sections
- Quarter Quarters
- Point of Diversion

0 0.025 0.05 0.1 Miles



SCANNED
APR 18 2023




BENEFICIAL USE FIELD EXAMINATION DATE 5/26/2022



POD – BURIED POLY PIPE TO PUMP IN LAKE ROUTED ALONG SIDE BOAT LAUNCH



MAIN WATER LINE SHUTOFF VALVE BOX – LOCATED NE CORNER OF MAIN RESIDENCE



1.5 HP – 2.0 HP PUMP INSTALLED USED FOR DIVERSION OF WATER

SCANNED
APR 18 2023



WATER CONVEYANCE SYSTEM FOR IN-HOME USE



50 PSI OPERATING PRESSURE

SCANNED
APR 18 2023



EXTERNAL WATER USE, NON-FILTERED DIRECT FLOW FROM PUMP



DOMESTIC POU – MAIN RESIDENCE (HOME 1)

SCANNED
APR 18 2023



DOMESTIC POU – LAKE CABIN (HOME 2) CABIN BUILT IN 1950'S – 1960'S



IRRIGATION CONTROL BOX FOR LOWER 4EA ZONES

SCANNED
APR 18 2023



IRRIGATION POU



SCANNED
APR 18 2023



IRRIGATION POU



SCANNED

APR 18 2023



IRRIGATION CONTROL BOX FOR UPPER 5 ZONES




IRRIGATION POU

SCANNED

APR 18 2023



IRRIGATION POU



APR 18 2023