

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 96-10232

Priority: January 24, 2022

Maximum Diversion Rate: 0.04 CFS

Maximum Diversion Volume: 1.2 AF

It is hereby certified that:

JOHN F MYERS 12346 DIAMOND DR HAYDEN ID 83835-7907 AND/OR
JODY J MYERS 12346 DIAMOND DR HAYDEN ID 83835-7907

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 24, 2022, and has submitted Proof of Beneficial Use on January 04, 2023. An examination confirms water is diverted from:

Source : SPRING

Tributary: SINKS

Beneficial Use

DOMESTIC

Period of Use

01/01 to 12/31

Rate of Diversion

0.04 CFS

Annual Volume

1.2 AF

Location of Point(s) of Diversion

SPRING NW¼ NE¼ SE¼, Sec. 16, Twp 58N, Rge 01E, B.M. BONNER County

Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
58N	01E	16													X				

Conditions of Approval

1. Domestic use is for 1 home.
2. The irrigation occurring under this domestic use shall not exceed 1/2 acre.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 10th day of January, 20 23.



PHILL HUMMER
Water Rights Supervisor

SCANNED
JAN 13 2023


State of Idaho
Department of Water Resources
Attachment to Water Right License
96-10232

This map depicts the DOMESTIC place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

01E



-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion



JAN 09 2023

DEPARTMENT OF
WATER RESOURCES

JAN 04 2023
DWR / NORTH

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY	
Amt. of Fee \$	50 ⁰⁰
Receipt No.	N042194
Received By	Ja
Date Received	1-4-23

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 96-10232 Name of Permit Holder(s) John F. Myers Jody J. Myers
Telephone No. 208 762-7164 Email jidsmyers@msn.com
Mailing Address 12346 Diamond Dr. City Hayden State Id Zip 83835

2. Source of Water Spring If Ground Water (well), Date Drilled mo. ____ / yr. ____
Drilling Permit/Tag No. ____ Drilling Company's Name ____

3. Extent of use(s) completed as authorized by the water right permit:

☒ Domestic (No. households) 1 Irrigation (No. acres) ____ Stockwater (No. and stock type) ____
Other up to 1/2 acre for irrigation

4. Total diversion rate or volume (storage only) for which proof is submitted 0.04 cfs OR ____ af
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.

5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)

Spring box with pump & piping to house

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

- | | | |
|--------------------------|-------------------------------------|---|
| ☐ | ☒ | Ground water level data, pumping information, or other diversion data |
| ☐ | ☒ | Mitigation plan |
| ☐ | ☒ | Lockable controlling works |
| ☐ | ☒ | Measuring device |
| ☐ | ☒ | Fish screen |
| ☐ | ☒ | Other requirements of the water right permit |
| ☐ | ☒ | Reasonably Anticipated Future Needs ("RAFN") Municipal use |
- If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

7. Fee Enclosed \$ 50⁰⁰ or ☐ CWRE field report attached or ☐ No fee required
See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: John F. Myers Telephone No. 208 762-7164 Email jidsmyers@msn.com
Mailing Address Same as above City ____ State ____ Zip ____

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

John F. Myers
SIGNATURE OF PERMIT HOLDER*

John F. Myers
PRINTED NAME AND TITLE

01-04-2023
DATE

*Attach power of attorney if completing on behalf of permit holder.

SCANNED
JAN 13 2023



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

January 13, 2023

JOHN F MYERS
JODY J MYERS
12346 DIAMOND DR
HAYDEN ID 83835-7907

RE: License No. 96-10232

ISSUANCE OF LICENSE

Dear Water Right Holders:

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,

for 

Phill Hummer
Water Rights Supervisor

Enclosures


SCANNED
JAN 13 2023

CERTIFICATE OF SERVICE

I hereby certify that on January 13, 2023, I served a true and correct copy of Water Right License No. 96-10232 by U.S. Mail, postage prepaid, to the following:

JOHN F MYERS (Current Owner)
12346 DIAMOND DR
HAYDEN ID 83835-7907

JODY J MYERS (Current Owner)
12346 DIAMOND DR
HAYDEN ID 83835-7907



Debbi Judd
Technical Records Specialist

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATIONPermit No: 96-10232

Exam Date: 1/10/2023

1. Does this qualify for an in-office field exam (IDAPA 035.02.r)? X Y ___ N
 a. Irrigation of 5 acres or less
 b. Storage of up to 14.6 AF for stockwater purposes only
 c. Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
 d. Other < >

2. Current Owner: Name: John and Jody Myers
 Owner of Record Correct? X Y ___ N
 Address of Record Correct? X Y ___ N
 If No: Address

According to GIS and Tax Parcel Data the property is owned by John and Jody Myers

3. Beneficial Use Fees have been paid: X Y ___ N Receipt No: N042194
 4. SOURCE TRIBUTARY
 Spring Sinks

Method of Determination: GIS and Tax Parcel Data

Change in Source: ___ Y ___ X ___ N

B. OVERLAP REVIEW

1. Other water rights with the same place of use: No Overlap

Water Right No.	Source	Purpose of Use	Basis
N/A			

Comments: N/A

2. Other water rights with the same point of diversion: No Overlap

Water Right No.	Source	Purpose of Use	Basis
N/A			

Comments: N/A

C. DIVERSION AND DELIVERY SYSTEM**1. LOCATION OF POINT(S) OF DIVERSION:**

Source	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.		County
Spring		NW	NE	SE	16	58N	01E	B.M.	Bonner
								B.M.	
								B.M.	

Method of Determination: GIS and Tax Parcel Data

Change in POD? ___ Y ___ X ___ N Amendment Required? ___ Y ___ X ___ N

SCANNED
JAN 13 2023

2. **PLACE OF USE:** Use: Domestic

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
58N	01E	16													D				
		Lot #																	
Total Acres =																			N/A

Method of Determination: GIS and Tax Parcel Data

Change in POU? ____Y ____X ____N Amendment Required? ____Y ____X ____N

____ Delivery System Diagram Attached (required). Indicate all major components and distances between components.

Indicate weir size/pipe as applicable.

____ Aerial Photo Attached (required for irrigation of 10+ acres).

____ Photo of Diversion and System Attached

4. Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
N/A					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1. Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A						

2. Measurements: Since the permit holder did not provide pump horsepower a diversion rate calculation was not possible.

E. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method: **The permit holder did not provide pump horsepower. Therefore, a diversion rate calculation was not possible. According to Administrative Memo #22 the standard diversion rate for a single-family home is 0.04 cfs. The permit authorizes 0.04 cfs for one home. I am recommending a 0.04 cfs diversion rate.**

8
JAN 13 2023

F. VOLUME CALCULATIONS

2. Volume Calculations for Other Uses: **According to Administrative Processing Memo #22 the diversion volume for a single-family home is 0.6 af for in home use and 0.6 af for up to ½ acre yard irrigation or 1.2 af total. I am recommending a 1.2 af diversion volume.**

G. PURPOSE OF USE

Irrigation ☒ Y ☐ N # Stock _____ Domestic # of Homes 1

Other: < >

Change in Purpose of Use? ☐ Y ☒ N

Method of Determination: Tax Parcel data, and Google Earth Aerial Imagery.

If Yes: From Use _____ To Use _____ Amount _____ CFS _____ AFA _____

H. NARRATIVE/REMARKS/COMMENTS

This permit qualifies for an in-house exam. According to Tax parcel Data the property was developed in 2012. The permit authorizes domestic use for one home and up to ½ acre yard irrigation. Irrigation was confirmed by Google Earth Aerial Imagery, taking place to the west of the home. The permit holder did not provide pump horsepower, so a diversion rate calculation was not possible. The diversion rate and volume standards set in Administrative Processing Memo #22 were used to make recommendations. All the conditions have been met and it is reasonable to believe the permit holders are using water for the beneficial use authorized on their permit. Therefore, I am recommending a 0.04 cfs diversion rate and 1.2 af volume.

Condition X01, and 187 should remain on the license. Condition 004 should be removed because there are no concerns with access to the point of diversion. All other conditions should be removed as standard with licensing.

Have conditions of permit approval been met? ☒ Yes ☐ No

I. RECOMMENDATIONS**1. Recommended Amounts**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
	1/1 to 12/31	0.04 CFS	1.2 AF
<u>Totals:</u>		0.04 CFS	1.2 AF

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ None

Other: < >

J. AUTHENTICATION Skyler Cheever, Water Resource Agent

Field Examiner's Name Skyler Cheever Date 1/10/2023

Reviewer PH Date 1/10/23

JAN 13 2023


Field Exam Map:

The orange border shows the place of use, and the yellow point shows the point of diversion.



SCANNED
JAN 13 2023

Description reads "Map of place of use showing irrigation to the west of the home".



SCANNED
JAN 13 2023

Beneficial Use Proof Evaluation

Permit Number: 96-10232 Reviewer: djudd Review Date: 1/9/2023

Acceptability

- 1) Is the contact on the request the current permit holder? Yes
- 2) Does the address of record need to be updated? No
- 3) Proof Submitted Date: 1/4/2023
- 4) Proof Due Date: 3/1/2023
- 5) Days added for weekend due date? 0
- 6) Days added for holiday due date? 0
- 7) Number of days late: -56
- 8) Proof received timely? Yes

Analysis

- 1) Are the water uses correct? Yes
- 2) Are one of the following items required?
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- No
- 3) Are the required items installed?
 - a. Measuring Device --
 - b. Lockable Device --
 - c. Fish Screen --
- 4) Is there a request to waive the required items?
- 5) Drilling Permit Number:
- 6) Is a drilling permit upgrade needed?
- 7) Was a well drillers report filed?
- 8) Is proof accepted? Yes

Fees

- 1) Is a licensing exam fee required? Yes
- 2) Was proof submitted with an exam report from a CWE? No
- 3) Filing fee due: \$50.00
- 4) Filing fee submitted: \$50.00
- 5) Remaining fee or (refund): \$0.00

Receipt IDs

N038212

Comments

Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing.



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little
December 30, 2022

Director Gary Spackman

JODY J MYERS
JOHN F MYERS
12346 DIAMOND DR
HAYDEN ID 83835-7907

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit No. 96-10232

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holders:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **March 01, 2023**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Idaho Code § 42-204. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a \$50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this Department on or before the above proof due date. If neither is received, the Department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Debbi Judd
Technical Records Specialist

Enclosures



7016 1370 0000 2018 4219

SCANNED
JAN 3 2023