

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 96-10344

Priority: February 04, 2022

Maximum Diversion Rate: 0.04 CFS

Maximum Diversion Volume: 1.2 AF

It is hereby certified that:

LINDA WILSON 2804 W JOHANSEN RD SPOKANE WA 99208-8425 AND
DAVID WILSON 2804 W JOHANSEN RD SPOKANE WA 99208-8425

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 04, 2022, and has submitted Proof of Beneficial Use on February 13, 2023. An examination confirms water is diverted from:

Source : LAKE PEND OREILLE

Tributary: PEND OREILLE RIVER

Beneficial Use

DOMESTIC

Period of Use

01/01 to 12/31

Rate of Diversion

0.04 CFS

Annual Volume

1.2 AF

Location of Point(s) of Diversion

LAKE PEND OREILLE SW¼ SW¼, Sec. 17, Twp 56N, Rge 01E, B.M. BONNER County

Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	01E	17											X L4						

Conditions of Approval

1. This right does not grant any right-of-way or easement across the land of another.
2. Domestic use is for 1 home.
3. The irrigation occurring under this domestic use shall not exceed 1/2 acre.
4. Place of use is located within Lot 1, Walstons Lake Lots, 2nd Addition subdivision.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 3rd day of March, 2023.




PHILL HUMMER
Water Rights Supervisor

SCANNED
MAR 07 2023

State of Idaho
Department of Water Resources
Attachment to Water Right
96-10344

This map depicts the DOMESTIC place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



0 0.035 0.07 0.14 Miles

-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion

SCANNED
MAR 07 2023



N

RECEIVED
FEB 13 2023
DEPARTMENT OF
WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY

Amt. of Fee \$ 50.00
Receipt No. C115276
Received By CU
Date Received 2.13.23

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 96-10344 Name of Permit Holder(s) David Wilson and Linda Wilson

Telephone No. 208-610-6328 Email DaveWilson.55@gmail.com

Mailing Address 2804 W. Johannsen Rd. City Spokane State WA Zip 99208

2. Source of Water Lake Pend Oreille If Ground Water (well), Date Drilled mo. ____ / yr. ____

Drilling Permit/Tag No. _____ Drilling Company's Name _____

3. Extent of use(s) completed **as authorized by the water right permit:**

Domestic (No. households) 1 Irrigation (No. acres) 0.2 Stockwater (No. and stock type) _____

Other _____

4. Total diversion rate or volume (storage only) for which proof is submitted 0.04 cfs OR 0.0 af

If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.

5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)

Water is pumped out of lake to water system in the house. System was in place when we bought it in January 2017,

type and hp of pump is unknown. Water use is primarily household, we occasionally water the lawn using a portable sprinkler.

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

- | | | |
|--------------------------|-------------------------------------|---|
| ☐ | ☒ | Ground water level data, pumping information, or other diversion data |
| ☐ | ☒ | Mitigation plan |
| ☐ | ☒ | Lockable controlling works |
| ☐ | ☒ | Measuring device |
| ☐ | ☒ | Fish screen |
| ☐ | ☒ | Other requirements of the water right permit _____ |
| ☐ | ☒ | Reasonably Anticipated Future Needs ("RAFN") Municipal use |

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

7. Fee Enclosed \$ 50.00 or ☐ CWRE field report attached or ☐ No fee required

See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: David Wilson Telephone No. 208-610-6328 Email DaveWilson.55@gmail.com

Mailing Address 2804 W. Johannsen Rd. City Spokane State WA Zip 99208

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

David Wilson

David Wilson, Owner

2/9/2023

SIGNATURE OF PERMIT HOLDER*

PRINTED NAME AND TITLE

DATE

*Attach power of attorney if completing on behalf of permit holder.

SCANNED
MAR 07 2023



322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little
March 6, 2023

Director Gary Spackman

DAVID WILSON
LINDA WILSON
2804 W JOHANNSEN RD
SPOKANE WA 99208-8425

RE: License No. 96-10344

ISSUANCE OF LICENSE

Dear Water Right Holders:

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,

A handwritten signature in black ink, appearing to read "Phill Hummer", is written over a horizontal line.

Phill Hummer
Water Rights Supervisor

Enclosures


SCANNED
MAR 07 2023

CERTIFICATE OF SERVICE

I hereby certify that on March 6, 2023, I served a true and correct copy of Water Right License No. 96-10344 by U.S. Mail, postage prepaid, to the following:

DAVID WILSON (Current Owner)
2804 W JOHANSEN RD
SPOKANE WA 99208-8425

LINDA WILSON (Current Owner)
2804 W JOHANSEN RD
SPOKANE WA 99208-8425



Debbi Judd
Technical Records Specialist

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATIONPermit No: 96-10344Exam Date: 2/24/2023

1. Does this qualify for an in-office field exam (IDAPA 035.02.r)? X Y N
- Irrigation of 5 acres or less
 - Storage of up to 14.6 AF for stockwater purposes only
 - Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
 - Other < >

2. Current Owner: Name: David and Linda Wilson
- Owner of Record Correct? X Y N
- Address of Record Correct? X Y N
- If No: Address

According to Tax Parcel Data the property is owned by David and Linda Wilson.

3. Beneficial Use Fees have been paid: X Y N Receipt No: 2115276
4. **SOURCE** TRIBUTARY
- Lake Pend Oreille Pend Oreille River

Method of Determination: GIS and Tax Parcel DataChange in Source: Y X N**B. OVERLAP REVIEW**

1. Other water rights with the same place of use: No Overlap

Water Right No.	Source	Purpose of Use	Basis

Comments: Water right 96-9431 slightly overlaps this permits place of use. However, maps within the water right backfile confirm parcels have shifted. Therefore, 96-9341 does not overlap this permit.

2. Other water rights with the same point of diversion: No Overlap

Water Right No.	Source	Purpose of Use	Basis
N/A			

Comments: N/A

C. DIVERSION AND DELIVERY SYSTEM**1. LOCATION OF POINT(S) OF DIVERSION:**

Source	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.		County
Lake Pend Oreille			SW	SW	17	56N	01E	B.M.	Bonner
								B.M.	
								B.M.	

Method of Determination: GIS and Tax Parcel DataChange in POD? Y X N Amendment Required? Y X N

SCANNED
MAR 07 2023

2. **PLACE OF USE:** Use: Domestic

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	01E	17											D						N/A
		Lot #											4						N/A
Total Acres =																			N/A

Method of Determination: GIS and Tax Parcel DataChange in POU? Y X N Amendment Required? Y X N Delivery System Diagram Attached (required). Indicate all major components and distances between components.

Indicate weir size/pipe as applicable.

 Aerial Photo Attached (required for irrigation of 10+ acres). Photo of Diversion and System Attached

4. Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
N/A					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1. Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A						

2. Measurements: Since The permit holder did not provide a pump horsepower a diversion rate calculation was not possible.**E. FLOW CALCULATIONS** Additional Computation Sheets Attached

Measured Method: **The permit holder did not provide a pump horsepower, so a diversion rate calculation was not possible. According to Administrative Processing Memo #22 the standard diversion rate for a single-family home is 0.04 cfs. The permit authorizes 0.04 cfs. I am recommending a 0.04 cfs diversion rate.**

F. VOLUME CALCULATIONS

2. Volume Calculations for Other Uses: **According to Administrative Processing Memo #22 the standard diversion volume for a single domestic use is 0.6 af for in home use and 0.6 af for up to ½ acres yard irrigation or 1.2 af. I am recommending a 1.2 af diversion volume.**

SCANNED
MAR 07 2023

G. PURPOSE OF USEIrrigation ☒ Y ☐ N # Stock N/A Domestic # of Homes 1

Other: < >

Change in Purpose of Use? ☐ Y ☒ X ☐ NMethod of Determination: GIS, Tax Parcel Data, and Sentinel Imagery.

If Yes: From Use _____ To Use _____ Amount _____ CFS _____ AFA _____

H. NARRATIVE/REMARKS/COMMENTS

This permit qualifies for an in-house examination. According to Tax Parcel Data the property was developed in 1977. The permit authorizes domestic use for one home and up to ½ acres of yard irrigation from Lake Pend Oreille. GIS Imagery alone could not determine if irrigation occurred within the development period. Sentinel Imagery confirmed irrigation occurred July 5th, 2022. According to the permit holders Statement of Completion for Proof of Beneficial Use a fish screen was installed meeting the requirements of the Idaho Department of Fish and Game.

The permit holder did not provide pump horsepower; therefore, a diversion rate calculation was not conducted. The standards set in Administrative Processing Memo #22 were utilized to make diversion rate and volume recommendations. All the conditions have been met and it is believed the permit holders are using water for the beneficial use authorized in their permit. Therefore, I am recommending a 0.04 cfs diversion rate and 1.2 af diversion volume.

Conditions 004, X01, 187 and X60 should remain on the license. Condition 029 should be removed as standard with licensing. All other conditions should be removed as standard with licensing.

Have conditions of permit approval been met? ☒ X Yes ☐ No**I. RECOMMENDATIONS****1. Recommended Amounts**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
Domestic	1/1 to 12/31	0.04 CFS	1.2 AF
<u>Totals:</u>		0.04 CFS	1.2 AF

2. Recommended Amendments☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ X None☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ X None

Other: < >

J. AUTHENTICATION Skyler Cheever, Water Resource AgentField Examiner's Name  Date 2/24/2023Reviewer  Date 3/3/23

SCANNED
MAR 07 2023

Field Exam Map:


The orange border shows the place of use, and the yellow point shows the point of diversion.



SCANNED
MAR 07 2023

Irrigation Map

Sentinel Imagery confirms irrigation occurred on July 5th, 2022. The magenta area outlines the place of use and parcels are outlined in green.



SCANNED
MAR 07 2023

Beneficial Use Proof Evaluation

Permit Number: 96-10344 Reviewer: djudd Review Date: 2/21/2023

Acceptability

- 1) Is the contact on the request the current permit holder? Yes
- 2) Does the address of record need to be updated? No
- 3) Proof Submitted Date: 2/13/2023
- 4) Proof Due Date: 4/1/2023
- 5) Days added for weekend due date? 0
- 6) Days added for holiday due date? 0
- 7) Number of days late: -47
- 8) Proof received timely? Yes

Analysis

- 1) Are the water uses correct? Yes
- 2) Are one of the following items required?
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- No
- 3) Are the required items installed?
 - a. Measuring Device --
 - b. Lockable Device --
 - c. Fish Screen --
- 4) Is there a request to waive the required items?
- 5) Drilling Permit Number:
- 6) Is a drilling permit upgrade needed?
- 7) Was a well drillers report filed?
- 8) Is proof accepted? Yes

Fees

- 1) Is a licensing exam fee required? Yes
- 2) Was proof submitted with an exam report from a CWE? No
- 3) Filing fee due: \$50.00
- 4) Filing fee submitted: \$50.00
- 5) Remaining fee or (refund): \$0.00

Receipt IDs

N038289

Comments

Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing.



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

January 31, 2023

DAVID WILSON
LINDA WILSON
2804 W JOHANNSSEN RD
SPOKANE WA 99208-8425

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit No. 96-10344

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holder(s):

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **April 01, 2023**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a \$50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this department on or before the above proof due date. If neither is received, the department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Debbi Judd
Technical Records Specialist

Enclosure(s)



SCANNED

JAN 31 2023