

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 96-10556

Priority: March 11, 2022

Maximum Diversion Rate: 0.04 CFS

Maximum Diversion Volume: 1.2 AF

It is hereby certified that:

KARL L NEUMANN 8762 RIVER RD CLARK FORK ID 83811-9738 AND/OR
SHARI D NEUMANN 8762 RIVER RD CLARK FORK ID 83811-9738

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 11, 2022, and has submitted Proof of Beneficial Use on March 20, 2023. An examination confirms water is diverted from:

Source : SPRING

Tributary: SINKS

Beneficial Use

DOMESTIC

Period of Use

01/01 to 12/31

Rate of Diversion

0.04 CFS

Annual Volume

1.2 AF

Location of Point(s) of Diversion

SPRING L2 (SE $\frac{1}{4}$ SW $\frac{1}{4}$ NW $\frac{1}{4}$), Sec. 2, Twp 54N, Rge 03E, B.M. BONNER County

Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
54N	03E	3	X L1																

Conditions of Approval

1. Domestic use is for 1 home.
2. The irrigation occurring under this domestic use shall not exceed 1/2 acre.
3. This right does not grant any right-of-way or easement across the land of another.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 23rd day of March, 2023.




PHILL HUMMER
Water Rights Supervisor

SCANNED
MAR 29 2023

State of Idaho
Department of Water Resources
Attachment to Water Right
96-10556

This map depicts the DOMESTIC place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



0 0.05 0.1 0.2 Miles

-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion

SCANNED
MAR 29 2023

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY
Amt. of Fee \$ 50.00
Receipt No. 6115628
Received By KA
Date Received 3.20.23

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 96-10556 Name of Permit Holder(s) KARL + SHARI Neumann
Telephone No. 208-266-1903 Email Lazywater 402@gmail.com
Mailing Address 8762 River Road City Clark Fork State IDA Zip 83811
2. Source of Water Spring If Ground Water (well), Date Drilled mo. ____ / yr. ____
Drilling Permit/Tag No. ____ Drilling Company's Name ____

3. Extent of use(s) completed as authorized by the water right permit:

Domestic (No. households) 1 Irrigation (No. acres) ____ Stockwater (No. and stock type) ____
Other 1/2 acre irrigation

4. Total diversion rate or volume (storage only) for which proof is submitted 0.04 cfs OR ____ af
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.

5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)

gravity Flow, Spring Box, Holding Tank

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

- | | | |
|--------------------------|-------------------------------------|---|
| ☐ | ☒ | Ground water level data, pumping information, or other diversion data |
| ☐ | ☒ | Mitigation plan |
| ☐ | ☒ | Lockable controlling works |
| ☐ | ☒ | Measuring device |
| ☐ | ☒ | Fish screen |
| ☐ | ☒ | Other requirements of the water right permit |
| ☐ | ☒ | Reasonably Anticipated Future Needs ("RAFN") Municipal use |
- If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

7. Fee Enclosed \$ 50.00 or ☐ CWRE field report attached or ☐ No fee required

See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: Karl Neumann Telephone No. 208-266-1903 Email Lazywater 402@gmail.com
Mailing Address 8762 River Road City Clark Fork State IDA Zip 83811

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

Karl Neumann
SIGNATURE OF PERMIT HOLDER*

KARL C. Neumann
PRINTED NAME AND TITLE

3-17-2023
DATE

*Attach power of attorney if completing on behalf of permit holder.

SCANNED
MAR 29 2023



322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

March 28, 2023

KARL L NEUMANN
SHARI D NEUMANN
8762 RIVER RD
CLARK FORK ID 83811-9738

RE: License No. 96-10556

ISSUANCE OF LICENSE

Dear Water Right Holders:

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,



Phill Hummer
Water Rights Supervisor

Enclosures

SCANNED
MAR 29 2023

CERTIFICATE OF SERVICE

I hereby certify that on March 28, 2023, I served a true and correct copy of Water Right License No. 96-10556 by U.S. Mail, postage prepaid, to the following:

KARL L NEUMANN (Current Owner)
8762 RIVER RD
CLARK FORK ID 83811-9738

SHARI D NEUMANN (Current Owner)
8762 RIVER RD
CLARK FORK ID 83811-9738



Debbi Judd
Technical Records Specialist

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATIONPermit No: 96-10556Exam Date: 3/22/2023

1. Does this qualify for an in-office field exam (IDAPA 035.02.r)? X Y N
- Irrigation of 5 acres or less
 - Storage of up to 14.6 AF for stockwater purposes only
 - Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
 - Other < >

2. Current Owner: Name: Karl and Shari Neumann
 Owner of Record Correct? X Y N
 Address of Record Correct? X Y N
 If No: Address

According to Tax Parcel Data the property is owned by Karl and Shari Neumann.

3. Beneficial Use Fees have been paid: X Y N Receipt No: C115628
4. SOURCE TRIBUTARY
 Spring Sinks

Method of Determination: GIS and Tax Parcel Data

Change in Source: Y X N

B. OVERLAP REVIEW

1. Other water rights with the same place of use: No Overlap

Water Right No.	Source	Purpose of Use	Basis
N/A			

Comments: N/A

2. Other water rights with the same point of diversion: No Overlap

Water Right No.	Source	Purpose of Use	Basis
N/A			

Comments: N/A

C. DIVERSION AND DELIVERY SYSTEM

1. LOCATION OF POINT(S) OF DIVERSION:

Source	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.		County
Spring	2	SE	SW	NW	2	54N	03E	B.M.	Bonner
								B.M.	
								B.M.	

Method of Determination: GIS and Tax Parcel Data

Change in POD? Y X N Amendment Required? Y X N

2. PLACE OF USE: Use: Domestic

SCANNED
MAR 29 2023

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
54N	03E	3	D															N/A	
		Lot #	1															N/A	
																	Total Acres =	N/A	

Method of Determination: GIS and Tax Parcel DataChange in POU? Y X N Amendment Required? Y X N Delivery System Diagram Attached (required). Indicate all major components and distances between components.

Indicate weir size/pipe as applicable.

 Aerial Photo Attached (required for irrigation of 10+ acres). Photo of Diversion and System Attached

4. Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
N/A					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1. Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A						

2. Measurements: Since the system is based off gravity a diversion rate calculation is not possible.**E. FLOW CALCULATIONS** Additional Computation Sheets Attached

Measured Method: **The water delivery system is based off gravity flow. Therefore, a diversion rate calculation is not possible. According to Administrative Processing Memo #22 the standard diversion rate for a single-family home is 0.04 cfs. This permit authorizes 0.04 cfs. I am recommending a 0.04 cfs diversion rate.**

F. VOLUME CALCULATIONS

2. Volume Calculations for Other Uses: **According to Administrative Processing Memo #22 the standard diversion volume for a single domestic use is 0.6 af for in-home use and 0.6 af for up to ½ acre of yard irrigation or 1.2 af. I am recommending a 1.2 af diversion volume.**

G. PURPOSE OF USEIrrigation X Y N # Stock N/A Domestic # of Homes 1

Other: < >

Change in Purpose of Use? Y X NMethod of Determination: GIS Imagery and Tax Parcel DataIf Yes: From Use To Use Amount CFS AFA

SCANNED
MAR 7 9 2023

H. NARRATIVE/REMARKS/COMMENTS

This permit qualifies for an in-house examination. According to Tax Parcel Data the property was developed in 2004. The permit authorizes domestic use for 1 home and up to 1/2 acre of yard irrigation. Google Earth Imagery indicates irrigation occurred in August of 2022. The water delivery system is based off gravity flow from a spring box to a holding tank. Therefore, a diversion rate calculation was not possible. The standards set in Administrative Processing Memo # 22 were used to make diversion rate and volume recommendations. All of the conditions have been met and it is believed the permit holders are using water for the beneficial use authorized on their permit. Therefore, I am recommending a diversion volume of 0.04 cfs and diversion volume of 1.2 af.

Conditions X01, 187 and 004 should remain on the license. All other conditions should be removed as standard with licensing.

Have conditions of permit approval been met? ☒ Yes ☐ No

I. RECOMMENDATIONS**1. Recommended Amounts**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>DIVERSION VOLUME</u>
Domestic	1/1 to 12/31	0.04 CFS	1.2 AF
<u>Totals:</u>		0.04 CFS	1.2 AF

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ None

Other: < >

J. AUTHENTICATION Skyler Cheever, Water Resource Agent

Field Examiner's Name Skyler Cheever Date 3/23/2023

Reviewer PH Date 3/23/23

SCANNED
MAR 29 2023

Permit No: 96-10556

Page 4

Field Exam Map:

The orange border shows the place of use, and the yellow point shows the point of diversion.



SCANNED
MAR 29 2023

Beneficial Use Proof Evaluation

Permit Number: 96-10556 Reviewer: djudd Review Date: 3/20/2023

Acceptability

- 1) Is the contact on the request the current permit holder? Yes
- 2) Does the address of record need to be updated? No
- 3) Proof Submitted Date: 3/20/2023
- 4) Proof Due Date: 5/1/2023
- 5) Days added for weekend due date? 0
- 6) Days added for holiday due date? 0
- 7) Number of days late: -42
- 8) Proof received timely? Yes

Analysis

- 1) Are the water uses correct? Yes
- 2) Are one of the following items required?
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- No
- 3) Are the required items installed?
 - a. Measuring Device --
 - b. Lockable Device --
 - c. Fish Screen --
- 4) Is there a request to waive the required items?
- 5) Drilling Permit Number:
- 6) Is a drilling permit upgrade needed?
- 7) Was a well drillers report filed?
- 8) Is proof accepted? Yes

Fees

- 1) Is a licensing exam fee required? Yes
- 2) Was proof submitted with an exam report from a CWE? No
- 3) Filing fee due: \$50.00
- 4) Filing fee submitted: \$50.00
- 5) Remaining fee or (refund): \$0.00

Receipt IDs

N038601

Comments

Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing.



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little
February 28, 2023

Director Gary Spackman

KARL L NEUMANN
SHARI D NEUMANN
8762 RIVER RD
CLARK FORK ID 83811-9738

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit No. 96-10556

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holders:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **May 01, 2023**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Idaho Code § 42-204. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a \$50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this Department on or before the above proof due date. If neither is received, the Department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Debbi Judd
Technical Records Specialist

Enclosures



7016 1370 0000 2018 4608

NO _____

SCANNED
MAR 01 2023