

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 96-10617

Priority: March 23, 2022

Maximum Diversion Rate: 0.01 CFS

Maximum Diversion Volume: 0.6 AF

It is hereby certified that:

CRAIG DOLSBY 1509 NORTSHORE DR SANDPOINT ID 83864-2714 AND/OR
SHELLEY DOLSBY 1509 NORTSHORE DR SANDPOINT ID 83864-2714

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 23, 2022, and has submitted Proof of Beneficial Use on April 10, 2023. An examination confirms water is diverted from:

Source: PEND OREILLE RIVER

Tributary: COLUMBIA RIVER

Beneficial Use

IRRIGATION

Period of Use

04/01 to 10/31

Rate of Diversion

0.01 CFS

Annual Volume

0.6 AF

Location of Point(s) of Diversion

PEND OREILLE RIVER L1 (SE¼ NE¼), Sec. 28, Twp 57N, Rge 02W, B.M. BONNER County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
57N	02W	28				0.2 L1													0.2


Total Acres: 0.2

Conditions of Approval

1. This right when combined with all other rights shall provide no more than 0.01 cfs nor more than 0.6 afa at the field headgate for irrigation of the place of use.
2. Place of use is located within Lot 12, Blk. 1; Northshore Subdivision.
3. This right does not grant any right-of-way or easement across the land of another.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 16 day of AUGUST, 20 23.


CODY PARKER
Water Rights Supervisor


SCANNED

AUG 22 2023

State of Idaho
Department of Water Resources
Attachment to Water Right
96-10617

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

02W



0 0.035 0.07 0.14 Miles

-  Point of Diversion
-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters

SCANNED
N
AUG 22 2023

RECEIVED

APR 10 2023

DEPARTMENT OF
WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY

Amt. of Fee \$ 50
Receipt No. C115829
Received By KM
Date Received 4.10.23

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 96-10617 Name of Permit Holder(s) Craig and/or Shelley Dolsby
Telephone No. (208)265-6716 Email Craig@trueseals.com
Mailing Address 1509 Northshore Dr. City Sandpoint State ID Zip 83864
2. Source of Water Pond Oreille River If Ground Water (well), Date Drilled mo. _____ / yr. _____
Drilling Permit/Tag No. N/A Drilling Company's Name N/A

3. Extent of use(s) completed as authorized by the water right permit:

Domestic (No. households) 1 Irrigation (No. acres) .5 Stockwater (No. and stock type) _____
Other _____

4. Total diversion rate or volume (storage only) for which proof is submitted .02 cfs OR _____ af
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.

5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)

Screened intake pump and 1" water line mounted to dock.

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

- | | | | |
|-------------------------------------|-------------------------------------|--------------------------|---|
| ☐ | ☐ | ☐ | Ground water level data, pumping information, or other diversion data |
| ☐ | ☐ | ☐ | Mitigation plan |
| ☐ | ☐ | ☐ | Lockable controlling works |
| ☒ | ☒ | ☐ | Measuring device |
| ☒ | ☒ | ☐ | Fish screen |
| ☐ | ☐ | ☐ | Other requirements of the water right permit _____ |
| ☐ | ☐ | ☐ | Reasonably Anticipated Future Needs ("RAFN") Municipal use |

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

7. Fee Enclosed \$ 50 or ☐ CWRE field report attached or ☐ No fee required

See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to accompany a Department representative during the field examination of the water system:

Name: Craig Dolsby Telephone No. (208)265-6716 Email Craig@trueseals.com
Mailing Address 1509 Northshore Dr. City Sandpoint State ID Zip 83864

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

Craig A. Dolsby
SIGNATURE OF PERMIT HOLDER*

CRAIG A. DOLSBY
PRINTED NAME AND TITLE

20-MAR-2023
DATE

*Attach power of attorney if completing on behalf of permit holder.

SCANNED

AUG 22 2023

Instrument # 1006775
Bonner County, Sandpoint, Idaho
06/10/2022 10:19:22 AM No. of Pages: 16
Recorded for: CRAIG DOLSBY
Michael W. Rosedale Fee: \$55.00
Ex-Officio Recorder Deputy
Index to: ENCROACHMENT PERMIT



This space is reserved for recording purposes only



ENCROACHMENT PERMIT NO. L96S1038C

Permission is hereby granted to Craig Dolsby and Shelley Dolsby of 1509 Northshore Drive, Sandpoint, ID, 83864, United States (USA) to install and maintain the following encroachment(s) subject to the terms and conditions of this Permit and the approved application, plans and drawings incorporated herein:

Encroachment	Description	Effective Date	Construction to be completed by
Encroachment: Single Family Dock	A 4' x 10' ramp, a 8' x 50' pier dock w/ two stationary finger piers, 4' x 26' & a 6' x 26' creating a slip dock.	08/15/1995	
Encroachment: Waterline	60 Feet	06/03/2022	

Located on **Pend Oreille River** in BONNER COUNTY, adjacent to:

Lot, Block, Subdivision	Lot: 12 Block: 1 Subdivision: Northshore Estates
Section, Township, Range	T57N R02W, sec 28, Boise Meridian
Physical Addresses	1509 Northshore Drive, Sandpoint, ID, 83864, United States (USA)

1. General

- A. In order for this permit to be valid, Permittee must record this permit in the records of the county in which the encroachment is located and furnish proof of recordation to the Department pursuant to Idaho Code §§ 58-1305(h) and -1306(f).
- B. All applicable provisions of the Lake Protection Act (Idaho Code Title 58, Chapter 13) and Rules for Regulation of Beds, Waters, and Airspace over Navigable Lakes and Streams in the State of Idaho (IDAPA 20.03.04.000 *et seq.*) are incorporated herein by reference and made a part hereof.
- C. This permit does not convey the State's title to nor jurisdiction or management of lands lying below the natural or ordinary high water mark.
- D. Construction must follow details and specifications shown on the approved application, plans, and drawings provided by Permittee. Should such information prove to be materially false, incomplete and/or inaccurate, this authorization may be modified, suspended, or revoked in accordance with the Administrative Procedures Act, Idaho Code Title 67, Chapter 52 and IDAPA 20.03.04.080.07. At any time, and prior to any modification to the application, plans, drawings or encroachments Permittee must consult with the Idaho Department of Lands to determine if a new permit is required.
- E. Permittee shall maintain the structure or work authorized herein in a good and safe condition and in accordance with the approved application, plans and drawings. Permittee shall contact the Idaho Department of Lands 10 days prior to the planned start date of any maintenance or replacement activities.
- F. Acceptance of this permit constitutes permission by Permittee for representatives of the Idaho Department of Lands to come upon Permittee's Property at all reasonable times to inspect the encroachment authorized by this permit.
- G. Permittee shall indemnify, defend and save harmless the State, its officers, agents and employees from and against any and all liability, claims, damages, losses, expenses, actions, settlements, attorneys' fees, and suits whatsoever caused by, arising out of, or in connection with Permittee's acts or omissions under this permit or Permittee's failure to comply with any state or federal statute, law, regulation or rule.
- H. Authorization for any activity authorized herein that is not completed on or before the completion date identified above, shall automatically terminate unless an extension was granted in writing by IDL.
- I. This permit supersedes and voids any permit previously issued for this property. Unless specifically authorized in this permit, any pre-existing or abandoned portions of encroachments, whether previously permitted or not, shall be removed from below the ordinary or artificial high water mark.
- J. This permit does not relieve Permittee from obtaining additional approvals or otherwise complying with other local, state, or federal laws.
- K. Idaho State Water Quality Standards (IDAPA 58.01.02.000 *et seq.*) shall be maintained at all times during and after project start up.
- L. This permit is issued contingent upon Permittee's continuing status as an owner or lessee of the littoral right associated with the property described on page 1 of this permit.
- M. Permittee shall not assign this permit without first obtaining the written consent of IDL. Any request for approval of an assignment must be in writing, on forms provided by IDL, and accompanied by the applicable processing fee.
- N. Permittee assumes all liability for damages, which may result from the exercise of this permit.

2. Construction

- A. The Permittee or contractor shall have a copy of this permit available on site for inspection at all times during construction.



Governor Brad Little

Director Gary Spackman

August 22, 2023

CRAIG DOLSBY
SHELLEY DOLSBY
1509 NORTHSORE DR
SANDPOINT ID 83864-2714

RE: License No. 96-10617

ISSUANCE OF LICENSE

Dear Water Right Holder(s):

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4910.

Sincerely,

Jean Hersley

For

Cody Parker
Water Rights Supervisor

Enclosure(s)

SCANNED


AUG 22 2023

CERTIFICATE OF SERVICE

I hereby certify that on August 23, 2023, I served a true and correct copy of Water Right License No. 96-10617 by U.S. Mail, postage prepaid, to the following:

CRAIG DOLSBY (Current Owner)
1509 NORTHSORE DR
SANDPOINT ID 83864-2714

SHELLEY DOLSBY (Current Owner)
1509 NORTHSORE DR
SANDPOINT ID 83864-2714



Jean Hersley
Technical Records Specialist 2

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) The petition for reconsideration is disposed of; or
- (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Exam Date: 8/7/2023

1. Does this qualify for an in-office field exam (IDAPA 37.03.02.035.01.r)? X Y N
- a. X Irrigation of 5 acres or less
- b. Storage of up to 14.6 AF for stockwater purposes only
- c. Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
- d. Other < >
2. Current Owner: CRAIG DOLSBY and/or SHELLEY DOLSBY
- Owner of Record Correct? X Y N
- Address of Record Correct? X Y N
- If No Explain:
3. Beneficial Use Fees have been paid: X Y N Receipt No: C115829
4. Source: PEND OREILLE RIVER Tributary: COLUMBIA RIVER

Method of Determination: ArcMap DRG Map

Change in Source: Y X N

B. OVERLAP REVIEW

1. Other water rights with the same place of use: X No Overlap

Water Right No.	Source	Purpose of Use	Basis
NA	NA	NA	NA

Comments: There are no water rights that overlap 96-10617.

2. Other water rights with the same point of diversion: X NO Overlap

Water Right No.	Source	Purpose of Use	Basis
NA	NA	NA	NA

Comments: There are no water rights that share the point of diversion.

C. DIVERSION AND DELIVERY SYSTEM

1. Location of Point(s) of Diversion:

Source	Govt. Lot	¼	¼	¼	Sec.	Twp.	Rge.		County
PEND OREILLE RIVER	1		SE	NE	28	57N	02W	B.M.	BONNER
								B.M.	
								B.M.	

Method of Determination: GIS and Taxlot data.

Change in POD? Y X N Amendment Required? Y X N

SCANNED

AUG 22 2023

2. Place of Use:

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	02W	28				0.2													0.2
		Lot #				1													
Total Acres =																			0.2

Method of Determination: Tax Parcel Data and Bonner County Assessor's MapChange in POU? Y X N Amendment Required? Y X N Delivery System Diagram Attached (required). Indicate all major components and distances between components.

Indicate weir size/pipe as applicable:

 X Aerial Photo Attached (required for irrigation of 10+ acres). Photo of Diversion and System Attached

3. Diversion Id No.*	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1/2		Berkley	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1. Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NA	NA	NA	NA	NA	NA	NA

2. Measurement Comments:

No physical measurement was taken for this in-house examination but the permit holder provided the following information about the pump: ½ HP Berkeley 4' Submersible 10 GPM pump.

E. FLOW CALCULATIONS

 Additional Computation Sheets Attached

Measured Method:

This beneficial use examination qualified for in-house examination so no physical measurements were taken.Application Processing Memo No. 17 allows a rate of 0.03 cfs per acre for irrigation of up to 5 acres.

$$\mathbf{0.03\ cfs/ac \times 0.2\ ac = 0.01\ cfs\ total\ (rounded)}$$

0.03 cfs was calculated using the rate equation: $Q = (Hp)(8.8)(\text{efficiency})/(\text{lift in ft}) + (2.31)(\text{pressure psi}) + (\text{friction}) = \text{cfs}$

$$Q = \frac{(\text{Horsepower})(8.8)}{(\text{lift}) + (2.31 \times (\text{pressure}))} = \frac{(0.5\ Hp)(8.8)}{(25\ ft) + (2.31 \times 45\ psi)} = \mathbf{0.03\ cfs}$$

Measurement = 0.01 to 0.03 cfsPermit allowed = 0.02 cfs

Comments:

The permit holder provided enough of the pump information to be able to find pumping information online which lead to a rate of about 13 to 14 gpm (0.03 cfs)The theoretical calculations show that the system is able to produce at the original permitted rate. The rate equation assumed a generally standard pressure of 45 PSI and used an estimated lift of 25 ft through Google Earth from the lake to

SCANNED

AUG 22 2023

the higher point of the property.

0.01 cfs is recommended for irrigation use since it meets the irrigation standard set in Application Processing Memo No. 17.

F. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 0.2 \text{ ac} \times 3.0 \text{ af/ac} = 0.6 \text{ af}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation season}) \times 1.9835 = 0.01 \text{ cfs} \times 214 \text{ days} \times 1.9835 \text{ af} = 4.2 \text{ af}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 0.6 \text{ af}$$

2. Volume Calculations for Other Uses: No other uses.

Comments:

G. PURPOSE OF USE

Irrigation ☒ Y ☐ N # Stock _____ Domestic # of Homes _____

Other: NA

Change in Purpose of Use? ☐ Y ☒ N

Method of Determination:

If Yes: From Use _____ To Use _____ Amount _____ CFS _____ AFA _____

H. NARRATIVE/REMARKS/COMMENTS

This permit qualifies for an in-office examination because irrigation is less than 5 acres. According to the Bonner County Assessor's website, Craig and Shelley Dolsby are the current owners of the parcel. The parcel is 0.5 acres total which includes the home, driveway, and shoreline. Permit 96-10617 was issued on May 1, 2022 with proof due on May 1, 2023. The Statement of Completion was accepted by the Department on April 10, 2023.

The permit holder, Mr. Dolsby, stated the delivery system to get the water from the river to irrigation use around the home, is a screened intake pump that goes to a 1" water line mounted to the dock.

Using 2023 and 2022 aerial imagery through the Bonner County Assessor website, the driveway, home, and shoreline (non-irrigated areas) make up approximately 0.3 acres of the 0.5-acre property. This leaves 0.2 acres for irrigation on the property. It is recommended to reduce the number of irrigated acres by excluding the non-irrigated areas.

Condition 029 was on the permit which required a fish screen. Mr. Dolsby stated that the pump has filter media inserted into the end of the pipe which prevents wildlife and debris from entering the pump. Condition 029 was complied with and is recommended to be dropped at licensing.

Using arial imagery, the dock is located on the property and extends into the river. Mr. Dolsby included an Encroachment Permit issued by Idaho Dept. of Lands. Although Mr. Dolsby included the additional permit, condition 004 is recommended to stay on the license as the permit is for current use and future use is not guaranteed.

Conditions X31, X60 and 004 are recommended to be kept through licensing. Condition 029 is recommended to be dropped as Mr. Dolsby complied with the condition and provided evidence showing that there are no concerns.

Have conditions of permit approval been met? ☒ Yes ☐ No

I. RECOMMENDATIONS

SCANNED

AUG 22 2023

1. Recommended Amounts:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	4/01 to 10/31	0.01 cfs	0.6 af
	<u>Totals:</u>	0.01 cfs	0.6 af

2. Recommended Amendments:

___ Change P.D. as reflected above ___ Add P.D. as reflected above X None

___ Change P.U. as reflected above ___ Add P.U. as reflected above X None

Other: NA

J. AUTHENTICATION – Shilynn Novak; Water Resource Agent, Sr.

Field Examiner's  Date 8-7-23


Reviewer  Date 8-16-23

SCANNED

AUG 22 2023

Supporting Imagery

1. The home is on a 0.5-acre parcel. The house, driveway, shoreline, and river make up about 0.3 acres of the 0.5-acre property. This would leave about 0.2 acres of irrigation if the rest of the property uses the water for irrigation. 2023 and 2022 aerial imagery from Bonner County Assessor's website was used to determine irrigation.




2. The yellow outline is the irrigation place of use within the parcel. The yellow point is the location of the pump on the dock. Water is pumped from the river and used for irrigation around the home.



SCANNED

AUG 22 2023


3. Mr. Dolsby marked the exact location of the POD. The POD is located on the corner of his personal dock.




SCANNED

AUG 22 2023

4. Mr. Dolsby provided a photo of the POD location on the dock.



5. Mr. Dolsby provided a photo of the intake set up for the pump.



Novak, Shilynn

From: Craig Dolsby <Craig@TrueSeals.com>
Sent: Tuesday, July 25, 2023 9:57 AM
To: Novak, Shilynn
Subject: RE: Additional Info Request - Permit 96-10617

Follow Up Flag: Follow up
Flag Status: Flagged

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

Shilynn,

The end of the 4" pipe that the pump is housed in has a 4" filter media inserted into the ID of the pipe. This filter media prevents wildlife and other debris from entering into the pump.

Does that answer your question?

Regards, Craig

From: Novak, Shilynn [mailto:Shilynn.Novak@idwr.idaho.gov]
Sent: Friday, July 21, 2023 2:00 PM
To: Craig Dolsby <Craig@TrueSeals.com>
Subject: RE: Additional Info Request - Permit 96-10617

CAUTION: [EXTERNAL] This message originated outside of True Seals. Do not click links or open attachments unless you recognize the sender, are expecting something from them, and know the content is safe. Please report malicious emails to Design I.T. Solutions.

Good afternoon Craig,

Thank you for your response!

I was looking at the pictures and was wondering if the pipe has or is a fish screen. The permit includes a condition to comply with all fish screening and/or fish passage requirements by Idaho Dept. of Fish and Game (IDFG). Because of this condition, I need a statement that there is a fish screen in place or evidence from you that shows IDFG does not require a fish screen for your use.

Thank you again for your help with this!

Sincerely,
Shilynn

From: Craig Dolsby <Craig@TrueSeals.com>
Sent: Wednesday, July 5, 2023 3:16 PM

SCANNED

AUG 22 2023

To: Novak, Shilynn <Shilynn.Novak@idwr.idaho.gov>
Subject: RE: Additional Info Request - Permit 96-10617

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

Shilynn,

Sorry for the delay in getting the requested information to you.

The pump is a ½ HP Berkeley 4" Submersible 10 GPM pump.

The pump is located on the South-West corner of the dock in a piece of 4" PVC pipe mounted to a dock piling. The intake of the PVC pipe is fitted with a foam intake screen. The pump provides river water for an in-ground sprinkler system that irrigates the entire lot.

I have attached a picture of the POD as well as a picture of the pump. In addition, I marked the POD on the map that you provided.

Please let me know if you need any additional information.

Regards, Craig

From: Novak, Shilynn [<mailto:Shilynn.Novak@idwr.idaho.gov>]
Sent: Tuesday, June 27, 2023 11:14 AM
To: Craig Dolsby <Craig@TrueSeals.com>
Subject: Additional Info Request - Permit 96-10617

CAUTION: [EXTERNAL] This message originated outside of True Seals. Do not click links or open attachments unless you recognize the sender, are expecting something from them, and know the content is safe. Please report malicious emails to Design I.T. Solutions.

Hello,

Water Permit 96-10617 qualifies for an in-office license examination and I am working on a license recommendation. To complete my recommendation, I would appreciate any additional information you can provide about the following:

- What type of pump is there?
 - What's the horsepower?
- Starting at the pump, how is the property irrigated?
 - *For example: The pump is set up under the dock and uses the river water for an in-ground sprinkler system. The in-ground sprinkler system is set up throughout the property.*
 - I have included a map that you can draw on if that helps you explain the system you have in place.

If you have any pictures of the pump location, irrigation system, and/or of irrigation occurring, those pictures would also be greatly appreciated and can be attached in response to this email.

Once the information is received, I will continue my in-house examination and can make a recommendation to have 96-10617 licensed. If you have any questions, you may reply to this email or call my direct number at 208-287-4915.

Thank you for your help.

Sincerely,
Shilynn



Shilynn Novak

Water Resource Agent, Sr. | Water Rights Section
322 E Front St Ste 648 | Boise ID 83702-7371
Direct: 208.287.4915 | Front Desk: 208.287.4800

Beneficial Use Proof Evaluation

Permit Number: 96-10617 Reviewer: djudd Review Date: 4/10/2023

Acceptability

- 1) Is the contact on the request the current permit holder? Yes
- 2) Does the address of record need to be updated? No
- 3) Proof Submitted Date: 4/10/2023
- 4) Proof Due Date: 5/1/2023
- 5) Days added for weekend due date? 0
- 6) Days added for holiday due date? 0
- 7) Number of days late: -21
- 8) Proof received timely? Yes

Analysis

- 1) Are the water uses correct? Yes
- 2) Are one of the following items required?
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- No
- 3) Are the required items installed?
 - a. Measuring Device --
 - b. Lockable Device --
 - c. Fish Screen --
- 4) Is there a request to waive the required items?
- 5) Drilling Permit Number:
- 6) Is a drilling permit upgrade needed?
- 7) Was a well drillers report filed?
- 8) Is proof accepted? Yes

Fees

- 1) Is a licensing exam fee required? Yes
- 2) Was proof submitted with an exam report from a CWE? No
- 3) Filing fee due: \$50.00
- 4) Filing fee submitted: \$50.00
- 5) Remaining fee or (refund): \$0.00

Receipt IDs

N038710

Comments

Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing.



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little
February 28, 2023

Director Gary Spackman

CRAIG DOLSBY
SHELLEY DOLSBY
1509 NORTHSORE DR
SANDPOINT ID 83864-2714

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit No. 96-10617

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holders:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **May 01, 2023**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Idaho Code § 42-204. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a \$50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this Department on or before the above proof due date. If neither is received, the Department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Debbi Judd
Technical Records Specialist

Enclosures

CERTIFIED MAIL

7016 1370 0000 2018 4622

NO _____

SCANNED

MAR 01 2023