

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 96-11061

Priority: May 03, 2022

Maximum Diversion Rate: 0.01 CFS

Maximum Diversion Volume: 4.2 AF

It is hereby certified that:

CRAIG OGRAM 1395 CROSSWHITE RD CAREYWOOD ID 83809 AND/OR
SUZANNE OGRAM 1395 CROSSWHITE RD CAREYWOOD ID 83809

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 03, 2022, and has submitted Proof of Beneficial Use on June 20, 2023. An examination confirms water is diverted from:

Source : GROUND WATER

Beneficial Use
IRRIGATION

Period of Use
04/01 to 10/31

Rate of Diversion
0.01 CFS

Annual Volume
4.2 AF

Location of Point(s) of Diversion

GROUND WATER NE¼ SW¼, Sec. 9, Twp 54N, Rge 02W, B.M. BONNER County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
54N	02W	9									2.1								2.1

Total Acres: 2.1

Conditions of Approval

1. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the place of use.
2. This right does not grant any right-of-way or easement across the land of another.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 11th day of July, 2023.



PHILL HUMMER
Water Rights Supervisor

SCANNED

JUL 20 2023

State of Idaho
Department of Water Resources
Attachment to Water Right
96-11061

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

02W



0 400 800 Feet

-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion



SCANNED
JUL 20 2023

RECEIVED

JUN 20 2023

DEPARTMENT OF
WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY

Amt. of Fee \$ 50.00
Receipt No. C116543
Received By KU
Date Received 6.20.23

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 86120 Name of Permit Holder(s) Craig Ogram & Suzanne Ogram
Telephone No. 541-961-8097 Email ogramhome@msn.com

Mailing Address 1395 Crosswhite City Careywood State ID Zip 83809

2. Source of Water well and pump If Ground Water (well), Date Drilled mo. 4 / yr. 2010
Drilling Permit/Tag No. 0058041 Drilling Company's Name American Well Drilling

3. Extent of use(s) completed **as authorized by the water right permit:**

Domestic (No. households) _____ Irrigation (No. acres) 2.6 Stockwater (No. and stock type) _____
Other _____

4. Total diversion rate or volume (storage only) for which proof is submitted 2.08 .04 cfs OR _____ af
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.

5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)

Submersible well pump 1" pipe 400' distribution to 11 Frost Free yard Hydrants around 2.6 acres using sprinklers and hoses to irrigate using 1 to 2 at a time.

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

- | | | |
|--------------------------|-------------------------------------|---|
| ☐ | ☒ | Ground water level data, pumping information, or other diversion data |
| ☐ | ☒ | Mitigation plan |
| ☐ | ☒ | Lockable controlling works |
| ☐ | ☒ | Measuring device |
| ☐ | ☒ | Fish screen |
| ☐ | ☒ | Other requirements of the water right permit _____ |
| ☐ | ☒ | Reasonably Anticipated Future Needs ("RAFN") Municipal use |


If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

7. Fee Enclosed \$ 50.00 or ☐ CWRE field report attached or ☒ No fee required
See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: Craig Ogram Telephone No. 541-961-8097 Email ogramhome@msn.com
Mailing Address 1395 Crosswhite Rd City Careywood State ID Zip 83809

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.


SIGNATURE OF PERMIT HOLDER*

Craig Ogram
PRINTED NAME AND TITLE

5-17-2023
DATE

*Attach power of attorney if completing on behalf of permit holder.

SCANNED

JUL 20 2023

Application for Water Right




5/3/2022, 3:58:49 PM

○ Frost Free Hydrants for Irrigation

1:2,257

- Override 1
- Override 1
- Counties
- Quarter Quarter
- Section
- Township/Range
- Idaho Outline
- Idaho Mask



SCANNED

Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community. Esri, HERE, Garmin, (c) OpenStreetMap contributors, Created by NRCS from 1:24,000 scale USGS topographic maps. Idaho Department of Water Resources



S	BACKWOODS SOLAR ELECTRIC SYSTE	S	CRAIG OGRAM
O T	1589 RAPID LIGHTNING RD	H T	1395 CROSSWHITE ROAD
L O	SANDPOINT ID 83864-	I O	541-961-8097
D		P	CAREYWOOD ID 83809

Buyer: Brandon Peterson
Tel 208-263-4290 Fax 888-273-8279

ORDER DATE	CUSTOMER NUMBER	CUSTOMER P/O NUMBER	TERMS CODE	TAX CODE	SHIP VIA	SALES PERSON	JOB ID/NAME
02/16/21	0002587	25730	Net 30 Days	02/0.000%	UPSGround A6628R	Johnny Brooks	

LN#	Q-ORD	Q-PCK	Q-B/O	Q-SHP	B-LOC	PRODUCT	DESCRIPTION	UOM
-----	-------	-------	-------	-------	-------	---------	-------------	-----

***** Special Instructions *****
 * ***Ship UPS ground on BWS *
 * account# 862069** *

1)	1	1	0		AM-ERS-1	6SQF3	GRUNDFOS, 96834840, 6 SQF-3, EA HELICAL 3" X 49"L, 1" NPT DISC., 30-300VDC OR 1X90-240VAC, 50/60 HZ, 21# MFG# 96834840
----	---	---	---	--	----------	-------	--

Serial # _____
 Secondary Bins: AM-TB-11,

1 e 22 Lbs
 L-56"
 W- 5"
 H- 6"

TOT: 1 1 0

Received in Good Condition:

X: _____

**** OPEN SATURDAY YEAR ROUND 7am-12pm ****
 Fully stocked selection of
 Boilers, Furnaces, Condensers, Mini-Splits
 Duct Work and Piping for your Heating/HVAC needs!
 Terms & Conditions
 All returns must be in original purchase condition
 All Damaged Product must be reported within 2 Days
 No returns on Tools, Electrical Parts or Gas Parts
 All returns are subject to management approval


Ship Date 02/16/21	Loc
Volume _____	Picked by _____
Weight _____	
Pieces _____	Packed by _____
Pallet _____	
Pkgs _____	Checked by _____
Ctns _____	
Lnth _____	Loaded by _____

SCANNED

JUL 20 2023

6 SQF-3

30' static head 460' well 6" dia
6 GPM



Note: Max. P1 (W) shown on curve represents max. motor RPM.

IDAHO DEPARTMENT OF WATER RESOURCES

WELL DRILLER'S REPORT

1. WELL TAG NO. D 0058041

Drilling Permit No. _____

Water right or injection well # _____

2. OWNER: _____

Name Craig Ogram

Address 1200 Crosswhite Rd

City Careywood State Id Zip 83809

3. WELL LOCATION: _____

Twp. 54 North ☒ or South ☐ Rge. 2 East ☐ or West ☒

Sec. 9 1/4 NE 1/4 SW 1/4

Gov't Lot _____ County Bonner

Lat. 48 02' 26.8" (Deg. and Decimal minutes)

Long 116 34' 46.04" (Deg. and Decimal minutes)

Address of Well Site Crosswhite Rd; 1.2 mile off Little Blacktail

City Careywood

(Give at least name of road - Distance to Road or Landmark)

Lot. _____ Blk. _____ Sub. Name _____

4. USE: _____

☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation ☐ Thermal ☐ Injection
☐ Other _____

5. TYPE OF WORK: _____

☒ New well ☐ Replacement well ☐ Modify existing well
☐ Abandonment ☐ Other _____

6. DRILL METHOD: _____

☒ Air Rotary ☐ Mud Rotary ☐ Cable ☐ Other _____

7. SEALING PROCEDURES: _____

Seal material	From (ft)	To (ft)	Quantity (lbs or ft)	Placement method/procedure
Bentonite	0	39	1150 lbs	dry pour/overbore

8. CASING/LINER: _____

Diameter (nominal)	From (ft)	To (ft)	Gauge/Schedule	Material	Casing Liner	Threaded	Welded
6"	+2	68	.280	steel	☒	☐	☐
4"	20	420	sch 40	PVC	☐	☒	☐

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 68

9. PERFORATIONS/SCREENS: _____

Perforations ☐ Y ☒ N Method _____

Manufactured screen ☒ Y ☐ N Type Certa-Loc PVC

Method of installation telescoping

From (ft)	To (ft)	Slot size	Number/ft	Diameter (nominal)	Material	Gauge or Schedule
420	460	.010	40'	4"	PVC	sch 40

Length of Headpipe 400 Length of Tailpipe _____

Packer ☐ Y ☒ N Type _____

10. FILTER PACK: _____

Filter Material	From (ft)	To (ft)	Quantity (lbs or ft)	Placement method
N/A				

11. FLOWING ARTESIAN: _____

Flowing Artesian? ☐ Y ☒ N Artesian Pressure (PSIG) _____

Describe control device _____

12. STATIC WATER LEVEL and WELL TESTS: _____

Depth first water encountered (ft) 126 Static water level (ft) 30

Water temp. (°F) cold Bottom hole temp. (°F) cold

Describe access port bolt-on pitless cap

Well test: _____ Test method: _____

Drawdown (feet)	Discharge or yield (gpm)	Test duration (minutes)	Pump	Bailer	Air	Flowing artesian
430	5	2 hours	☐	☐	☒	☐

Water quality test or comments: _____

13. LITHOLOGIC LOG and/or repairs or abandonment: _____

Bore Dia. (in)	From (ft)	To (ft)	Remarks, lithology or description of repairs or abandonment, water temp.	Water	
				Y	N
12	0	24	clay, brown w/cobbles & gravel		X
12	24	39	clay, gray w/cobbles & gravel		X
8	39	58	clay, gray w/cobbles & gravel		X
8	58	63	granite, brown, decomposed		X
8	63	68	granite, gray, medium		X
6	68	100	granite, gray, medium		X
6	100	124	granite, salt & pepper, hard		X
6	124	126	decomposed, broken (1gpm)	X	
6	126	139	granite, salt & pepper, hard		X
6	139	145	decomposed, broken (2gpm)	X	
6	145	402	granite, salt & pepper, hard		X
6	402	405	broken (2gpm)	X	
6	405	455	granite, salt & pepper, hard		X
6	455	460	granite, green & white, hard		X

Completed Depth (Measurable) 460'

Date Started Apr 22, 2010 Date Completed Apr 27, 2010

14. DRILLER'S CERTIFICATION: _____

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name American Well Drilling Inc. Co. No. 675

*Principal Driller [Signature] Date Apr 27, 2010

*Driller _____ Date _____

*Operator I _____ Date _____

Operator II _____ Date _____

* Signature of Principal Driller and rig operator are required.

SCANNED
JUL 20 2023



322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

July 20, 2023

CRAIG OGRAM
SUZANNE OGRAM
1395 CROSSWHITE RD
CAREYWOOD ID 83809

RE: License No. 96-11061

ISSUANCE OF LICENSE

Dear Water Right Holder(s):

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,

Jean Hershey

For
Phill Hummer
Water Rights Supervisor

Enclosure(s)

SCANNED

JUL 20 2023

CERTIFICATE OF SERVICE

I hereby certify that on July 20, 2023, I served a true and correct copy of Water Right License No. 96-11061 by U.S. Mail, postage prepaid, to the following:

CRAIG OGRAM (Current Owner)
1395 CROSSWHITE RD
CAREYWOOD ID 83809

SUZANNE OGRAM (Current Owner)
1395 CROSSWHITE RD
CAREYWOOD ID 83809



Jean Hersley
Technical Records Specialist 2

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) The petition for reconsideration is disposed of; or
- (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Exam Date: 06/29/2023

1. Does this qualify for an in-office field exam (IDAPA 37.03.02.035.01.r)? X Y ___ N
- a. X Irrigation of 5 acres or less
- b. ___ Storage of up to 14.6 AF for stockwater purposes only
- c. ___ Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
- d. ___ Other < >

2. Current Owner: **Craig or Suzanne Orgam**

Owner of Record Correct? ___ N

Address of Record Correct? ___ N

If No Explain:

3. Beneficial Use Fees have been paid: X Y ___ N Receipt No: **C116543**

4. Source: Tributary:

Method of Determination:

Change in Source: ___ Y ___ X ___ N

B. OVERLAP REVIEW

1. Other water rights with the same place of use: ___ No Overlap

Water Right No.	Source	Purpose of Use	Basis
96-11053	Three Sisters Creek	Stockwater	Adjudication Claim
96-11055	Groundwater	Domestic/Stockwater	Adjudication Claim

Comments: The only places of use (POU) overlapping the permit POU are stockwater and domestic claims, which were filed by the permit holder. Allocating water for different beneficial uses at the same POU is not restricted by Idaho statutes.

2. Other water rights with the same point of diversion: ___ NO Overlap

Water Right No.	Source	Purpose of Use	Basis
96-11055	Groundwater	Domestic/Stockwater	Adjudication Claim

Comments: The same well is used for the permit as for domestic and stockwater use claim 96-11055. There are no concerns regarding any impact to water availability due to the small acreage purposed on the permit as both 96-11055 and 96-11061 are owned and allocated by the permit holder and using the same point of diversion (POD) for different beneficial uses at the same POU is not restricted by Idaho statutes.

C. DIVERSION AND DELIVERY SYSTEM

1. Location of Point(s) of Diversion:

Source	Govt. Lot	¼	¼	¼	Sec.	Twp.	Rge.		County
Groundwater			NE	SW	9	54N	02W	B.M.	BONNER

Method of Determination: GIS and Taxlot data.

Change in POD? ___ Y ___ X ___ N Amendment Required? ___ Y ___ X ___ N

SCANNED

JUL 20 2023

2. Place of Use: IRRIGATION

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
54N	02W	9									2.1								
		Lot #																	
Total Acres =																			2.1

Method of Determination:

Change in POU? ____Y ____X_N Amendment Required? ____Y ____X_N

____ Delivery System Diagram Attached (required). Indicate all major components and distances between components.

Indicate weir size/pipe as applicable:

____ Aerial Photo Attached (required for irrigation of 10+ acres).

____ Photo of Diversion and System Attached

3. Diversion Id No.*	Motor Make	HP	Motor Serial No.	Pump Make	Pump No.
D0058041	GRUNDFOS	1KW=1.34HP	98163731	GRUNDFOS	96834837

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1. Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE	NA	NA	NA	NA	NA	NA

2. Measurement Comments: No measurements are required for an in-office examination. However, a theoretical calculation and Administrative Memo #17 were used to determine a reasonable rate of diversion.

E. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method: Based on Administrative Memo #17, the pump curve, and the stated system output provided by the permit holder.

Recommended = 0.01cfs

Permit allowed = 0.08cfs

Comments: The permit holder stated on section #3 of the Proof of beneficial Use that only 0.04cfs was developed. Administrative memo #17 states that 0.03cfs/acre is a reasonable rate for the irrigation of up to 5 acre. However, the permit holder stated in a phone conversation July 5th, 2023, that the 6 GPM highlighted on the top of the pump curve they submitted (with the proof of beneficial use) is the most the system installed is capable of. They explained that the area is irrigated in sections by hooking up a hose and portable sprinkler to one of the 11 hydrants around the POU. As the system is only capable of 6 GPM, I am recommending a rate of 0.01cfs for the license.

F. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2.1 \times 3.0 = 6.3 \text{ AF}$$

I.R.

$$V = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation season}) \times 1.9835 = 0.01 \times 213 \text{ days} \times 1.9835 = 4.2 \text{ AF}$$

D.R.

$$V = \text{Smaller of } V_{\text{I.R.}} \text{ and } V_{\text{D.R.}} = 4.2 \text{ AF}$$

Comments: Based on the season of use and rate calculation above I am recommending an annual volume of 4.2 AF on the license.

SCANNED

JUL 11 2023

G. PURPOSE OF USEIrrigation ☒ Y ☐ N # Stock _____ Domestic # of Homes _____

Other: < >

Change in Purpose of Use? ☐ Y ☒ N

Method of Determination:

If Yes: From Use _____ To Use _____ Amount _____ CFS _____ AFA _____

H. NARRATIVE/REMARKS/COMMENTS

This permit for the irrigation of approximately 2.1 acres from a groundwater source in Bonner County is eligible for an in-office examination. The permit holder submitted the proof of beneficial use with a map of the 11 hydrant locations spread throughout the place of use, the pump curve (highlighting 6 GPM), and well drillers log. The permit holder stated that they had developed the irrigation of 2.6 acres. However, GIS and Google Earth aerial imagery could only support approximately 2.1 acres of irrigable land (see figures 1-3). All other land is roadway or buildings with paved areas.

Through conversation with the permit holder, they explained the irrigation system is comprised of 11 hydrant and a movable hose and sprinkler setup. The house is moved individually to a hydrant so only one hydrant is used at a time. This type of irrigation is not very efficient and difficult to see clearly by aerial imagery. The documents submitted with the proof statement, conversation by phone, and imagery demonstrate beneficial use was developed. A calculation of the season of use and diversion rate (see section F) determined that an annual volume of 4.2 AF is reasonable for the irrigation of the POU. I am recommending an annual volume of 4.2 AF for the license.

On the proof of beneficial use, the permit holder stated that they had only developed the use for 0.04cfs (Administrative Memo #17 would allow up to 0.06cfs). However, the permit holder also stated on the proof of beneficial use pump curve that the pump was capable of 6 GPM. On the July 5th, 2023, phone call the permit holder confirmed that he wrote and highlighted 6 GPM on the pump curve as that is the maximum system diversion rated developed. Based on the curve and output rate reported by the permit holder, 0.01cfs is a reasonable rate for the system. I am recommending 0.01cfs for the license.

I am recommending the license be issued with conditions 004 and R66.

Have conditions of permit approval been met? ☒ Yes ☐ No**I. RECOMMENDATIONS**

1. Recommended Amounts:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
Irrigation	04/01 to 10/31	0.01cfs	4.2 AF
	<u>Totals:</u>	0.01cfs	4.2 AF

2. Recommended Amendments:

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ None

Other: < >

J. AUTHENTICATION- Water Resource Agent- Bob HoweField Examiner's  Date 7/19/23Reviewer  Date 7/11/23

SCANNED

JUL 20 2023



Figure 1- 2023 Google Earth image of the POU- irrigation appears interspersed.



Figure 2- 2023 Google Earth image of the POU- facing east. Irrigation appears interspersed over area.

SCANNED
JUL 20 2023




Figure 3- 2021 GIS image of the irrigation POU (area outlined in blue). Buildings, roadways, and paved areas were removed from the shape. The building north of the southern-most roadway appears to be a greenhouse.



Figure 4- GIS-2021 image of POU- after conversation with the permit holder, confirming the building in the south center of the POU is a greenhouse, the trees east of the driveway have been removed and grass was planted, and the single track road in the south is being irrigated to grow grass as well.

SCANNED

JUL 20 2023

Beneficial Use Proof Evaluation

Permit Number: 96-11061 Reviewer: AVeibell Review Date: 6/27/2023

Acceptability

- 1) Is the contact on the request the current permit holder? Yes
- 2) Does the address of record need to be updated?
- 3) Proof Submitted Date: 6/20/2023
- 4) Proof Due Date: 8/1/2023
- 5) Days added for weekend due date?
- 6) Days added for holiday due date?
- 7) Number of days late: -42
- 8) Proof received timely? Yes

Analysis

- 1) Are the water uses correct? Yes
- 2) Are one of the following items required?
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- No
- 3) Are the required items installed? Yes
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- No
- 4) Is there a request to waive the required items? No
- 5) Drilling Permit Number: 859259
- 6) Is a drilling permit upgrade needed? No
- 7) Was a well drillers report filed? Yes
- 8) Is proof accepted? Yes

Fees

- 1) Is a licensing exam fee required? Yes
- 2) Was proof submitted with an exam report from a CWE? No
- 3) Filing fee due: \$50.00
- 4) Filing fee submitted: \$50.00
- 5) Remaining fee or (refund): \$0.00

Receipt IDs

N039233

Comments

CFS on proof do not match on permit. Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing.



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

May 31, 2023

CRAIG OGRAM
SUZANNE OGRAM
1395 CROSSWHITE RD
CAREYWOOD ID 83809

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit No. 96-11061

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holder(s):

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **August 01, 2023**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a \$50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this department on or before the above proof due date. If neither is received, the department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Water Rights Section

Enclosure(s)

CERTIFIED MAIL

7020 2450 0000 1566 5629

NO

SCANNED
JUN 05 2023