State of Idaho
Department of Water Resources

Water Right License

Water Right No. 96-11207

Priority: May 05, 2022

Maximum Diversion Rate: 0.02 CFS
Maximum Diversion Volume: 1.5 AF

It is hereby certified that:

MARJORIE STANLEY 255 W SHORE LN SANDPOINT ID 83864-8896

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 05, 2022, and has submitted Proof of Beneficial Use on June 01, 2023. An examination confirms water is diverted from:

Source : LAKE PEND OREILLE **Tributary:** PEND OREILLE RIVER

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
IRRIGATION	04/01 to 10/31	0.02 CFS	1.5 AF

Location of Point(s) of Diversion
LAKE PEND OREILLE L1 (NE¼ NE¼), Sec. 8, Twp 57N, Rge 01W, B.M. BONNER County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
57N	01W	8		0.5 L1															0.5

Total Acres: 0.5

Conditions of Approval

1. A fish screen of 1/4 inch or smaller mesh shall be installed and maintained at the point of diversion.
2. The approach velocity at the point of diversion shall not exceed 0.5 feet per second.
3. This right when combined with all other rights shall provide no more than 0.02 cfs nor more than 1.5 afa at the field headgate for irrigation of the place of use.
4. This right does not grant any right-of-way or easement across the land of another.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 13th day of June, 2023.

PHILL HUMMER
Water Rights Supervisor

SCANNED
JUN 13 2023

State of Idaho
Department of Water Resources

Attachment to Water Right

96-11207

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



0 0.035 0.07 0.14 Miles

Place Of Use Boundary
Townships
PLS Sections
Quarter Quarters
Point of Diversion

N

SCANNED
JUN 13 2023

Form 42-217 Rev. 6/22

RECEIVED
JUN 05 2023
DEPARTMENT OF WATER RESOURCES

RECEIVED
JUN 01 2023
IDWR / NORTH

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEMENT OF COMPLETION

FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY	
Amt. of Fee $	50.00
Receipt No.	N043968
Receipted By	JA
Date Receipted	6-1-23

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 96-11207 Name of Permit Holder(s) Marjorie T. Stanley

Telephone No. 208 265-2349 Email mjtstan@comcast.net

Mailing Address 255 West Shore Ln. City Sandpoint State ID Zip 83864

2. Source of Water Lake Pend Oreille If Ground Water (well), Date Drilled mo. _____ / yr. _____

Drilling Permit/Tag No. _____ Drilling Company's Name _____

3. Extent of use(s) completed **as authorized by the water right permit**:

Domestic (No. households) _____ Irrigation (No. acres) 0.5 Stockwater (No. and stock type) _____

Other Residential landscape, no storage

4. Total diversion rate or volume (storage only) for which proof is submitted _____ cfs OR _____ af

If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.

5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)

Intake in Lake Pend Oreille per 2004 US Corps of Engineers permit. Pump, pressure tank, valve manifold, 9 sprinkler zones w/ electrical controller.

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required? Yes	No	(If "Yes", attach required data, evidence of compliance, or evidence of installation)
☐	☐	☒ Ground water level data, pumping information, or other diversion data
☐	☐	☒ Mitigation plan
☐	☐	☑ Lockable controlling works
☐	☐	☑ Measuring device
☒	☒	☐ Fish screen - 4" cap with small inlet holes
☑	☑	☐ Other requirements of the water right permit ≤ 0.03 cfs;
	☐	☐ Reasonably Anticipated Future Needs ("RAFN") Municipal use
		If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

7. Fee Enclosed $ 50.— or ☐ CWRE field report attached or ☐ No fee required

See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: Marjorie Stanley Telephone No. 2082652349 Email mjtstan@comcast.net

Mailing Address 255 West Shore Lane City Sandpoint State ID Zip 83864

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

Marjorie T. Stanley — Marjorie T Stanley — 5/29/23

SIGNATURE OF PERMIT HOLDER* PRINTED NAME AND TITLE DATE

*Attach power of attorney if completing on behalf of permit holder.

SCANNED
JUN 13 2023

JUN 13 2023



JUN 13 2023

JUN 13 2023

SCANNED
JUN 13 2023

JUN 13 2023

DEPARTMENT OF THE ARMY
WALLA WALLA DISTRICT, CORPS OF ENGINEERS
COEUR D'ALENE REGULATORY OFFICE
IDAHO PANHANDLE NATIONAL FOREST BUILDING
3815 SCHREIBER WAY
COEUR D'ALENE ID 83815-8363

REPLY TO
ATTENTION OF

April 14, 2004

Regulatory Division

SUBJECT: NWW No. 041100036

Ms. Marjorie Stanley
255 West Shore Lane
Sandpoint, Idaho 83864

Dear Ms. Stanley:

Your proposal to construct a water intake system in Pend Oreille Lake for seasonal irrigation use is authorized under the terms and conditions of Department of the Army Nationwide Permit (NWP) Number 12 (33 CFR 330, Appendix A). This authorization requires that your project is constructed as shown on the enclosed drawings and complies with the terms and conditions of the enclosed nationwide permit and the special conditions listed below. Your project is located in Sec. 8, T.57N., R.1W., B.M., Bonner County, Idaho.

a. Conduct work when the lake level is drawn down to minimize turbidity and sedimentation.

b. Replant disturbed areas to reestablish vegetative cover.

c. Avoid and preserve existing woody riparian vegetation to minimize impacts on wildlife habitat.

Please carefully review these conditions. If you cannot meet these conditions, this NWP verification is not valid. Your project must comply with the Idaho Water Quality Standards as stated in IDAPA 58.01.02. The Idaho Department of Environmental Quality (DEQ) has waived water quality certification based on the special conditions above and the information you provided in your application. If you change the project description in your permit application, this NWP may not be valid and you should contact us before starting work. We have enclosed a Compliance Certification for you to sign and return when you have completed your project.

This verification is valid for 2 years from the date of this letter. If you start or are under contract to start the activity before this date, you will have an additional 12 months to complete the activity under the present terms and conditions of this NWP.

SCANNED
JUN 13 2023

This authorization applies only to Department of the Army permits administered by the Corps of Engineers. Your project may also require permits from other Federal, state, and local agencies. If your work requires a permit from the Idaho Department of Lands, you will need to obtain their approval before starting work. You should also contact your local city or county zoning office for any permits they may require for your project.

We are interested in your thoughts and opinions concerning the quality of service you received from the Walla Walla District, Corps of Engineers Regulatory Division. If you have Internet access and are interested in letting us know how we are doing, you can complete an electronic version of our Customer Service Survey form on our web site at: http://per2.nwp.usace.army.mil/survey.html which will be automatically submitted to us. Alternatively, you may call and request a paper copy of the survey that you may complete and return to us by mail or fax.

If you have any questions concerning this authorization or Corps jurisdiction, please feel free to contact me at 208-765-7256. A copy of this letter is being sent to the Idaho Department of Lands, Mica Area Office, 3706 Industrial Avenue South, Coeur d'Alene, Idaho 83815; Deal Electric & Pump, 111 Hawkins Road, Sagle, Idaho 83860; and Gwen Fransen, Regional Administrator, Idaho Department of Environmental Quality, 2110 Ironwood Parkway, Coeur d'Alene, Idaho 83814.


Sincerely,

Gregg A. Rayner


Gregg A. Rayner
Regulatory Project Manager

Enclosures

SCANNED
JUN 13 2023


Sandpoint
CITY BEACH
CITY PARK
TRIANGLE PARK
Dover
SPRINGY POINT
OSPREY NESTS VIEWPOINT
FISH HATCHERY
Gold Hill
Gold Mtn
Sugle
PURCELL
SHEPHERD LAKE
ROUND LAKE
MIRROR LAKE
Grouse Mtn
GARFIELD BAY
GREEN BAY
Mineral Pt
Long Pt
OREILLE
Black Pine Mtn
COCOLALLA
Butler Creek Mtn
Blacktail Mtn
Little Blacktail Mtn
MAIDEN ROCK
Kootenai
Kootenai Pt
Fighterman Island
SUNNYSIDE
TRESTLE CREEK
PACK RIVER
Trestle
Round Top
Mount Eagen
Bourdough Pt
Bottle Bay Pt
Anderson Pt
Sunrise Bay
DAVID THOMPSON HISTORICAL MONUMENT
Warren Island
Hope
East Hope
Cottage Island
Hope Pt
Pearl Island
SAMOWEN
DAVID THOMPSON STATE GAME PRESERVE
Memaloose Island
Sheepherder Pt
PETROGLYPHS
Picard Pt
Indian Pt
Windy Pt
Deadman Pt
VISTA POINT
Green Monarch Mtn
Monarch
Schafer Pk
Granite Pt
Echo Rock
Johnson
Gulch Ridge
PEND


DEAL ELECTRIC & PUMP
111 HAWKINS RD
SAGLE, ID



SCANNED
JUN 13 2023

MARGE STANLEY

DEAL ELECTRIC & PUMP
111 HAWKINS RD
SAGLE, ID



WINTER POOL AT NORMAL
LOW WATER YEARS IS
1/4 TO 1/2 MILE OUT.

SCANNED
JUN 13 2023

IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

June 13, 2023

MARJORIE STANLEY
255 W SHORE LN
SANDPOINT ID 83864-8896

RE: License No. 96-11207

ISSUANCE OF LICENSE

Dear Water Right Holder(s):

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,

Jean Hersley

FOR
Phill Hummer
Water Rights Supervisor

Enclosure(s)

SCANNED
JUN 13 2023

CERTIFICATE OF SERVICE

I hereby certify that on June 14, 2023, I served a true and correct copy of Water Right License No. 96-11207 by U.S. Mail, postage prepaid, to the following:

MARJORIE STANLEY (Current Owner)
255 W SHORE LN
SANDPOINT ID 83864-8896

Jean Hersley
Technical Records Specialist 2

SCANNED
JUN 13 2023

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

SCANNED
JUN 13 2023

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

> Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:
>
> (a) The petition for reconsideration is disposed of; or
> (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

i. A hearing was held,
ii. The final agency action was taken,
iii. The party seeking review of the order resides, or
iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Permit No: 96-11207

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Exam Date: 6/12/2023

1. Does this qualify for an in-office field exam (IDAPA 37.03.02.035.01.r)? X Y ____N
   a. X Irrigation of 5 acres or less
   b. ____ Storage of up to 14.6 AF for stockwater purposes only
   c. ____ Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
   d. ____ Other < >

2. Current Owner: Marjorie Stanley
   Owner of Record Correct? _____N
   Address of Record Correct? _____N
   If No Explain: N/A

3. Beneficial Use Fees have been paid: X Y ____N Receipt No: ~~N043486~~ N043468

4. Source: Lake Pend Oreille
   Tributary: Pend Oreille River

Method of Determination:
Change in Source: ____Y X N

B. OVERLAP REVIEW

1. Other water rights with the same place of use: ____ No Overlap

Water Right No.	Source	Purpose of Use	Basis
96-11459	Groundwater	Domestic	Decree
96-8953	Lake Pend Oreille	Municipal	License
96-7011	Lake Pend Oreille	Municipal	License

Comments: Municipal Water rights 96-8953 and 96-7011 service area overlap the proposed place of use. However, after talking with the permit holder over the phone on June 12th, 2023, it was confirmed there is no current connection to a municipal system. Therefore, there is no overlap. Water right 96-11459 was a claim filed by this permit holder for domestic use including up to ½ an acre of yard irrigation. However, there should not be a combined limit between 96-11459 and this permit.

2. Other water rights with the same point of diversion: X NO Overlap

Water Right No.	Source	Purpose of Use	Basis

Comments: N/A

C. DIVERSION AND DELIVERY SYSTEM

1. Location of Point(s) of Diversion:

Source	Govt. Lot	¼	¼	¼	Sec.	Twp.	Rge.		County
Lake Pend Oreille	1		NE	NE	8	57N	01W	B.M.	Bonner
								B.M.	
								B.M.	

Method of Determination: GIS and Tax Parcel Data.

Change in POD? ___Y X N Amendment Required? ____Y X N

SCANNED
JUN 13 2023

2. Place of Use: Irrigation

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
57N	01W	8		0.5															0.5
		Lot #		1															N/A
																Total Acres =			0.5

Method of Determination: GIS, Tax Parcel Data, Google Earth Imagery, and Bonner County Aerial Imagery.

Change in POU? ____Y __X__N Amendment Required? ____Y __X__N

___ Delivery System Diagram Attached (required). Indicate all major components and distances between components.

Indicate weir size/pipe as applicable:

_X__ Aerial Photo Attached (required for irrigation of 10+ acres).

___ Photo of Diversion and System Attached

3. Diversion Id No.*	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
N/A					

**Code to correspond with No. on map and aerial photo*

D. FLOW MEASUREMENTS

1. Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A						

2. Measurement Comments: The permit holder did not provide pump horsepower. Therefore, a diversion rate calculation is not possible.

E. FLOW CALCULATIONS ___Additional Computation Sheets Attached

Measured Method: Since a pump horsepower was not provided a diversion rate calculation is not possible. According to Administrative Processing Memo #17 the standard diversion rate for irrigation of less than 5 acres is 0.03 cfs/acre, 0.5 acres*0.03 cfs/acre=0.015 cfs or 0.02 cfs rounded. The permit authorizes 0.03 cfs. I am recommending a 0.02 cfs diversion rate.

F. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.}$ = (Acres Irrigated) x (Irrigation Requirement) = (0.5 acres) *(3 af/acre) = 1.5 af

$V_{D.R.}$ = [Diversion Rate (cfs)] x (Days in Irrigation season) x 1.9835 = (0.02 cfs) *(214 days) *(1.9835) = 8.5 af

V = Smaller of $V_{I.R.}$ and $V_{D.R.}$ = 1.5 af

SCANNED
JUN 13 2023

G. PURPOSE OF USE

Irrigation X Y ____N # Stock N/A Domestic # of Homes N/A

Other: < >

Change in Purpose of Use? ____Y X N

Method of Determination: GIS, Tax Parcel Data, Google Earth Imagery, photographs provided by the permit holder, and Bonner County Aerial Imagery.

If Yes: From Use _____To Use _____Amount _____CFS _____AFA_____

H. NARRATIVE/REMARKS/COMMENTS

This permit qualifies for an in-office examination. According to Tax Parcel Data the property was developed in 1996. The permit authorizes the irrigation of 0.6 acres diverting from Lake Pend Oreille. 2022 Google Earth, photographs provided by the permit holder, and Bonner County Aerial Imagery confirm 0.5 acres of irrigation occurred. According to the permit holders submitted Statement of Completion for Proof of Beneficial Use and photographs provided with the proof confirm a fish screen was installed within the fish passage and screening requirements of the Idaho Department of Fish and Game.

Since the permit holder did not provide a pump horsepower a diversion rate calculation is not possible. The standards set in Administrative Processing Memo #17 were used to make a diversion rate recommendation. The permit holder also filed a domestic adjudication claim, 96-11459, that overlaps the proposed place of use. However, it is not necessary to limit 96-11459 and this permit to ½ an acre of irrigation. All of the conditions have been met and it has been confirmed a beneficial use has been developed within what is authorized on the permit. Therefore, I am recommending a 0.02 cfs diversion rate and 1.5 af diversion volume.

Conditions X15, X16, and 004 should remain on the license. Condition X31 should be changed, reducing the diversion rate to 0.02 cfs and volume to 1.5 afa. All other conditions should be removed as standard with licensing.

Have conditions of permit approval been met? X Yes ____No

I. RECOMMENDATIONS

1. Recommended Amounts:

BENEFICIAL USE	PERIOD OF USE		DIVERSION RATE	ANNUAL VOLUME
Irrigation	04/01-10/31		0.02 CFS	1.5 AF
		Totals:	0.02 CFS	1.5 AF

2. Recommended Amendments:

___Change P.D. as reflected above ___Add P.D. as reflected above X None

___Change P.U. as reflected above ___Add P.U. as reflected above X None

Other: < >

J. AUTHENTICATION Skyler Cheever – Water Resource Agent

Field Examiner's _____ Date 6/12/2023

Reviewer _____ Date 6/13/23

SCANNED
JUN 13 2023

Field Exam Map

Map showing the authorized point of diversion (yellow point) and place of use (orange outline).



SCANNED
JUN 13 2023

RECEIVED
JUN 01 2023
IDWR / NORTH

May 27, 2023

Idaho Department of Water Resources
Northern Region
7600 N Mineral Drive, Suite 100
Coeur D'Alene, ID 83815-7763

To Whom It May Concern:

Enclosed is a certificate of completion for submitting proof of beneficial use for Permit No. 96-11207. This residential landscape watering system has been in operation with regular upkeep since 2004 when it was installed in accordance with a permit issued by the US Army Corps of Engineers, copies enclosed. Please record the seniority/priority of the system accordingly. We have enclosed a $50 fee for this ≤ 0.03 cfs system. I have enclosed photos of the system in operation, elements of the installation including the pressure tank, filter, and manifold boxes, the controller, and the fish-screened intake.

Please contact me if you need additional information.

Marjorie T. Stanley

Marjorie T. Stanley
255 West Shore Lane
Sandpoint, ID 83864
(208) 265-2349

SCANNED
JUN 13 2023

Beneficial Use Proof Evaluation

Permit Number: 96-11207 Reviewer: AVeibell Review Date: 6/8/2023

Acceptability

1) Is the contact on the request the current permit holder? Yes
2) Does the address of record need to be updated? No
3) Proof Submitted Date: 6/1/2023
4) Proof Due Date: 7/1/2023
5) Days added for weekend due date?
6) Days added for holiday due date?
7) Number of days late: -30
8) Proof received timely? Yes

Analysis

1) Are the water uses correct? Yes
2) Are one of the following items required?
    a. Measuring Device -- No
    b. Lockable Device --No
    c. Fish Screen -- Yes
3) Are the required items installed? Yes
    a. Measuring Device -- No
    b. Lockable Device --No
    c. Fish Screen -- Yes
4) Is there a request to waive the required items? No
5) Drilling Permit Number:
6) Is a drilling permit upgrade needed? No
7) Was a well drillers report filed? No
8) Is proof accepted? Yes

Fees

1) Is a licensing exam fee required? Yes
2) Was proof submitted with an exam report from a CWE? No
3) Filing fee due: $50.00
4) Filing fee submitted: $50.00
5) Remaining fee or (refund): $0.00

Receipt IDs

N039410

Comments

Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing.

IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

April 28, 2023

MARJORIE STANLEY
255 W SHORE LN
SANDPOINT ID 83864-8896

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit No. 96-11207

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holder(s):

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **July 01, 2023**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a $50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this department on or before the above proof due date. If neither is received, the department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Water Rights Section

Enclosure(s)



SCANNED
MAY 01 2023