

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 96-11261

Priority: May 04, 2022

Maximum Diversion Rate: 0.13 CFS
Maximum Diversion Volume: 3.8 AF

It is hereby certified that:

MELISSA TUCKER PO BOX 305 SAGLE ID 83860-0305 AND
LARRY DAVIS PO BOX 305 SAGLE ID 83860-0305 AND
JAMES E DAVIS PO BOX 305 SAGLE ID 83860-0305 AND
CLARENCE I & LOIS I DAVIS TRUST PO BOX 305 SAGLE ID 83860-0305

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 04, 2022, and has submitted Proof of Beneficial Use on June 01, 2023. An examination confirms water is diverted from:

Source : GROUND WATER

<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>	<u>Annual Volume</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	0.2 AF
DOMESTIC	01/01 to 12/31	0.11 CFS	3.6 AF

Location of Point(s) of Diversion

GROUND WATER SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 21, Twp 56N, Rge 02W, B.M. BONNER County
GROUND WATER SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 21, Twp 56N, Rge 02W, B.M. BONNER County
GROUND WATER SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 21, Twp 56N, Rge 02W, B.M. BONNER County

Place of Use: DOMESTIC and STOCKWATER

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	02W	21							X	X									

Conditions of Approval

- Domestic use is for 6 homes and does not include lawn, garden, landscape, or other types of irrigation.
- This right does not grant any right-of-way or easement across the land of another.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 14th day of August, 2023.



PHILL HUMMER
Water Rights Supervisor

SCANNED
AUG 22 2023

State of Idaho
Department of Water Resources
Attachment to Water Right
96-11261

This map depicts the DOMESTIC & STOCKWATER place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

02W



0 400 800 Feet

- Domestic Place Of Use Boundary
- Stockwater Place of Use Boundary
- Townships
- PLS Sections
- Quarter Quarters
- Point of Diversion



SCANNED
AUG 22 2023

RECEIVED

JUN 05 2023

DEPARTMENT OF
WATER RESOURCES

FOR OFFICE USE ONLY

Amt. of Fee \$ 50-Receipt No. CL6051Received By hmDate Received 6/27/23

JUN 01 2023

IDWR / NORTH

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

- Permit No. 96-11261 Name of Permit Holder(s) Clarence I + Lois I Davis Trust
Telephone No. 208-263-3961 Email _____
Mailing Address P.O. Box 305 City Sagle State ID Zip 83860
- Source of Water Ground Water If Ground Water (well), Date Drilled mo. 08 / yr. 1979
Drilling Permit/Tag No. 96-79-N-180 Drilling Company's Name Bob Pitts + Sons
- Extent of use(s) completed as authorized by the water right permit:
Domestic (No. households) 6 Irrigation (No. acres) _____ Stockwater (No. and stock type) 20 head of mixed
Other _____
- Total diversion rate or volume (storage only) for which proof is submitted 0.13 cfs OR _____ af
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.
- Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)
Pump
- Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:
Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

☐	☒	Ground water level data, pumping information, or other diversion data
☐	☒	Mitigation plan
☐	☒	Lockable controlling works
☐	☒	Measuring device
☐	☒	Fish screen
☐	☒	Other requirements of the water right permit _____
☐	☒	Reasonably Anticipated Future Needs ("RAFN") Municipal use

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No
- Fee Enclosed \$ _____ or ☐ CWRE field report attached or ☒ No fee required
See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.
- Person to contact to accompany a Department representative during the field examination of the water system:
Name: Larry Davis Telephone No. 208-263-3961 Email _____
Mailing Address P.O. Box 305 City Sagle State ID Zip 83860

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

SIGNATURE OF PERMIT HOLDER*

PRINTED NAME AND TITLE

DATE

*Attach power of attorney if completing on behalf of permit holder.

SCANNED

AUG 22 2023

APPLICATION MAP



Legend

- Parcels
- Township/Range
- Sections
- QQ

0 0.0475 0.095 0.19 Miles



Created By: Adam Frederick

SCANNED

AUG 22 2023



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098

Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

August 22, 2023

CLARENCE I & LOIS I DAVIS TRUST
LARRY DAVIS
JAMES E DAVIS
MELISSA TUCKER
PO BOX 305
SAGLE ID 83860-0305

RE: License No. 96-11261

ISSUANCE OF LICENSE

Dear Water Right Holder(s):

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov.

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,

Jean Hersley

For
Phill Hummer
Water Rights Supervisor

Enclosure(s)

SCANNED

AUG 22 2023

CERTIFICATE OF SERVICE


I hereby certify that on August 23, 2023, I served a true and correct copy of Water Right License No. 96-11261 by U.S. Mail, postage prepaid, to the following:

CLARENCE I & LOIS I DAVIS TRUST (Current Owner)
PO BOX 305
SAGLE ID 83860-0305

LARRY DAVIS (Current Owner)
PO BOX 305
SAGLE ID 83860-0305

JAMES E DAVIS (Current Owner)
PO BOX 305
SAGLE ID 83860-0305

MELISSA TUCKER (Current Owner)
PO BOX 305
SAGLE ID 83860-0305



Jean Hersley
Technical Records Specialist 2

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) The petition for reconsideration is disposed of; or
- (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATIONExam Date: 07/27/2023

1. Does this qualify for an in-office field exam (IDAPA 37.03.02.035.01.r)? X Y ___ N
- a. ___ Irrigation of 5 acres or less
- b. ___ Storage of up to 14.6 AF for stockwater purposes only
- c. X Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
- d. ___ Other < >

2. Current Owner: **Clarence I & Lois I Davis Trust**

Owner of Record Correct? ___ N

Address of Record Correct? ___ N

If No Explain:

3. Beneficial Use Fees have been paid: X Y ___ N Receipt No: C116657

4. Source: Tributary:

Groundwater**N/A**

Method of Determination:

Change in Source: ___ Y ___ X ___ N

B. OVERLAP REVIEW

1. Other water rights with the same place of use: ___ No Overlap

Water Right No.	Source	Purpose of Use	Basis
96-2252	Groundwater	Irrigation	License
96-8554	Groundwater	Domestic	License
96-8555	Pond	Recreational Storage	License

Comments: Three rights have place of use (POU) shapes that overlap the permit POU. However, the backfile for each identify different appurtenant parcels and a pond located outside the permit POU. There are no actual overlapping rights.

2. Other water rights with the same point of diversion: X NO Overlap

Water Right No.	Source	Purpose of Use	Basis
NONE	NA	NA	NA

Comments: No rights share the points of diversion (POD) identified on the permit.

C. DIVERSION AND DELIVERY SYSTEM

1. Location of Point(s) of Diversion:

Source	Govt. Lot	¼	¼	¼	Sec.	Twp.	Rge.		County
WELL-GROUNDWATER			SW	NW	21	56N	02W	B.M.	BONNER
WELL-GROUNDWATER			SW	NW	21	56N	02W	B.M.	BONNER
WELL-GROUNDWATER			SE	NW	21	56N	02W	B.M.	BONNER

Method of Determination: GIS and Taxlot data.

Change in POD? ___ Y ___ X ___ N Amendment Required? ___ Y ___ X ___ N

2. Place of Use: DOMESTIC

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	02W	21							D	D									
		Lot #																	
Total Acres =																			

Place of Use: Stockwater

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	02W	21							S	S									
		Lot #																	

SCANNED

AUG 22 2023

Method of Determination: Documentation submitted by permit holder and Google Earth and GIS imagery.

Change in POU? Y X N Amendment Required? Y X N

 X Delivery System Diagram Attached (required). Indicate all major components and distances between components.

Indicate weir size/pipe as applicable:

 X Aerial Photo Attached (required for irrigation of 10+ acres).

 Photo of Diversion and System Attached

3. Diversion Id No.*	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Unknown			Unknown	Unknown	Unknown

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1. Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurement Comments: No measurement is required for an in-house exam, but a theoretical calculation and Administrative Memos #22 & #3 were used to determine a reasonable diversion rate.

E. FLOW CALCULATIONS

Measured Method:

No pump or system information was provided in the proof of beneficial use. I called the permit holder requesting the system information. The permit holder does not use email. He asked that I mail him what we need and he will mail it to us. According to Administrative memo #22 up to up to 0.11cfs is acceptable for domestic use in 6 homes. I am recommending a diversion rate of 0.11cfs, which is what was requested on their application for the permit. The permit holder confirmed that the Stockwater use developed is actually for 2 horses, based on Administrative Memo #3, 0.02cfs is a reasonable rate for the watering of 0-10 head of livestock. I am recommending the license be issued with a rate of 0.02cfs for stockwater use.

Total Permit allowed = 0.13cfs

Total Recommendation= 0.13cfs

F. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation: N/A- Permit holder stated that any irrigation is supplied by surface water

2. Volume Calculations for Other Uses:

According to Administrative memos #22 and #3 up to 3.6 AFA, per year is acceptable for domestic use for 6 homes with separate irrigation and an annual volume of 0.2 AF is reasonable for the watering of 0-10 head of livestock. I am recommending a combined annual volume of 3.8 AF on the license.

G. PURPOSE OF USE

Irrigation Y X N # Stock 2 horses Domestic # of Homes 6

Other: < >

Change in Purpose of Use? Y X N

Method of Determination:

If Yes: From Use To Use Amount CFS AFA

SCANNED

AUG 22 2023

H. NARRATIVE/REMARKS/COMMENTS

After reviewing the proof of beneficial use and application documentation submitted by the permit holder, there were several items in need of clarification. First, the well drillers logs submitted by the permit holder do not have the same legal description as the points indicated on the permit and application. Second, section #7 a. of the application states that the applicants have 3 interconnected wells that serve 6 homes for domestic use and the watering of 2 horses. However, the proof of beneficial use, section #5 only describes the diversion and delivery system as "Pump".

I called the permit holder, Larry Davis, June 28th, 2023, and explained that to complete an in-office review I would need a diagram of the system including the how many pumps, pump info, the home locations marked, well locations, pump locations, and describing how the pumps interconnect (what pump serves what home?) to help clarify the areas and methods of usage within the permit POU (see Figure 2). The permit holder explained that the system for all 6 homes was interconnected and used 3 wells with submersible pumps to provide water for all homes. The permit holder also stated on the call that the only irrigation occurring was using surface water, that is why it was not included in the Statement of Completion. The permit holder did not have an email, so he had his daughter call and discuss the information needed. She provided an email address and contact phone number for her (bttmriley@yahoo.com, phone # 208-265-1482). I emailed her the same day requesting information including an aerial image to aid in drawing the system diagram. Followed up with email on July 17th, 2023, and Tania called back to let me know she received the email, and they are working on the diagram and photos. On July 26th, 2023, I received an email with the system diagram draw on a 2023 Google Earth image of the POU area. On the diagram the permit holder drew the location and direction of flow for buried 1" PVC lines between the 6 homes and 3 well sites with pumps, and the stockwater area just northwest of the northern most home (see Figure 1). Although there are areas of irrigation indicated on the system diagram, I emailed back that it was not necessary to identify the irrigation as there was no irrigation beneficial use on the permit and the permit holder had already stated that any irrigation was conducted using surface water.

A reasonable rate of diversion and the annual volume for domestic use in 6 homes and Stockwater for 2 horses (see Figure 3) was determined based on Administrative Memos #22 and #3 respectively. I am recommending the license be issued for a combined rate of 0.13cfs and a total annual volume of 3.8 AF.

I am recommending the license be issued with conditions X04 and 004 for the shared diversion.

Have conditions of permit approval been met? X Yes No

I. RECOMMENDATIONS

1. Recommended Amounts:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
Domestic	01/01 to 12/31	0.11cfs	3.6 AF
Stockwater	01/01 to 12/31	0.02cfs	0.2 AF
<u>Totals:</u>		0.13cfs	3.8 AF


2. Recommended Amendments:


 Change P.D. as reflected above Add P.D. as reflected above X None

 Change P.U. as reflected above Add P.U. as reflected above X None

Other: < >

J. AUTHENTICATION- Bob Howe- Water Resource Agent

Field Examiner's  Date 8/14/23

Reviewer  Date 8/14/23

SCANNED

AUG 22 2023



Figure 1- 2023 Google Earth image of Domestic POU emailed to the permit holder who drew a system diagram on it and returned it via email. P=Pump, H= House, and ST= Stockwater tank. A brief description included in the body of the email noted that all pipe was 1" Dia. PVC.



Figure 2- 2021 GIS image of the permit POU (outlined in light blue) and PODs (light blue points).

SCANNED

AUG 22 2023



Figure 3- 2021-GIS license map of the domestic place of use (outlined in yellow) and stockwater area (outlined in orange).

SCANNED

AUG 22 2023

Howe, Bob

From: Howe, Bob
Sent: Wednesday, July 26, 2023 8:48 AM
To: B Riley
Subject: System Diagram and info received for permit 96-11261

Hi Tania,

As I mentioned before, there is no irrigation component within the multiple domestic home permit, so I apologize for the confusion as we don't necessarily need to know the irrigated area if they are supplied by another source. When I spoke with Larry it sounded like the irrigation taking place was all using water from the pond. The system diagram looks good, thank you for emailing me the sketch and noting that the pipes are 1" PVC. I will try to wrap this up and get it over to my supervisor soon. Thank you again for your assistance on this.

Regards,

Bob Howe

 IDAHO DEPARTMENT OF
WATER RESOURCES
Bob Howe | Water Resource Agent
322 E Front St, PO Box 83720, Boise, ID 83720
(208) 287-4800 | www.idwr.idaho.gov

From: B Riley <bttmriley@yahoo.com>
Sent: Tuesday, July 25, 2023 2:29 PM
To: Howe, Bob <Bob.Howe@idwr.idaho.gov>
Subject: Re: Follow up on permit 96-11261 Review

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

I have attached a photo listing the locations of the houses (H), the wells/pumps (P), the water lines, the locations of the irrigated areas, and the stock tank (ST). The irrigation method is garden hoses and sprinklers. The pipes are 1" PVC.

Thank you,

Tania Riley for Larry Davis

On Monday, July 17, 2023 at 07:55:42 AM PDT, Howe, Bob <bob.howe@idwr.idaho.gov> wrote:

Hi Tania,

I am following up on the information requested by the Department on June 28th, 2023, for the license review of permit #96-11261. As I mentioned in the previous email The permit issued provided a scope for the development of future uses. The purpose of the examination is to document the details for the uses that have actually been developed.

SCANNED

AUG 22 2023



AUG 22 2023

After reviewing your Proof of Beneficial Use, there are a few items that need further information or clarification. I have attached 2 aerial images of the permitted place of use, one Google Earth image and one ArcGIS image. The GIS image also outlines the place of use area in light blue (as submitted on the permit) and the permit points of diversion representing the wells as light blue points (as on the permit). Please label the images and diagram the system for domestic use and stock water (location of stock tanks) on the image(s), or you can label the image and draw the diagram on a different page with a legend describing the system. Please label the image identifying the wells, the pump location(s), which buildings are the homes, and draw in the water lines to each home served. On the Proof of Beneficial Use, section 3 you stated that there are 6 domestic households developed. Please diagram the system identifying any water lines between the pump(s) and the domestic home(s) they serve.

Then, please attach the diagram(s) to an email detailing in the body of the email (or a separate attached page) any details of the components of the system you can, including the size (Hp and/or output, make and model if possible) of the pump(s), pipe diameter(s) and material (for example: 1" PVC). Include any description of the system and system you think may be helpful in describing the water conveyance from down well to the homes, etc.

Please feel free to reach out to me via phone or email with any questions or concerns. I am in the office from 8:30am to 5:00pm MST, Monday-Friday. My phone number is listed below my signature.

Regards,

Bob Howe



Bob Howe | Water Resource Agent

322 E Front St, PO Box 83720, Boise, ID 83720

(208) 287-4800 | www.idwr.idaho.gov

SCANNED

AUG 22 2023

Beneficial Use Proof Evaluation

Permit Number: 96-11261 Reviewer: AVeibell Review Date: 6/27/2023

Acceptability

- 1) Is the contact on the request the current permit holder? Yes
- 2) Does the address of record need to be updated? No
- 3) Proof Submitted Date: 6/27/2023
- 4) Proof Due Date: 7/1/2023
- 5) Days added for weekend due date?
- 6) Days added for holiday due date?
- 7) Number of days late: -4
- 8) Proof received timely? Yes

Analysis

- 1) Are the water uses correct? Yes
- 2) Are one of the following items required?
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- No
- 3) Are the required items installed? Yes
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- No
- 4) Is there a request to waive the required items? No
- 5) Drilling Permit Number: 770447
- 6) Is a drilling permit upgrade needed? No
- 7) Was a well drillers report filed? Yes
- 8) Is proof accepted? Yes

Fees

- 1) Is a licensing exam fee required? Yes
- 2) Was proof submitted with an exam report from a CWE? No
- 3) Filing fee due: \$50.00
- 4) Filing fee submitted: \$50.00
- 5) Remaining fee or (refund): \$0.00

Receipt IDs

N039295

Comments

proof received 6/1 at Northern without fee, fee received at SO 6/27/23. Proof deemed acceptable. Gave file to agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing.



Governor Brad Little

Director Gary Spackman

June 12, 2023

CLARENCE I & LOIS I DAVIS TRUST
MELISSA TUCKER
LARRY DAVIS
JAMES E DAVIS
PO BOX 305
SAGE, ID 83860-0305

PROOF DEFICIENCY LETTER

RE: Permit No. 96-11261

Dear Permit Holder(s):

The Department received the proof of beneficial use (proof) form submitted for the above referenced permit. The proof is not acceptable without the correct fee. A copy of the form is enclosed for your reference.

The proof form was not accompanied by the required \$50.00 fee. The Department cannot process the proof without the fee. If the fee is not received within 14 days, the form will be returned to you and no action will be taken.

Also, please provide a map of the place of use and point of diversion as well as photographs showing beneficial use.

Please submit the required fees at your earliest convenience before the proof due date of **July 01, 2023** to avoid the possibility of your permit lapsing. If you have any questions concerning this matter, please contact me at (208) 287-4945.

Sincerely,

Amanda Veibell
Technical Records Specialist

Enclosure(s)

SCANNED

JUN 12 2023



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

April 28, 2023

CLARENCE I & LOIS I DAVIS TRUST
MELISSA TUCKER
LARRY DAVIS
JAMES E DAVIS
PO BOX 305
SAGLE ID 83860-0305

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit No. 96-11261

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holder(s):

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **July 01, 2023**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a \$50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this department on or before the above proof due date. If neither is received, the department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Water Rights Section

Enclosure(s)



SCANNED

MAY 01 2023