

Show 40-acre subdivisions, townships, ranges and ditches.

R42E

T

8

S

Section 15

•

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

of August 1980.
J. R. Simplot Company
By [Signature]
(Signature) Secretary

#15968

Publication dates N/A


APPROVE the above referenced Amendment for Permit No. 27-7126. *ok*

Witness my hand this 29 day of August 19 80

Director




T 85 R 42 E B.M.



Scale: 2 inches equal 1 mile

BE IT ENOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

J. R. SIMPLOT COMPANY

By 
Its

L. E. HAIGHT, Vice President

11 7028

RECEIVED

AUG 11 1972

Department of Water Administration
Eastern District Office

Affidavit of Publication

County of Caribou }
State of Idaho } ss.

V. E. Lansberry

being first duly sworn on his
oath, states:

That he is ... publisher ...
of the Caribou County Sun, a
newspaper of general circulation
in Caribou County, Idaho pub-
lished weekly at Soda Springs in
said County, that said newspaper
has been published in said county
uninterruptedly and continuously
for over seventy-eight consecu-
tive weeks, prior to the first pub-
lication of the annexed notice or
advertisement:

That the annexed notice was
published as per clipping at-
tached in the regular and entire
edition of said newspaper and
not in any supplement thereof

for two
successive weekly issues thereof,
the date of the first publication

being the 27th day

of July , 19.72.

The date of the last publication

being the 3rd day of

..... August , 19.72

V. E. Lansberry
.....

Subscribed and sworn to be-
fore me this ... 7th day

of August , 19.72.

Clairine S. Johnson
.....
Notary Public, residing at
Soda Springs, Idaho.
(SEAL)

My Commission expires the

1st day of November..

19...74..

11 7008

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that
J. R. Simplot Co., P. O. Box
2777, Boise, Idaho has on July
12, 1972, submitted Application
No. 11-7028 for a permit to ap-
propriate .45 cubic feet per sec-
ond of water from a ground-
water source by means of well
and pump within the SW¼-
NE¼, Sec. 15, T. 8S, R. 42E,
B.M., Caribou County; to be
used from Jan. 1 to Dec. 31 for
domestic purposes for 300
people within the SW¼NE¼,
NW¼SE¼, Sec. 15, T. 8S, R.
42E, B.M.

If issued, this permit will be
subject to all prior water rights.
Protests against the granting of
this permit must be filed with
the Idaho Department of Water
Administration, 240 South
Holmes, Idaho Falls, Idaho,
83401, on or before August 14,
1972.

R. KEITH HIGGINSON,
Director

Published in the Caribou
County Sun, Soda Springs, Ida-
ho, on July 27 and August 3,
1972.





Diagram of System



July 20, 1972

Re: Application No. 11-7028 - J. R. Simplot Company

Caribou County Sun
P.O. Box 815
Soda Springs, ID 83276

Gentlemen:

Enclosed you will find a legal notice which we wish to have published for two consecutive weekly issues of your newspaper. We have inserted publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

Norman C. Young
District Engineer

NCY:BA
Enc: Legal notice

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that J. R. Simplot Co., P. O. Box 2777, Boise, Idaho has on July 12, 1972, submitted Application No. 11-7028 for a permit to appropriate .45 cubic feet per second of water from a groundwater source by means of well and pump within the SW $\frac{1}{4}$ -NE $\frac{1}{4}$, Sec. 15, T. 8S, R. 42E, B.M., Caribou County; to be used from Jan. 1 to Dec. 31 for domestic purposes for 300 people within the SW $\frac{1}{4}$ -NE $\frac{1}{4}$, NW $\frac{1}{4}$ -SE $\frac{1}{4}$, Sec. 15, T. 8S, R. 42E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of this permit must be filed with the Idaho Department of Water Administration, 240 South Holmes, Idaho Falls, Idaho, 83401, on or before August 14, 1972.

R. KEITH HIGGINSON,
Director

Published in the Caribou County Sun, Soda Springs, Idaho, on July 27 and August 3, 1972.

*Bill submitted to
Boise 8/11/72*

11 7028

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 27-7126 Priority July 30, 1972 Amount .25 cfs

THIS IS TO CERTIFY, that J. R. SIMPLOT CO.
of Boise, Idaho, has complied with the terms and conditions of Permit
No. 27-7126 issued pursuant to Application for Permit dated July 12, 1972,
and has submitted proof to the Department of Water Resources on August 19, 1977,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of .25 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Domestic</u> <u>(71 units)</u>	from <u>January 1</u> to <u>December 31</u> at <u>.25</u> cfs and <u>85.20</u> acre feet		
	from _____ to _____ at _____ cfs and _____		
	from _____ to _____ at _____ cfs and _____		

(both dates inclusive)

Subject, however, to the condition that no more than .25 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
85.2 acre feet per year, said waters to be diverted within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 15, Twp. 8S,
Rge. 42E, B.M. in the County of Caribou

Description and location of place of use:

Twp.	Range	Sec.	NEW				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NEW	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NEW	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NEW	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NEW	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
8S	42E	15			X														

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 29 day of
August, 19 80.

Director

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

AUG 14 1980

APPLICATION FOR AMENDMENT OF A PERMIT
LICENSE

Department of Water Resources

To change the point of diversion and/or the place of use.

Comes now J. R. Simplot Co.

of (address) P. O. Box 27, Boise, Idaho 83701, and represents to the
Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho
No. 27-7126, and requests that the permit and permit map be changed as follows:

1. Point of diversion: SE 1/4 NE 1/4, Section 15, Township 8S, Range 42E, B.M.,
County of Caribou. Other points of diversion: _____

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount .25 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated:

TWP	RGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
8S	42E	15			X											X			

Total number of acres to be irrigated = _____

4. a. Who owns the property at the point of diversion? Applicant
b. Who owns the land to be irrigated or the place of use? Applicant
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the
applicant to make this filing: _____

RECEIVED

Show 40-acre subdivisions, townships, ranges and ditches.

R42E

T
8
S

Section 15

○

Signed at Boise, Idaho, this 12th day of August, 1980.
By J. R. Simplot Company
Arnold J. Graves
(Signature) Secretary

#15968

Publication dates N/A

APPROVE the above referenced Amendment for Permit No. 27-7126. *ok jmi.*

Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

27-7126
IN THE MATTER OF PERMIT NO. ~~11-7028~~ IN
THE NAME OF J. R. SIMPLOT COMPANY

ORDER OF REINSTATEMENT

WHEREAS, on July 12, 1972, the J. R. Simplot Company filed with the Department of Water Resources (formerly the Department of Water Administration) an application for permit to appropriate 0.45 cubic feet per second of groundwater to be diverted within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 15, Twp. 8S, Rge. 42E, B.M., Caribou County, to be used for domestic purposes; and,

WHEREAS, on August 31, 1972, the Department approved said application and issued Permit No. 11-7028 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before August 1, 1977; and,

WHEREAS, on May 31, 1977, the Department notified the permit holder by certified mail that proof of beneficial use was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, on August 10, 1977, the Department notified the permit holder that Permit No. 11-7028 had lapsed for failure to submit the proof of beneficial use of water; and,

WHEREAS, on August 19, 1977, the Department received the required proof of beneficial use of water; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within 60 days from the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 11-7028 be REINSTATED and the priority advanced to July 30, 1972.

Dated this 19 day of September, 1977.


BOBBY D. FLEENOR
Chief, Operations Bureau

MICROFILMED

27-7126
11-7028

Identification No. _____

Application No. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

APPROVED


To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant J. R. SIMPLOT COMPANY
post office address P.O. Box 2777, Boise, Idaho 83701
2. Source of water supply subterranean which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 15 Township 8 S
Range 42 E B.M. Caribou County; additional points of diversion if any: _____
- b. If water is not consumed, it will be discharged into ground at a point in NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 15 Township 8 S Range 42 E B.M. _____
4. Water will be used for the following purposes:
Amount .45 for domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. .45 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. _____
20HP 6AH 2-1/2" Riser Pump


b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 12 inches; proposed depth of well is 260' feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.
b. Estimated construction cost is \$ 5,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation: SW $\frac{1}{4}$ of NE $\frac{1}{4}$
(1) Give the place of use of water: NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 15 Township 8 S
Range 42 E B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served Conda, Idaho, or number of families to be supplied with domestic water _____
(5) If water is to be used for other purposes describe: Water for drinking, water and and other domestic purposes for 300 people

11-7028
27-7126



T 8 S R 42 E B. M.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

J. R. SIMPLOT COMPANY

By
Its Applicant

L. E. HAIGHT, Vice President

11 7028

11 7028

Received by Wif Date 7-12-72 Time 8:00 A
Preliminary check by D Fee \$ 25.00
Received by Wif Date 7-12-72
Publication prepared by Bu Date 7/17/72
Published in Carson County Sun, Soda Springs
Publication dates 7-27 + 8-3-72
Publication approved NCY Date 8-14-72
Priority reduced to 7-12-72 Reason —

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by NCY D JDF

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 11-7028, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 77.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 31 day of August, 19 72.

R. Keith Higgins
Director

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Initial Date

(1) NCY 7/14/72 Application No. 11- Name Simp/ot

(2) Check:
☒ Signature
☒ Point of Diversion
☒ Quantity of Water and Period of Use 4/300 (75)(0.03) = 2.25 cfs
☒ Description of Diverting Works remold
☒ Time required for C/W and application of water to B/U
☒ Place of Use 3 - ~~Idaho State Health Department~~ ~~Idaho Fish and Game Department~~ ~~Bureau of Land Management~~
☒ Map
☒ Fee

(3) Send copies to:
☒ Idaho State Health Department (Jerry Yoder)
Idaho Fish and Game Department
Bureau of Land Management

(4) N.A. Request Special Use Permit from U.S.F.S.
Request Easement from B.L.M.

(5) In form for advertising No

(6) Affidavit of Publication received

(7) Final date for protests
Protests received: yes no

(8) Date and Place of hearing
Decision reached at hearing

(9) Located within Water District No.

(10) Critical groundwater area: yes no

(11) Groundwater levels:

Decline (comment)

Stable (comment) X Limited development in area

Increasing (comment)

(12) Comments: 200 population @ 1970 Census
No other water rights listed on
abstracts.

(13) NCY 7/17/72 Action recommended:

Approve Priority

Deny Reason for Reduction

SEE ATTACHED SHEET FOR CONDITIONS OF APPROVAL

(14) District By

Date Title

RECEIVED

AUG 11 1972

Department of Water Administration
Eastern District Office

Affidavit of Publication

County of Caribou } ss.
State of Idaho }

V. E. Lansberry

being first duly sworn on his
oath, states:

That he is ... publisher ...
of the Caribou County Sun, a
newspaper of general circulation
in Caribou County, Idaho pub-
lished weekly at Soda Springs in
said County, that said newspaper
has been published in said county
uninterruptedly and continuously
for over seventy-eight consecu-
tive weeks, prior to the first pub-
lication of the annexed notice or
advertisement:

That the annexed notice was
published as per clipping at-
tached in the regular and entire
edition of said newspaper and
not in any supplement thereof

for two
successive weekly issues thereof,
the date of the first publication

being the 27th day

of July 1972.

The date of the last publication

being the 3rd day of

..... August 1972

V. E. Lansberry
Subscribed and sworn to be

fore me this 7th day

of August 1972

Claine S. Johnson
Notary Public, residing at
Soda Springs, Idaho.
(SEAL)

My Commission expires the

1st day of November..

1974.

1-7028

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that
J. R. Simplot Co., P. O. Box
2777, Boise, Idaho has on July
12, 1972, submitted Application
No. 11-7028 for a permit to ap-
propriate .45 cubic feet per sec-
ond of water from a ground-
water source by means of well
and pump within the SW 1/4-
NE 1/4, Sec. 15, T. 8S, R. 42E,
B.M., Caribou County; to be
used from Jan. 1 to Dec. 31 for
domestic purposes for 300
people within the SW 1/4 NE 1/4,
NW 1/4 SE 1/4, Sec. 15, T. 8S, R.
42E, B.M.

If issued, this permit will be
subject to all prior water rights.
Protests against the granting of
this permit must be filed with
the Idaho Department of Water
Administration, 240 South
Holmes, Idaho Falls, Idaho,
83401, on or before August 14,
1972.

R. KEITH HIGGINSON,
Director

Published in the Caribou
County Sun, Soda Springs, Ida-
ho, on July 27 and August 3,
1972.

CORPORATE HEADQUARTERS

February 10, 1995

Certified Mail

R. Keith Higginson
Director, State of Idaho
Department of Water Resources
1301 North Orchard Street
Boise, ID 83720-9000

Re: Boundary Change for IDWR Administrative Basin No. 27.

Dear Mr. Higginson:

The J. R. Simplot Company owns real property located in Conda, Idaho on which an industrial facility is located that is used in processing and transporting ore mined in eastern Idaho. Operation of the Conda facility is in large part dependent upon wells that supply water for industrial, mining and mineral transporting purposes.

On January 20, 1995, we received your letter dated January 18, 1995, the subject of which was the special public meeting in Grace, Idaho to discuss the possibility that provisions in the Bear River Compact providing for interstate distribution of Bear River Water may be implemented this summer. Simplot received your letter because of other land that is owned with a right to divert water from an unnamed stream that is tributary to the Bear River.

Until recently, we understood that the water supply wells associated with the Conda operation were located in IDWR's administrative basin number 27, a sub-basin of the Snake River basin. While making some inquiries with representatives of IDWR about the Bear River Compact meeting I was informed that the IDWR changed the boundary for administrative basin number 27. Now the wells used to supply the Conda operation are considered by the IDWR to be in the Bear River basin rather than the Snake River basin. Consequently, the water rights associated with the Conda wells may be subject to the water delivery procedures being considered by the Bear River Commission.

Admittedly, we have some catching-up to do in light of the boundary change. To help bring us up-to-speed, I am hopeful you can provide us with the following:


1. The date the IDWR Administrative Basin Number 27 boundary was changed.

2. Information used by IDWR to establish the new boundary for administrative basin No. 27, including changes made to the old boundary that were based on geohydrologic and geographic grounds, and geohydrologic boundaries that were considered by the States when negotiating the Compact.
3. Notice(s) of the IDWR Administrative Basin No. 27 boundary change mailed by the IDWR to water right owners affected by the change.
4. A summary of the procedures used by the IDWR to change the boundary, and copies of the documents prepared by the IDWR in accordance with your procedural requirements.

Because your letter indicates the Bear River Commission is trying to use water delivery procedures provided for in the Compact during 1995, we need your assistance in obtaining this information as soon as possible.

I would be happy to assist the Department in assembling this information, and we agree to reimburse you for any copying costs associated with supplying the above information. Please call me at 208-389-7359 if you need our assistance.

Sincerely,



Vic Conrad
Associate, Simplot
Land and Development

cc: B. Black
B. Kestle
T. Uhling
G. Young

Copies of this letter will be sent separately by certified mail to Sharla Curtis, Secretary IDWR, to be included in the following IDWR water right files:

27-02113
27-02138
27-02168

27-07294
~~27-07216~~ 07126
SRBA Claim File No. A27-11338

October 8, 1981

RE: Permit No. 27-7126

Ronald N. Graves
Vice President and Corporate Counsel
P.O. Box 27
Boise, ID 83707

Dear Mr. Graves:

Enclosed are correspondence and a Check No. 41939, 96-6/1241 for \$20.00 which were submitted with an application for amendment of Permit No. 27-7126. The application and check were received by us on March 25, 1981 and were inadvertently filed away without action being taken.

The Department will not be able to accept the application for amendment of ~~permitted~~ because on August 29, 1980 a license was issued on said right. If you still wish to modify the point of diversion description, an application for transfer of a water right is required. I have enclosed this form for your convenience.

We apologize for any inconvenience this delay may have caused you. If I can be of any assistance please let me know.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosures: Check No. 41939, 96-6/1241
Transfer form & instructions
Correspondence of 3/24/1981



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

September 8, 1980

J. R. Simplot Co.
P.O. Box 27
Boise, Idaho 83701

Dear Sirs,

RE: License No. 27-7126

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Also enclosed is a copy of the approved Application for Amendment along with Receipt No. 15968 in the amount of \$ 20.00 .

Sincerely,

JAN GROVER

JIM JOHNSON
Water Rights Supervisor

JG/kw

Enclosure

RECEIVED

J. R. SIMPLOT COMPANY / ONE CAPITAL CENTER / 999 MAIN STREET / SUITE 1300
P.O. BOX 27 / BOISE, IDAHO 83707 / (208) 336-2110 / TELEX 368432

CORPORATE HEADQUARTERS

August 12, 1980

RECEIVED

AUG 14 1980

State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83720

Department of Water Resources

RE: Water Permit 27-7126

Gentlemen:

J. R. Simplot Company has executed the enclosed Application for Amendment of Permit in connection with the above-referenced water permit and is transmitting it to you together with a check in the amount of \$20.00 covering your amendment fee. If you need anything further with regard to this permit please advise.

Sincerely,


RONALD N. GRAVES
Corporate Counsel

RNG/ljw
Enclosures

RECEIVED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 17, 1980

J. R. Simplot Co.
P.O. Box 27
Boise, Idaho 83701

Dear Sirs,

A representative of this Department made an examination of the works covered by your Permit No. 27-7126 on July 26, 1979, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: .25 cfs Source: groundwater

The maximum quantity diverted shall not exceed 85.2 acre feet
per year.

Point of diversion: SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 15, Twp. 8S, Rge. 42E, B.M.

Beneficial use: Domestic use within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 15, Twp. 8S,
Rge. 42E.

Priority date established: July 30, 1972.

In order for the Department to issue the above license, it will be necessary for you to amend the permit to correspond with the findings of the field examiner. We are enclosing a partially completed amendment form for your use in this matter.

Please sign the amendment application and return it to this office along with a \$20.00 filing fee within 30 days in order that we might issue your license as set forth above. If you do not concur with these findings or have any questions, please contact us within the 30-day period.

Sincerely,

JAN GRAYSON
Water Rights Supervisor

CONDITION: Assumes completion of Amendment for
point of diversion.

JG:j
Enclosure

RECEIVED

RECEIVED

Phone SEP 28 1977

3. Water will be used for the following purposes:

[illegible]**TOTAL ACREAGE**

Permit No. 11-7028 No. Change to 27-7120

Examination for b/u





Diagram of System



RECEIVED

OCT 25 1977

J. R. SIMPLOT COMPANY / ONE CAPITAL CENTER / 999 MAIN STREET / SUITE 1300
P.O. BOX 27 / BOISE, IDAHO 83707 / (208) 336-2110 / TELEEX 368432

Department of Water Resources

GENERAL OFFICE

October 24, 1977

RECEIVED

NOV 3 1977

Department of Water Resources
Eastern District Office

State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83720

RE: Water Permit 11-7028 → 27-7126

Gentlemen:

The following is a description of the measuring device installed by the J. R. Simplot Company in connection with the above referenced water permit:

A sharp edged one-inch (1") diameter orifice is attached to the end of a two-inch (2") diameter pipe at the well head. In conjunction with the orifice, a pressure gauge is attached upstream of the orifice to measure the upstream pressure. All flow from the well pump is routed through the orifice to measure the well flow rate.

Sincerely,


Ronald N. Graves
RONALD N. GRAVES
Associate General Counsel

RNG/jw

MICROFILMED

J.R. Simplot Co.
27-7126

X - houses are junked or boarded up.
 and are no longer hooked up to
 system



in Addition — ~~new office~~
Engineering & Lab building
Shower room
old shop
new shop
houses are rented for employees
of T.R. Sampson & the General
public

DATE OF EXAM 26th day of July, 1979

ACREAGE
Found n/a
Recommended n/a

Irrigation Requirement n/a Ac Ft/Ac

USE
Irrigation Q = c.f.s. V = AF/Ann. from to
Domestic Q = 25 c.f.s. V = 85.20 AF/Ann. from Jan 1 to Dec 31
Livestock Q = c.f.s. V = AF/Ann. from to

Is water co-mingled? yes no X

Name source: n/a
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4
County

Exchange? yes no X

Name source exchanged with: n/a
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4
County

Point of injection: n/a
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4
County

Point of exchange: n/a
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4
County

Total Q measured 0.25 cfs Method of measurement Barrel & stopwatch
Total Q recommended 0.25 cfs Meter No. Type 55 gal drum Condition n/a
Total V recommended 85.20 AF/yr

Recommended Amendments:

(P.D.) Should be SENE SEC 15 Twp 85 R42E. B.M.

Place of Use
Other
None

MEASUREMENT CALCULATION:
measured 55 gallons in 29 sec, $\frac{55}{29} = \frac{x}{60}$, $29x = 3300$, $x = 113.79 \text{ gpm}$
 $= 448.8 \text{ gpm/cfs} = 0.25 \text{ cfs}$

$V = 1.20 \text{ AF/unit} \times 71 \text{ units} = 85.2 \text{ AF/yr}$
 $1.9835 \text{ AF/day Rfs} \times 365 \text{ d/yr} \times 0.25 \text{ cfs} = 180.99$

SYSTEM DESCRIPTION:

Groundwater is diverted by a 20 H.P. Berkeley submersed pump & motor spn-7777868
n/a - LAH 12 B.M. NO. 50638. The water system pressure is maintained
between 30 and 50 psi. The groundwater is pumped directly to the old shop
and directly to a 55,000 gal water tank overlooking the town. The impounded
water then flows downhill via the force of gravity into the city water
system where it is used as needed. There are a total of 71 hookups
REMARKS: on the Conda city water system. There are 61 houses, a main office
building, Conda city store, superintendent's office, 2 storage buildings,
a community center, a shower facility building, an engineering lab,
and old shop, and a new shop. System shown and described
by Ellis Skinner, Allen Vaughn, and Jack Green.

Examiner's Signature Anthony R. Kozlowski Date Dec 10, 1979

Checked by John D. Carbo Date 12/13/79

Approved by RA Date 7/15/80

Note: measurement of the wells capacity was made
by closing gate valves to the old shop and to the water storage
tank and shunting the water through an overflow pipe.
This water was open discharged into a 55 gal barrel for

7
JAN
RECEIVED

OCT 25 1977

J. R. SIMPLOT COMPANY / ONE CAPITAL CENTER / 999 MAIN STREET / SUITE 1300
P.O. BOX 27 / BOISE, IDAHO 83707 / (208) 336-2110 / TELEX 368432

Department of Water Resources

GENERAL OFFICE

October 24, 1977

State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83720


RE: Water Permit 11-7028

Gentlemen:

The following is a description of the measuring device installed by the J. R. Simplot Company in connection with the above referenced water permit:

A sharp edged one-inch (1") diameter orifice is attached to the end of a two-inch (2") diameter pipe at the well head. In conjunction with the orifice, a pressure gauge is attached upstream of the orifice to measure the upstream pressure. All flow from the well pump is routed through the orifice to measure the well flow rate.

Sincerely,


RONALD N. GRAVES
Associate General Counsel

RNG/jw

Sent Copy to region

MICROFILMED

Oct 26 1972

WELL LOG AND REPORT TO THE
STATE RECLAMATION ENGINEER OF IDAHO

Department of Water Affairs and Forestry
Eastern District Office

SUBMIT WITHIN 30 DAYS AFTER COMPLETION OF WELL: SEE IDAHO STATUTES 42-238

Permit (No. 11-7028) Well No. 11 County

Owner J. R. SIMPLOT COMPANY

Address CONDA, IDAHO


Driller.**Address.**

Well location SE 1/4 NE 1/4 Sec. 15, T. 8 ~~N~~/S, R. 42 ~~E~~/W

Size of drilled hole 11 1/2" 0-57' 9 5/8" 57-165'

6 $\frac{1}{4}$ " 165-180' Total depth of well 180'

Locate well in section



Give depth to standing water from the ground. _____ Water temp. _____ °Fahr.

Test delivery was 90 g.p.m. or e.f.s. Drawdown was 90 feet. Pump? X Bail?

Size of pump and motor used to make test. 20HP 6 AH 2½ Riser Pump

Length of time of test 18 hours - 00 minutes.

If flowing well, give flow Trickle c.f.s. or g.p.m. and of shut off pressure

If flowing well, described control works. Water stands 1' down after being pumped
(TYPE AND SIZE OF VALVE, ETC.)

Water will be used for Domestic use in Conda, Idaho Weight of casing per lineal foot _____

Thickness of casing 3" = 342" Casing material Steel

Diameter, length and location of casing 10" 0-55' 8" 0-165' (STEEL, CONCRETE, WOOD, ETC.)

(CASING 12" IN DIAMETER OR LESS, GIVE INSIDE DIAMETER;
CASING OVER 12" IN DIAMETER, GIVE OUTSIDE DIAMETER)

Perferated from 100' to 164'

CASING RECORD

Diam. Casing	From Feet	To Feet	Length	Remarks—seals, grouting, etc.
10"	0	55	55	
8"	0	165	165	Grouted between 8" and 10" casing

Number and size of perforations 16 x 2 3/4 x 1/4 per ft located 100 feet to 164 feet from ground

Date of commencement of well 8-22-72 Date of completion of well 9-27-72

11 7028

WELL LOG

From Feet	To Feet	Type of Material	Water-bearing Formation Ans. Yes or No	Casing Perforated Ans. Yes or No
0	19	Fill and topsoil	no	no
19	32	Soft blue grey lakebed limestone	no	no
32	45	Medium soft blue grey lakebed limestone	no	no
45	47	Hard grey lakebed limestone	no	no
47	50	Medium hard blue grey limestone	no	no
50	57	Hard light grey limestone (Salt Lake formation)	no	no
57	82	Medium hard blue grey limestone with thin hard seams	no	.no
82	97	Medium hard to hard yellow brecciated limestone with angular pieces of Rex chert, water at 97'		
97	100	Rex chert (dark brown silty limestone) Medium hard	yes	no
100	120	Rex chert (dark brown silty limestone) Medium hard	yes	yes
120	140	Rex chert (dark brown silty limestone) Medium hard	yes	yes
140	160	Rex chert (dark brown silty limestone) Medium hard	yes	yes
160	180	Rex chert (dark brown silty limestone) Medium hard		

If more space is required use Sheet No. 2

WELL DRILLER'S STATEMENT

This well was drilled under my supervision and the above information is complete, true and correct to the best of my knowledge and belief.

Signed Thomas L. Harvey
By R. F. Truhot for J. R. Simplot Co.

Dated Oct 6, 1972.

License No. _____

Well Driller's Helper_____

11 7028

September 20, 1977

Re: Permit No. 11-7028

J. R. Simplot Company
P. O. Box 27
Boise, Idaho 83707

Dear Sirs:

We acknowledge receipt of the affidavit submitted as proof of beneficial use on the above referenced permit. Enclosed is an Order of Reinstatement; please note that the priority has been advanced to July 30, 1972.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this exam will be made, but our examiner will try to contact you at the time he makes the exam so that you may show him the system.

We note that in reviewing this proof affidavit, you do not indicate that you have installed a measuring device as required by the conditions of approval of your permit. The type of measurement you described for your measuring device by-passes your domestic system and therefore, we cannot accept it as an acceptable measuring device. This measuring device must be installed by the time our examiner makes the exam or your water rights cannot be confirmed by the issuance of a license. We are enclosing a list of the types of measuring devices approved by this office. Please note that in lieu of a measuring device a certified measurement may be taken by a certified professional engineer of the system. This measurement should be returned to us as soon as possible.

If you have any questions regarding the field exam or the measuring device, please contact our Regional Office in Idaho Falls.

Sincerely,

BOBBY D. FLEENOR
Chief, Operations Bureau

BDF:jfr

Encl.

J. R. SIMPLOT COMPANY / ONE CAPITAL CENTER / 999 MAIN STREET / SUITE 1300
P.O. BOX 27 / BOISE, IDAHO 83707 / (208) 336-2110 / TELEX 368432

GENERAL OFFICE

RECEIVED

AUG 19 1977

August 17, 1977

Department of Water Resources


State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83720

RE: Water Permit 11-7028

Gentlemen:

J. R. Simplot Company is submitting the enclosed Proof of Application of Water to Beneficial Use as required under Permit No. 11-7028. If you need anything further regarding the enclosed, please feel free to contact the undersigned.

Sincerely,


RONALD N. GRAVES
Associate General Counsel

RNG/jw

Enclosure

MICROFILMED

Identification No. _____

Permit No. 11-7028

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

AUG 19 1977

Department of Water Resources

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder J. R. SIMPLOT COMPANY
b) Post Office Address P. O. Box 27, Boise, Idaho 83707
2. Permit Number 11-7028
3. Date of Priority that you are prepared to establish July 12, 1972
4. a) Source from which water was appropriated well
b) Location of the point of diversion: SE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 15
Township 8 South, Range 42 East Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
Amount .334 cfs for domestic purposes from Jan 1 to Dec 31 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated .334 cfs cfs and/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Pump test by Lonnie Fugate - Mining engineer
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) Water is pumped from the well by a 20 HP submersible pump. Total depth of well is 180 feet. Hole has 10 in. casing from 0 to 55 feet and 8 in. casing from 0 to 165 feet with grout between the casings.
b) Describe the type and size of measuring device which you have installed at your point of diversion: A 2 in. pipe that extends beyond the pump house. A barrel of predetermined volume is set under the pipe and the length of time necessary to fill the barrel is measured with a stop watch.
c) Give well driller's name and address and the date the well was completed: Tom Harver, Georgetown, Idaho. Completed September 27, 1977.
8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: The water is used for domestic purposes in the townsite of Conda and the adjoining buildings associated with Conda Mine.

Exam typed 9/23/77 by J

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	


Total number of acres irrigated _____

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

J. R. SIMPLOT COMPANY


August 17, 1977
(Date)

By 
Its Senior Vice President
(Signature)

State of Idaho)
) ss.
County of Ada)

On this 17th day of August, 19 77, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.




Notary Public residing at Boise

My commission expires May 29, 1979



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

August 10, 1977

J. R. Simplot Co.
Box 2777
Boise, Idaho 83701

Gentlemen:

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, Permit No. 11-7028 has lapsed since you have not notified us that you have completed the project by the date required on your permit. You were provided forms for that purpose in our notice to you dated May 31, 1977.

Your permit cannot be reinstated unless you submit the proof of beneficial use affidavit, enclosed, or show other reasonable cause why the permit should be reinstated within 60 days from the date of this lapse notice.


C. STEPHEN ALLRED
Director

CSA:jfr

Encl.

RECEIVED
AUG 14 1977
STATE OF IDAHO

May 31, 1977

CERTIFIED MAIL

138539

Re: Permit No. 11-7028

J. R. Simplot Co.
Box 2777
Boise, Idaho 83701

Gentlemen:

One of the conditions of approval of your water Permit No. 11-7028 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before August 1, 1977. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



C. STEPHEN ALLRED
Director

CSA:jfr

Enc: Proof affidavit

RECEIVED

November 3, 1972

Re: Permit No. 11-7028

C
J. R. Simplot Company
P.O. Box 2777
Boise, Idaho 83701

Gentlemen:

O
Enclosed please find a copy of the approved application for amendment in connection with the above referenced permit.

Sincerely,

P
BOBBY D. FLEENOR
Assistant Director

Y
BDF:DR
Enclosure

11 7028

October 24, 1972

Mr. Ronald N. Graves
Assistant General Counsel
J. R. SIMPLOT COMPANY
Box 2777
Boise, ID 83701

Dear Mr. Graves:

Attached herewith is departmental receipt No. 7045 in the amount of \$10 for the application for amendment which was submitted to this office in the name of J. R. Simplot Company.

Very truly yours,

NORMAN C. YOUNG
District Engineer

NCY:BA

Attachment

11 7028

GENERAL OFFICES
J.R. SIMPLOT COMPANY
805 IDAHO STREET
BOX 2777
BOISE, IDAHO
83701

October 18, 1972

RECEIVED

OCT 24 1972


Mr. Loy H. Johnson
Water Resource Supervisor
State of Idaho
Department of Water Administration
240 South Holmes Avenue
Idaho Falls, Idaho 83401

Department of Water Administration
Eastern District Office

Dear Mr. Johnson:

Enclosed is the Application for Amendment which
has been duly executed by the J. R. Simplot Company.
If there is anything further that you need, please advise.

Sincerely,

J. R. SIMPLOT COMPANY

Ronald N. Graves
Assistant General Counsel

RNG:lmw

Enc.

11 7028

Yellow

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse — Annex 2
Boise, Idaho 83707
(208) 384-2215



Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

September 6, 1972

J. R. Simplot Company
P. O. Box 2777
Boise, Idaho 83701

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 11-7028. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF: cd

Enclosures

11 7028

RECOMMENDED

CONDITIONS OF APPROVAL

☒ A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

☐ Measuring devices of a type approved by this Department shall be permanently installed and maintained at the point of diversion and the point of effluent discharge.

☐ Use of water under this permit is supplemental to all existing water rights with the same purpose and place of use.

☐ Maximum rate of diversion shall not exceed _____ c.f.s.

☐ Settling ponds shall be installed which are capable of reducing the silt load in the return water to such a level that the quality of the waters of _____ Creek will not be impaired for other beneficial uses.

☐ Return water shall be treated to insure that the effluent meets (interstate) (intrastate) stream water quality standards.

☐ Use of water under this permit is subject to control by the watermaster of State Water District No. _____, _____ River.

☐ The proposed well shall not be drilled within _____ feet of another well.

☐ The issuance of this permit in no way grants any right-of-way or easement across the land of another person.

☐ The permit shall not be assigned or sold without first securing the written approval of the Department of Water Administration.

☐ This permit cannot be assigned, mortgaged, or conveyed without complying with Section 42-208, Idaho Code.

☐ Other: _____

RECEIVED

AUG 15 1972

Department of Water Administration
Eastern District Office



ENVIRONMENTAL PROTECTION
7th and Lander Streets
Pocatello, Idaho
83201

14 August 1972

Norman C. Young, District Engineer
Idaho Department of Water Administration
240 South Holmes Avenue
Idaho Falls, Idaho 83401

Re: Permit Application #11-7028
(Simplot)

Dear Mr. Young:

Since this well will be used as a source of domestic water, the plans and specifications for its development must be submitted to this office prior to construction.

We thank you for bringing this to our attention.

Yours very truly,

Howard L. Burkhardt

Howard L. Burkhardt
Sr. Public Health Engineer

HLB/md

CC: Jerry Yoder - Boise

Bob Truchot - Conda

11 7028

July 31, 1972

Re: Application for Permit No. 11-7028 - Simplot

Mr. Jerry L. Yoder
Sr. Public Health Engineer
Environmental Improvement Division
Idaho Department of Health
STATEHOUSE
Boise, ID 83707

Dear Mr. Yoder:

We are enclosing a copy of an application that may be of interest to your agency. Please review the application and if you have any comments, please submit them to our Department as soon as possible. We normally complete the processing of an application within a 3-week period and we are required to take final action shortly thereafter.

If we may be of any assistance, please contact us.

Very truly yours,

NORMAN C. YOUNG
District Engineer

NCY:BA

Enclosure

11 7028

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that J. R. Simplot Co., P. O. Box 2777, Boise, Idaho has on July 12, 1972, submitted Application No. (11-7028) for a permit to appropriate 45 cubic feet per second of water from a ground-water source by means of well and pump within the SW $\frac{1}{4}$ -NE $\frac{1}{4}$, Sec. 15, T. 8S, R. 42E, B.M., Caribou County; to be used from Jan. 1 to Dec. 31 for domestic purposes for 300 people within the SW $\frac{1}{4}$ -NE $\frac{1}{4}$, NW $\frac{1}{4}$ -SE $\frac{1}{4}$, Sec. 15, T. 8S, R. 42E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of this permit must be filed with the Idaho Department of Water Administration, 240 South Holmes, Idaho Falls, Idaho, 83401, on or before August 14, 1972.

R. KEITH HIGGINSON,
Director

Published in the Caribou County Sun, Soda Springs, Idaho, on July 27 and August 3, 1972.

July 20, 1972

Re: Application No. 11-7028 - J. R. Simplot Company

Caribou County Sun
P.O. Box 815
Soda Springs, ID 83276

Gentlemen:

Enclosed you will find a legal notice which we wish to have published for two consecutive weekly issues of your newspaper. We have inserted publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

Norman C. Young
District Engineer

*Bill submitted to
Boise 8/11/72*

NCY:BA
Enc: Legal notice

11 7028

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that J. R. Simplot Co., P.O. Box 2777, Boise,
Idaho

has on 7/12/72 submitted Application No. 11-7028
for a permit to appropriate .45 cubic feet per second ~~acre feet per annum~~
of water from a ground-water source
by means of well and pump
within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 15, T. 8S, R. 42E, B.M., Caribou County;

to be used from Jan. 1 to Dec. 31

for domestic purposes for 300 people

within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 15, T. 8S, R. 42E, B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of this permit must be filed with the Idaho Department of
Water Administration, 240 South Holmes, Idaho Falls, Idaho, 83401, on or before
August 14, 1972.

R. KEITH HIGGINSON

Director

Published in the Caribou County Sun, Soda Springs, Idaho
on July 27 and August 3, 1972.

NCY
11 7028

INTER-DEPARTMENT MEMO — 1

FROM Norm Young

DATE July 18, 1972

TO File

SUBJECT Application No. 11-7028

This application was originally numbered in Basin 27. However, before advertising, it was found that our basin map does not correctly show the basin in which this application should be. This application is actually in Basin 11.

11 7028 SIGNATURE

July 17, 1972

Mr. L. E. Haight
Vice President
J. R. Simplot Co.
P.O. Box 2777
Boise, ID 83701

Dear Mr. Haight:

Attached herewith is departmental receipt No. 9762 in the amount of \$25 for your application for permit.

Very truly yours,

NORMAN C. YOUNG
District Engineer

NCY:BA

Attachment

11 7028

GENERAL OFFICES
J.R. SIMPLOT COMPANY

805 IDAHO STREET

BOX 2777

BOISE, IDAHO

83701

RECEIVED
JUL 12 1972
Department of Water Administration

July 11, 1972

State of Idaho
Department of Water Administration
Statehouse Annex
Boise, Idaho

Gentlemen:

Enclosed is an application for a permit to appropriate subterranean water for domestic purposes. J. R. Simplot Company's check in the amount of \$25.00 covering your application fee is enclosed.

If you have any questions concerning the enclosed application, please contact the undersigned.

Sincerely,

J. R. SIMPLOT COMPANY


Ronald N. Graves
Assistant General Counsel

RNG:lmw

Enc.

11 7028