

RECEIVED

NOV 08 2024

DEPT. OF WATER RESOURCES  
EASTERN REGION

## WATERMASTER'S ANNUAL REPORT

From: June 2, 20 24 To: Nov 1, 20 24

Water District No. 74-M

Water District Name: Agency Creek

Name of Watermaster: Jerome (Jerdy) Eastman

Mailing Address: Po Box 57 Tendon IDA. 83468

### AFFIDAVIT OF WATERMASTER

As the appointed watermaster of water district no. 74-M, I hereby certify that the information contained in this report is true and correct to the best of my knowledge.

Jerome Eastman 11/4/2024  
Watermaster signature Date

Pursuant to Section 42-606 Idaho Code, this Watermaster's Annual Report shall be filed prior to the end of the watermaster's appointment for the current year, and kept in the office of the Idaho Department of Water Resources (IDWR). The Watermaster's Daily Diversion Records should be attached to this report if those records are not submitted electronically to IDWR.

	WATER RIGHT OWNER	IDWR WATER RIGHT NO (S)	DIVERSION NAME / REMARKS
1	ALAMS		A-1
2	MILERS		A-1-A
3	"		A-2
4	"		A-3
5	"		A-4
6	"		A-5
7	"		A-5A
8	Mitchell		A-10
9	Mitchell		A-11
10	DYE		A-12
11	DYE		A-12-A
12	HERBST		A-12-B
13	MANSON		A-13
14	GARRISON - HAAS		A-14
15	GARRISON - HAAS		A-16
16	ELZINGA - TULSTONS		A-17
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			

1

2

3

4

5

Total 24-Hour Sec Feet Delivered	1155.90		Total Delivery to water user 24-Hr Sec Ft	Water User Total Cost	See instruction no. 3, page 4			
					Initial Assessment	Credits		Debits
Total Days Watermaster	152	1						
days at \$ /day	\$ 15 hrs @ 1500.-	2	22500					
Total Days Asst. Watermaster		3						
days at \$ /day	\$	4						
Other expenses charged pro rata	\$	5						
<b>TOTAL COST</b>	\$	6						
Cost per 24-Hour Sec Ft Delivered	\$	7						
		8						
		9						
		10						
		11						
		12						
		13						
		14						
		15						
		16						
		17						
		18						
		19						
		20						
		21						
		22						
		23						
		24						
		25						
		26						
		27						
		28						
		29						
		30						



4 10 41 01 21 11 7 6 1 8 5 2 12 1

24-7C

20

line	unit	date	description	unit	price	total
1	AMS	6/2	AMS	1	2.5	2.5
2	AMS	7/9	AMS	1	1.0	1.0
3	AMS	7/10	AMS	1	1.5	1.5
4	AMS	7/11	AMS	1	1.5	1.5
5	AMS	7/12	AMS	1	1.5	1.5
6	AMS	7/13	AMS	1	1.5	1.5
7	AMS	7/14	AMS	1	1.5	1.5
8	AMS	7/15	AMS	1	1.5	1.5
9	AMS	7/16	AMS	1	1.5	1.5
10	AMS	7/17	AMS	1	1.5	1.5
11	AMS	7/18	AMS	1	1.5	1.5
12	AMS	7/19	AMS	1	1.5	1.5
13	AMS	7/20	AMS	1	1.5	1.5
14	AMS	7/21	AMS	1	1.5	1.5
15	AMS	7/22	AMS	1	1.5	1.5
16	AMS	7/23	AMS	1	1.5	1.5
17	AMS	7/24	AMS	1	1.5	1.5
18	AMS	7/25	AMS	1	1.5	1.5
19	AMS	7/26	AMS	1	1.5	1.5
20	AMS	7/27	AMS	1	1.5	1.5
21	AMS	7/28	AMS	1	1.5	1.5
22	AMS	7/29	AMS	1	1.5	1.5
23	AMS	7/30	AMS	1	1.5	1.5
24	AMS	7/31	AMS	1	1.5	1.5
25	AMS	8/1	AMS	1	1.5	1.5
26	AMS	8/2	AMS	1	1.5	1.5
27	AMS	8/3	AMS	1	1.5	1.5
28	AMS	8/4	AMS	1	1.5	1.5
29	AMS	8/5	AMS	1	1.5	1.5
30	AMS	8/6	AMS	1	1.5	1.5
31	AMS	8/7	AMS	1	1.5	1.5
32	AMS	8/8	AMS	1	1.5	1.5
33	AMS	8/9	AMS	1	1.5	1.5
34	AMS	8/10	AMS	1	1.5	1.5
35	AMS	8/11	AMS	1	1.5	1.5
36	AMS	8/12	AMS	1	1.5	1.5
37	AMS	8/13	AMS	1	1.5	1.5
38	AMS	8/14	AMS	1	1.5	1.5
39	AMS	8/15	AMS	1	1.5	1.5
40	AMS	8/16	AMS	1	1.5	1.5
41	AMS	8/17	AMS	1	1.5	1.5
42	AMS	8/18	AMS	1	1.5	1.5
43	AMS	8/19	AMS	1	1.5	1.5
44	AMS	8/20	AMS	1	1.5	1.5
45	AMS	8/21	AMS	1	1.5	1.5
46	AMS	8/22	AMS	1	1.5	1.5
47	AMS	8/23	AMS	1	1.5	1.5
48	AMS	8/24	AMS	1	1.5	1.5
49	AMS	8/25	AMS	1	1.5	1.5
50	AMS	8/26	AMS	1	1.5	1.5
51	AMS	8/27	AMS	1	1.5	1.5
52	AMS	8/28	AMS	1	1.5	1.5
53	AMS	8/29	AMS	1	1.5	1.5
54	AMS	8/30	AMS	1	1.5	1.5
55	AMS	8/31	AMS	1	1.5	1.5
56	AMS	9/1	AMS	1	1.5	1.5
57	AMS	9/2	AMS	1	1.5	1.5
58	AMS	9/3	AMS	1	1.5	1.5
59	AMS	9/4	AMS	1	1.5	1.5
60	AMS	9/5	AMS	1	1.5	1.5
61	AMS	9/6	AMS	1	1.5	1.5
62	AMS	9/7	AMS	1	1.5	1.5
63	AMS	9/8	AMS	1	1.5	1.5
64	AMS	9/9	AMS	1	1.5	1.5
65	AMS	9/10	AMS	1	1.5	1.5
66	AMS	9/11	AMS	1	1.5	1.5
67	AMS	9/12	AMS	1	1.5	1.5
68	AMS	9/13	AMS	1	1.5	1.5
69	AMS	9/14	AMS	1	1.5	1.5
70	AMS	9/15	AMS	1	1.5	1.5
71	AMS	9/16	AMS	1	1.5	1.5
72	AMS	9/17	AMS	1	1.5	1.5
73	AMS	9/18	AMS	1	1.5	1.5
74	AMS	9/19	AMS	1	1.5	1.5
75	AMS	9/20	AMS	1	1.5	1.5
76	AMS	9/21	AMS	1	1.5	1.5
77	AMS	9/22	AMS	1	1.5	1.5
78	AMS	9/23	AMS	1	1.5	1.5
79	AMS	9/24	AMS	1	1.5	1.5
80	AMS	9/25	AMS	1	1.5	1.5
81	AMS	9/26	AMS	1	1.5	1.5
82	AMS	9/27	AMS	1	1.5	1.5
83	AMS	9/28	AMS	1	1.5	1.5
84	AMS	9/29	AMS	1	1.5	1.5
85	AMS	9/30	AMS	1	1.5	1.5
86	AMS	10/1	AMS	1	1.5	1.5
87	AMS	10/2	AMS	1	1.5	1.5
88	AMS	10/3	AMS	1	1.5	1.5
89	AMS	10/4	AMS	1	1.5	1.5
90	AMS	10/5	AMS	1	1.5	1.5
91	AMS	10/6	AMS	1	1.5	1.5
92	AMS	10/7	AMS	1	1.5	1.5
93	AMS	10/8	AMS	1	1.5	1.5
94	AMS	10/9	AMS	1	1.5	1.5
95	AMS	10/10	AMS	1	1.5	1.5
96	AMS	10/11	AMS	1	1.5	1.5
97	AMS	10/12	AMS	1	1.5	1.5
98	AMS	10/13	AMS	1	1.5	1.5
99	AMS	10/14	AMS	1	1.5	1.5
100	AMS	10/15	AMS	1	1.5	1.5
101	AMS	10/16	AMS	1	1.5	1.5
102	AMS	10/17	AMS	1	1.5	1.5
103	AMS	10/18	AMS	1	1.5	1.5
104	AMS	10/19	AMS	1	1.5	1.5
105	AMS	10/20	AMS	1	1.5	1.5
106	AMS	10/21	AMS	1	1.5	1.5
107	AMS	10/22	AMS	1	1.5	1.5
108	AMS	10/23	AMS	1	1.5	1.5
109	AMS	10/24	AMS	1	1.5	1.5
110	AMS	10/25	AMS	1	1.5	1.5
111	AMS	10/26	AMS	1	1.5	1.5
112	AMS	10/27	AMS	1	1.5	1.5
113	AMS	10/28	AMS	1	1.5	1.5
114	AMS	10/29	AMS	1	1.5	1.5
115	AMS	10/30	AMS	1	1.5	1.5
116	AMS	10/31	AMS	1	1.5	1.5
117	AMS	11/1	AMS	1	1.5	1.5
118	AMS	11/2	AMS	1	1.5	1.5
119	AMS	11/3	AMS	1	1.5	1.5
120	AMS	11/4	AMS	1	1.5	1.5
121	AMS	11/5	AMS	1	1.5	1.5
122	AMS	11/6	AMS	1	1.5	1.5
123	AMS	11/7	AMS	1	1.5	1.5
124	AMS	11/8	AMS	1	1.5	1.5
125	AMS	11/9	AMS	1	1.5	1.5
126	AMS	11/10	AMS	1	1.5	1.5
127	AMS	11/11	AMS	1	1.5	1.5
128	AMS	11/12	AMS	1	1.5	1.5
129	AMS	11/13	AMS	1	1.5	1.5
130	AMS	11/14	AMS	1	1.5	1.5
131	AMS	11/15	AMS	1	1.5	1.5
132	AMS	11/16	AMS	1	1.5	1.5
133	AMS	11/17	AMS	1	1.5	1.5
134	AMS	11/18	AMS	1	1.5	1.5
135	AMS	11/19	AMS	1	1.5	1.5
136	AMS	11/20	AMS	1	1.5	1.5
137	AMS	11/21	AMS	1	1.5	1.5
138	AMS	11/22	AMS	1	1.5	1.5
139	AMS	11/23	AMS	1	1.5	1.5
140	AMS	11/24	AMS	1	1.5	1.5
141	AMS	11/25	AMS	1	1.5	1.5
142	AMS	11/26	AMS	1	1.5	1.5
143	AMS	11/27	AMS	1	1.5	1.5
144	AMS	11/28	AMS	1	1.5	1.5
145	AMS	11/29	AMS	1	1.5	1.5
146	AMS	11/30	AMS	1	1.5	1.5
147	AMS	12/1	AMS	1	1.5	1.5
148	AMS	12/2	AMS	1	1.5	1.5
149	AMS	12/3	AMS	1	1.5	1.5
150	AMS	12/4	AMS	1	1.5	1.5
151	AMS	12/5	AMS	1	1.5	1.5
152	AMS	12/6	AMS	1	1.5	1.5
153	AMS	12/7	AMS	1	1.5	1.5
154	AMS	12/8	AMS	1	1.5	1.5
155	AMS	12/9	AMS	1	1.5	1.5
156	AMS	12/10	AMS	1	1.5	1.5
157	AMS	12/11	AMS	1	1.5	1.5
158	AMS	12/12	AMS	1	1.5	1.5
159	AMS	12/13	AMS	1	1.5	1.5
160	AMS	12/14	AMS	1	1.5	1.5
161	AMS	12/15	AMS	1	1.5	1.5
162	AMS	12/16	AMS	1	1.5	1.5
163	AMS	12/17	AMS	1	1.5	1.5
164	AMS	12/18	AMS	1	1.5	1.5
165	AMS	12/19	AMS	1	1.5	1.5
166	AMS	12/20	AMS	1	1.5	1.5
167	AMS	12/21	AMS	1	1.5	1.5
168	AMS	12/22	AMS	1	1.5	1.5
169	AMS	12/23	AMS	1	1.5	1.5
170	AMS	12/24	AMS	1	1.5	1.5
171	AMS	12/25	AMS	1	1.5	1.5
172	AMS	12/26	AMS	1	1.5	1.5
173	AMS	12/27	AMS	1	1.5	1.5
174	AMS	12/28	AMS	1	1.5	1.5
175	AMS	12/29	AMS	1	1.5	1.5
176	AMS	12/30	AMS	1	1.5	1.5
177	AMS	12/31	AMS	1	1.5	1.5
178	AMS	1/1	AMS	1	1.5	1.5
179	AMS	1/2	AMS	1	1.5	1.5
180	AMS	1/3	AMS	1	1.5	1.5
181	AMS	1/4	AMS	1	1.5	1.5
182	AMS	1/5	AMS	1	1.5	1.5
183	AMS	1/6	AMS	1	1.5	1.5
184	AMS	1/7	AMS	1	1.5	1.5
185	AMS	1/8	AMS	1	1.5	1.5
186	AMS	1/9	AMS	1	1.5	1.5
187	AMS	1/10	AMS	1	1.5	1.5
188	AMS	1/11	AMS	1	1.5	1.5
189	AMS	1/12	AMS	1	1.5	1.5
190	AMS	1/13	AMS	1	1.5	1.5
191	AMS	1/14	AMS	1	1.5	1.5
192	AMS	1/15	AMS	1	1.5	1.5
193	AMS	1/16	AMS	1	1.5	1.5
194	AMS	1/17	AMS	1	1.5	1.5
195	AMS	1/18	AMS	1	1.5	1.5
196	AMS	1/19	AMS	1	1.5	1.5
197	AMS	1/20	AMS	1	1.5	1.5
198	AMS	1/21	AMS	1	1.5	1.5
199	AMS	1/22	AMS	1	1.5	1.5
200	AMS	1/23	AMS	1	1.5	1.5
201	AMS	1/24	AMS	1	1.5	1.5
202	AMS	1/25	AMS	1	1.5	1.5
203	AMS	1/26	AMS	1	1.5	1.5
204	AMS	1/27	AMS	1	1.5	1.5
205	AMS	1/28	AMS	1	1.5	1.5
206	AMS	1/29	AMS	1	1.5	1.5
207	AMS	1/30	AMS	1	1.5	1.5
208	AMS	1/31	AMS	1	1.5	1.5
209	AMS	2/1	AMS	1	1.5	1.5
210	AMS	2/2	AMS	1	1.5	1.5
211	AMS	2/3	AMS	1	1.5	1.5
212	AMS	2/4	AMS	1	1.5	1.5
213	AMS	2/5	AMS	1	1.5	1.5
214	AMS	2/6	AMS	1	1.5	1.5
215	AMS	2/7	AMS	1	1.5	1.5
216	AMS	2/8	AMS	1	1.5	1.5
217	AMS	2/9	AMS	1	1.5	1.5
218	AMS	2/10	AMS	1	1.5	1.5
219	AMS	2/11	AMS	1	1.5	1.5
220	AMS	2/12	AMS	1	1.5	1.5
221	AMS	2/13	AMS	1	1.5	1.5
222	AMS	2/14	AMS	1	1.5	1.5
223	AMS	2/15	AMS	1	1.5	1.5
224	AMS	2/16	AMS	1	1.5	1.5
225	AMS	2/17	AMS	1	1.5	1.5
226	AMS	2/18	AMS	1	1.5	

Agency Creek 74-M

2024

by WATERMASTER J. EASTMAN

0 = 152 DAYS

11/1		11/12	24 HR.
0	= 15-hrs.		Sec. ft.
	14 TRIPS	1	79.50
		2	25.20
		3	79.50
		4	70.50
		5	127.00
		6	23.70
		7	
		8	43.50
		9	70.25
		10	45.00
		11	45.00
0		12	183.75
0		13	48.50
0		14	70.75
0		15	149.75
0		16	94.00
0		17	<u>1155.90</u>
			total 24hr Sec. ft.