

State of Idaho
Department of Water Resources
Permit to Appropriate Water
No. 65-24264

Priority: November 27, 2023

Maximum Diversion Rate: 0.20 CFS

Maximum Diversion Volume: 3.0 AF

This is to certify that

TRAVIS LUKOIC 1309 W SHERINGTON CT EAGLE ID 83616-7184

has applied for a permit to appropriate water from:

Source : SPRINGS

Tributary: SINKS

and a permit is APPROVED for development of water as follows:

<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>	<u>Annual Volume</u>
WILDLIFE STORAGE	01/01 to 12/31		3.0 AF
AESTHETIC STORAGE	01/01 to 12/31		3.0 AF

Location of Point(s) of Diversion

SPRINGS NE¼ NE¼ SW¼, Sec. 27, Twp 18N, Rge 03E, B.M. VALLEY County

Place of Use: WILDLIFE STORAGE

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
18N	03E	27									X								

Place of Use: AESTHETIC STORAGE

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
18N	03E	27									X								

Conditions of Approval

1. Proof of application of water to beneficial use shall be submitted on or before **February 01, 2025**.
2. Subject to all prior water rights.
3. Right 65-24264 authorize total annual storage volume of 3 acre-feet, 2.4 acre-feet to be used for the initial filling or carryover storage of the pond and 0.6 acre-feet for the replacement of losses caused by evaporation.
4. The pond established by the storage of water under this right shall not exceed a total capacity of 3.0 acre-feet or a total surface area of 0.5 acre(s).
5. Use of water under this right may be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 65.
6. The Director retains jurisdiction to require the right holder to provide purchased or leased natural flow or stored water to offset depletion of Lower Snake River flows if needed for salmon migration purposes. The amount of water required to be released into the Snake River or a tributary, if needed for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this permit.


State of Idaho
Department of Water Resources
Permit to Appropriate Water
No. 65-24264

This permit is issued pursuant to the provisions of Idaho Code § 42-204.

Signed this 27th day of January, 2027.



SCOTT STORMS
Water Rights Supervisor



State of Idaho
Department of Water Resources

Attachment to Permit to Appropriate Water

65-24264

This map depicts the WILDLIFE STORAGE and AESTHETIC STORAGE place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



0 0.035 0.07 0.14 Miles

-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion
-  State Outline



RECEIVED

SEP 25 2023

WATER RESOURCES
WESTERN REGION

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho
No. 65-24264

RECEIVED

NOV 09 2023

WATER RESOURCES
WESTERN REGION

RECEIVED

NOV 27 2023

WATER RESOURCES
WESTERN REGION

1. Applicants

Travis Lukoic
1309 W. Sherington Ct
Eagle, ID 83616
208-941-6620
travislukoic@aol.com

2. Representatives

Submitter is one of the applicants

3. Source of Water Supply

Source : GROUND WATER

4. Location of Point(s) of Diversion

POD #	Source	Tributary Of	Diversion Type	Township	Range	Section	Govt Lot	QQQ/QQ/Q	County
1	GROUND WATER <i>SPRING</i>	<i>Sinks</i>		18N	03E	27		<i>NE</i> INE/SW	VALLEY

5. Water will be used for the following purposes:

Purposes	Season	Rate	Volume	Description
GROUND WATER RECHARGE	01/01 to 12/31	<i>0.2 cfs</i> 3.00 cfs	<i>3 AFA</i> 0.00 afa	Enlarge current pond/spring area.

IMPROVE Current Pond Area

6. Total quantity to be appropriated is (a) 3 cfs and/or 0 afa

7. Proposed Diverting Works:

POD No :1

Description: There is a current spring/water storage already there. Would like to enlarge current storage/pond area to about 1/2 acre. *What's there.*
Ground/spring water will fill the pond.

8. Description of Place Of Use:

GROUND WATER RECHARGE							
Township	Range	Section	QQ	Q	County	Govt Lot	Acres
18N	03E	27	NE	SW	VALLEY		

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water; water from another source, or both, to irrigate your lawn, garden, and/or landscaping.

none

10. Land Ownership

- Who owns the land to be irrigated or place of use? Applicant does not own
- Who owns the land at the point of diversion? Applicant

12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary.

Looking to enlarge current pond/water storage area. There is a current spring/seep and pond will fill from ground water. I'm pretty sure I didn't fill everything out properly. Feel free to contact me directly at 208-941-6620. Thank you. Travis

13. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum is 1 year).

RECEIVED

SEP 25 2023

WATER RESOURCES
WESTERN REGION

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

RECEIVED

NOV 09 2023

WATER RESOURCES
WESTERN REGION

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

No. 65-24264

1. Applicants

Travis Lukoic
1309 W. Sherington Ct
Eagle, ID 83616
208-941-6620
travislukoic@aol.com

2. Representatives

Submitter is one of the applicants

3. Source of Water Supply

Source : GROUND WATER

4. Location of Point(s) of Diversion

POD #	Source	Tributary Of	Diversion Type	Township	Range	Section	Govt Lot	QQQ/QQ/Q	County
1	GROUND WATER SPRING	Sinks		18N	03E	27	NE	NE/SW	VALLEY

5. Water will be used for the following purposes:

Purposes	Season	Rate	Volume	Description
GROUND WATER RECHARGE	01/01 to 12/31	3.00 cfs	0.00 afa	Enlarge current pond/spring area.

Improve current Pond Area

6. Total quantity to be appropriated is (a) 3 cfs and/or 0 afa

7. Proposed Diverting Works:

POD No :1

Description: There is a current spring/water storage already there. Would like to enlarge current storage/pond area to about 1/2 acre. What's there. Ground/spring water will fill the pond.

8. Description of Place Of Use:

GROUND WATER RECHARGE							
Township	Range	Section	QQ	Q	County	Govt Lot	Acres
18N	03E	27	NE	SW	VALLEY		

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping.

none

10. Land Ownership

- Who owns the land to be irrigated or place of use? Applicant does not own
- Who owns the land at the point of diversion? Applicant

12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary.

Looking to enlarge current pond/water storage area. There is a current spring/seep and pond will fill from ground water. I'm pretty sure I didn't fill everything out properly. Feel free to contact me directly at 208-941-6620. Thank you. Travis

13. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum is 1 year).

SUPERCEDED

RECEIVED

SEP 25 2023

WATER RESOURCES
WESTERN REGION

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

No. 65-24264

1. Applicants

Travis Lukoic
1309 w. sherington ct
Eagle, ID 83616
208-941-6620
travislukoic@aol.com

2. Representatives

Submitter is one of the applicants

3. Source of Water Supply

Source : GROUND WATER

4. Location of Point(s) of Diversion

POD #	Source	Tributary Of	Diversion Type	Township	Range	Section	Govt Lot	QQQ/QQ/Q	County
1	GROUND WATER			18N	03E	27		/NE/SW	VALLEY

5. Water will be used for the following purposes:

Purposes	Season	Rate	Volume	Description
GROUND WATER RECHARGE	01/01 to 12/31	3.00 cfs	0.00 afa	Enlarge current pong/spring area.

6. Total quantity to be appropriated is (a) 3 cfs and/or 0 afa

7. Proposed Diverting Works:

POD No :1

Description: There is a current spring/water storage already there. Would like to enlarge current storage/pond area to about 1/2 acre. Ground/spring water will fill the pond.

8. Description of Place Of Use:

GROUND WATER RECHARGE							
Township	Range	Section	QQ	Q	County	Govt Lot	Acres
18N	03E	27	NE	SW	VALLEY		

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping.

none

10. Land Ownership

- Who owns the land to be irrigated or place of use? Applicant does not own
- Who owns the land at the point of diversion? Applicant

12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary.

Looking to enlarge current pond/water storage area. There is a current spring/seep and pond will fill from ground water. I'm pretty sure I didn't fill everything out properly. Feel free to contact me directly at 208-941-6620. Thank you. Travis

13. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum is 1 year).

SUPERCEDED

State of Idaho
Department of Water Resources
Application For Permit
65-24264

03E

18N



0 0.035 0.07 0.14 Miles

-  Point of Diversion
-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters





322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Mathew Weaver

November 29, 2024

TRAVIS LUKOIC
1309 W SHERINGTON CT
EAGLE ID 83616-7184

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit No. 65-24264

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holder(s):

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **February 01, 2025**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a \$50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this department on or before the above proof due date. If neither is received, the department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,


Jean Hersley
Technical Records Specialist II

Enclosure(s)

SCANNED
DEC 02 2024

IDAHO DEPT WATER RESOURCES
322 E FRONT ST
STE 648
BOISE IDAHO 83720-0098

USPS CERTIFIED MAIL



9214 8901 9403 8389 7124 42

TRAVIS LUKOIC
1309 W SHERINGTON CT
EAGLE ID 83616-7184

Banner Page Note:

SCANNED

DEC 02 2024



January 26, 2024

TRAVIS LUKOIC
1309 W SHERINGTON CT
EAGLE ID 83616-7184

RE: Permit No. 65-24264

Permit Approval Notice

Dear Permit Holder(s):

The Department of Water Resources ("Department") has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review all the conditions of approval listed on your permit. The conditions include requirements that you must accomplish, such as timely submittal of proof of beneficial use or installation of a measuring device, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district. Failure to comply with the conditions of approval may result in your permit lapsing or being canceled.

The permit is a PRELIMINARY ORDER issued pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.


The final step in the water right process is issuance of a water right license. To receive a water right license, you must divert and use water to the full extent intended and submit a Statement of Completion for Submitting Proof of Beneficial Use by the date shown in condition no. 1 of your permit. The Department will send you a Proof Due Notice approximately 60 days prior to the date listed in condition no. 1 of your permit.

You may also require approvals from other Department programs, such as Ground Water Protection, Safety of Dams, or Stream Channel Protection, to accomplish your proposed development. Please call or visit any Department office or see the Department's website at idwr.idaho.gov for more information about these programs.

Please be advised that Idaho Code § 42-248, requires you or the owner of this water permit to maintain current ownership and address records on file with the Department. Forms to file an assignment of permit and/or a change in the address of the permit owner are available from any Department office or at the Department's website at www.idwr.idaho.gov.

If you have any questions concerning the enclosed information, please contact me at (208) 605-4624.

Sincerely,


L-IMP EVANG
for Scott Storms
Water Rights Supervisor

Enclosure(s)

CERTIFICATE OF SERVICE

I hereby certify that on January 26, 2024, I served a true and correct copy of Permit to Appropriate Water No. 65-24264 by U.S. Mail, postage prepaid, to the following:

TRAVIS LUKOIC (Current Owner)
1309 W SHERINGTON CT
EAGLE ID 83616-7184

NEIL SHIPPY (Watermaster)
WATER DISTRICT #65
102 N MAIN ST
PAYETTE ID 83661-2522



Lynne Evans
Administrative Assistant I

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) The petition for reconsideration is disposed of; or
- (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Adamson, Jared

From: travislukoic@aol.com
Sent: Tuesday, January 16, 2024 3:13 PM
To: Adamson, Jared
Subject: Re: 48 Pearson Application for Permit 65-24264

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

Hello Jared,

Everything sounds great. Pond size will not exceed .5 acre with a max depth of 12 feet and an average depth of 4.84 feet. Those parameters will work just fine for our needs. If there's anything else you need from us, please let us know.

Thanks again,
Travis Lukoic
208-941-6620

On Tuesday, January 16, 2024 at 12:18:47 PM MST, Adamson, Jared <jared.adamson@idwr.idaho.gov> wrote:

Hi Travis,

I wanted to give you an update concerning your application and request some final information. The application was successfully advertised with no protests. I am working on processing the application for final approval. Before I can proceed, I need some information concerning the pond you plan on expanding/constructing. What is the proposed maximum depth of the pond. I have the surface area being 0.5 acres. You applied for a volume of 3 acre-feet and unfortunately, I failed to mention that a portion of this will need to be allocated to evaporation losses of the pond when conditioning the water permit. I took the liberty of calculating what the evaporation loss of the pond will be annually. Attached is a pond mitigation calculator. According to the calculator you can construct a 0.5-acre pond with a maximum depth of 12.1 feet and an average depth of 4.84 feet to a volume of 2.42 acre-feet and the annual evaporation loss of 0.58 acre-feet for a total of 3.0 acre feet.

There are basically two options:

1. If you wish to construct the pond larger than what I have calculated, then an amendment to the permit will need to be made to where you apply for a greater volume.

or

2. Leave the application as is and respond to this email with a statement that says you will be constructing the pond to a maximum depth of 12.1 feet with an average depth of 4.84 feet and a surface area of one half (0.5) acre, or any dimensions smaller than what is given.

I apologize for any confusion or delay. Feel free to call me directly with any questions.

Respectfully,



Jared Adamson | Water Resource Agent, Sr.

Idaho Department of Water Resources

2735 W Airport Way, Boise ID 83705 | jared.adamson@idwr.idaho.gov | (208) 605-4627

From: travislukoic@aol.com <travislukoic@aol.com>

Sent: Tuesday, November 28, 2023 12:43 PM

To: Adamson, Jared <Jared.Adamson@idwr.idaho.gov>

Subject: Re: 48 Pearson Application for Permit 65-24264

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

Sounds great. Thanks Jared!

On Tuesday, November 28, 2023 at 08:48:01 AM MST, Adamson, Jared <jared.adamson@idwr.idaho.gov> wrote:

Adamson, Jared

From: Adamson, Jared
Sent: Tuesday, January 16, 2024 12:19 PM
To: travislukoic@aol.com
Subject: RE: 48 Pearson Application for Permit 65-24264
Attachments: Pond Mitigation Calculator (2).xlsx

Hi Travis,

I wanted to give you an update concerning your application and request some final information. The application was successfully advertised with no protests. I am working on processing the application for final approval. Before I can proceed, I need some information concerning the pond you plan on expanding/constructing. What is the proposed maximum depth of the pond. I have the surface area being 0.5 acres. You applied for a volume of 3 acre-feet and unfortunately, I failed to mention that a portion of this will need to be allocated to evaporation losses of the pond when conditioning the water permit. I took the liberty of calculating what the evaporation loss of the pond will be annually. Attached is a pond mitigation calculator. According to the calculator you can construct a 0.5-acre pond with a maximum depth of 12.1 feet and an average depth of 4.84 feet to a volume of 2.42 acre-feet and the annual evaporation loss of 0.58 acre-feet for a total of 3.0 acre feet.

There are basically two options:

1. If you wish to construct the pond larger than what I have calculated, then an amendment to the permit will need to be made to where you apply for a greater volume.
or
2. Leave the application as is and respond to this email with a statement that says you will be constructing the pond to a maximum depth of 12.1 feet with an average depth of 4.84 feet and a surface area of one half (0.5) acre, or any dimensions smaller than what is given.

I apologize for any confusion or delay. Feel free to call me directly with any questions.

Respectfully,



Jared Adamson | Water Resource Agent, Sr.

Idaho Department of Water Resources

2735 W Airport Way, Boise ID 83705 | jared.adamson@idwr.idaho.gov | (208) 605-4627

From: travislukoic@aol.com <travislukoic@aol.com>
Sent: Tuesday, November 28, 2023 12:43 PM
To: Adamson, Jared <Jared.Adamson@idwr.idaho.gov>
Subject: Re: 48 Pearson Application for Permit 65-24264

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

Sounds great. Thanks Jared!

On Tuesday, November 28, 2023 at 08:48:01 AM MST, Adamson, Jared <jared.adamson@idwr.idaho.gov> wrote:

Thanks Travis,

The application should be advertised beginning this week or the next and then we will process the application for final approval if no protests occur. We should be looking at this being finished within the next three to four weeks.

Cheers,



Jared Adamson | Water Resource Agent, Sr.

Idaho Department of Water Resources

2735 W Airport Way, Boise ID 83705 | jared.adamson@idwr.idaho.gov | (208) 605-4627

From: travislukoic@aol.com <travislukoic@aol.com>
Sent: Monday, November 27, 2023 8:57 PM
To: Adamson, Jared <Jared.Adamson@idwr.idaho.gov>
Subject: 48 Pearson Application for Permit 65-24264

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

Pond Calculations

Pond Size

Vol = surf area x max depth x slope factor

Surface Area 0.5 acres

Max Depth 12.1 feet

Average Depth 4.84 feet *average depth is Max Depth multiplied by 0.4

Volume 2.42 acre-feet

Evaporation

Evaporation (Precipitation Deficit from ET Idaho Tables McCall Station)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
mm/day	-1.92	-1.11	-0.93	0.75	1.46	2.38	4.26	3.69	2.18	0.39	-1.92	2.16
day/month	31	28	31	30	31	30	31	31	30	31	30	31
mm/month	-59.52	-31.08	-28.83	22.50	45.26	71.40	132.06	114.39	65.40	12.09	-57.60	66.96
ft/month	-0.20	-0.10	-0.09	0.07	0.15	0.23	0.43	0.38	0.21	0.04	-0.19	0.22
surface area	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
acre-feet	-0.10	-0.05	-0.05	0.04	0.07	0.12	0.22	0.19	0.11	0.02	-0.09	0.11

Total Evaporation Acre-Feet 0.58

Seepage No seepage. Pond fills will incidental ground water.

Soil Type: N/A

USDA Soil Survey Soil Type:

Seepage Rate: 0 ft/day

Annual Seepage: 0.00 acre-feet (surface area x seepage x 365)

Total Acres to Dry Up

Irrigated Crop: Grass Pasture (Low Management)

Growing Season ET (mm): 617

Growing Season ET (af/acre): 2.02

Total Pond Acre-Feet: **3.00**

Total Acres to Dry-Up: **1.5**

AFFIDAVIT OF PUBLICATION

AFFIDAVIT OF PUBLICATION: #1739870

STATE OF IDAHO
SS.
COUNTY OF VALLEY

RECEIVED

DEC 14 2023

WATER RESOURCES
WESTERN REGION

I, Dawn Schnepf, as publisher/agent of

The Star-News

of Valley County, State of Idaho, state that this newspaper is a qualified newspaper, published and of general circulation in said county, was published in regular edition of said paper, and that the notice of which the annexed is a copy was published on the following date(s):

12/07/2023, 12/14/2023

Dawn R. Schnepf
Agent Signature

Subscribed and sworn to before me this

14th day of December, A.D. 20 23.

[Signature]
Notary Public

Advertising Fee: \$66.33

The following application(s) have been filed to appropriate the public waters of the State of Idaho:


65-24264

TRAVIS LUKOIC
1309 W SHERINGTON CT
EAGLE, ID 83616-7184
Point of Diversion NENESW S27 T18N
R03E VALLEY County
Source GROUND WATER
Use: AESTHETIC STORAGE
01/01 to 12/31; 3 AF
Use: WILDLIFE STORAGE
01/01 to 12/31; 3 AF
Use: DIVERSION TO STORAGE
01/01 to 12/31; 0.2 CFS
Total Diversion: 0.2 CFS; 3 AF
Date Filed: 09-25-2023
Place Of Use: AESTHETIC STORAGE,
WILDLIFE STORAGE
T18N R03E S27 NESW

OK
LE
1/4/24

Permits will be subject to all prior water rights. For additional information concerning the property location, contact the Western Region office at (208)334-2190; or for a full description of the right(s), please see <https://idwr.idaho.gov/apps/ExtSearch/WRAApplicationResults/>. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 W AIRPORT WAY, BOISE ID 83705-5082 together with a protest fee of \$25.00 for each application on or before 12/26/2023. The protestant must also send a copy of the protest to the applicant. MATHEW WEAVER, Director
Published in The Star-News December 7, 14, 2023.

1739870





IDAHO DEPARTMENT OF
WATER RESOURCES

Western Region • 2735 W Airport Way • Boise, ID 83705-5082

Phone: 208-334-2190 • Fax: 208-334-2348 • Email: westerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Mathew Weaver

December 1, 2023

TRAVIS LUKOIC
1309 W SHERINGTON CT
EAGLE ID 83616-7184

RE: Application for Permit No. 65-24264

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the STAR NEWS on 12/7/2023 and 12/14/2023. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Lynne Evans
Administrative Assistant I

Evans, Lynne

From: Evans, Lynne
Sent: Friday, December 1, 2023 6:10 PM
To: neil.waterdistrict65@gmail.com
Subject: Application for Permit No. 65-24264
Attachments: 65-24264 WM.docx; 65-24264 Application.pdf

Watermaster:

The Idaho Department of Water Resources (IDWR) is seeking written comment and/or recommendations from you regarding the above referenced water right application. You can find more information about the application at: <https://research.idwr.idaho.gov/apps/waterrights/wrajsearch/wradjsearch.aspx>. A copy of the application is also attached to this email. Please review the application, then complete the enclosed recommendation form and return it to this office by December 26, 2023.

If the application is approved, IDWR will include appropriate standard conditions of approval for a water right located within a water district, such as regulation by the watermaster, lockable controlling works, and/or measuring devices. Any special conditions or other concerns you have related to this application should be specifically addressed in your recommendation.

IDWR can finish reviewing an unprotested application as soon as the protest period has passed. Your prompt response to this request will ensure that your recommendation can be considered. If IDWR has not received your written recommendation by December 26, 2023, IDWR will presume that you do not oppose approval of the application and that you have no comments for IDWR to consider.

Please contact this office if you have any questions regarding the application.

Lynne Evans | Administrative Assistant I
IDWR - Western Region
2735 W Airport Way, Boise ID 83705
(208) 334-2190 | lynne.evans@idwr.idaho.gov

State of Idaho
Department of Water Resources
RECOMMENDATION FORM

RE: Application for Permit No. 65-24264

New Appropriation Applicant's
Name:

TRAVIS LUKOIC
1309 W SHERINGTON CT
EAGLE, ID 83616-7184

Watermaster's Recommendation:

- a) _____ I do not oppose approval of this application.
- b) _____ I do not oppose approval of this application if it is conditioned
as follows:
- c) _____ I oppose approval of this application for the following reasons:
- d) _____ Additional comments:

Dated this _____ day of _____, 20____.

Watermaster's Signature



INTERIM AD DRAFT

This is the proof of your ad scheduled to run in **The Star-News** on the dates indicated below. If changes are needed, please contact us prior to deadline at (620) 504-9885 Ext. 2330 or mccalllegals@cherryroad.com.

Notice ID: 2y9WCT3vq3Do2hSSTrdf | **Proof Updated: Dec. 01, 2023 at 01:34pm MST**
Notice Name: 65-24264 Lukoic

See Proof on Next Page

This is not an invoice. Below is an estimated price, and it is subject to change. You will receive an invoice with the final price upon invoice creation by the publisher.

FILER

Lynne Evans
lynne.evans@idwr.idaho.gov
(208) 334-2190

FILING FOR

The Star-News

Columns Wide: 1

Ad Class: Legals

12/07/2023: Legal Notice	33.17
12/14/2023: Legal Notice	33.16

Subtotal	\$66.33
Tax %	0
Total	\$66.33

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

65-24264

TRAVIS LUKOIC
1309 W SHERINGTON CT
EAGLE, ID 83616-7184
Point of Diversion NENSW S27 T18N
R03E VALLEY County
Source GROUND WATER
Use: AESTHETIC STORAGE
01/01 to 12/31; 3 AF
Use: WILDLIFE STORAGE
01/01 to 12/31; 3 AF
Use: DIVERSION TO STORAGE
01/01 to 12/31; 0.2 CFS
Total Diversion: 0.2 CFS; 3 AF
Date Filed: 09-25-2023
Place Of Use: AESTHETIC STORAGE,
WILDLIFE STORAGE
T18N R03E S27 NESW

Permits will be subject to all prior water rights. For additional information concerning the property location, contact the Western Region office at (208)334-2190; or for a full description of the right(s), please see <https://idwr.idaho.gov/apps/ExtSearch/WRAApplicationResults/>. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 W AIRPORT WAY, BOISE ID 83705-5082 together with a protest fee of \$25.00 for each application on or before 12/26/2023. The protestant must also send a copy of the protest to the applicant.

MATHEW WEAVER, Director

Published in The Star-News December 7, 14, 2023.

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

65-24264

TRAVIS LUKOIC

1309 W SHERINGTON CT

EAGLE, ID 83616-7184

Point of Diversion NENESW S27 T18N R03E VALLEY County

Source GROUND WATER

Use: AESTHETIC STORAGE

01/01 to 12/31; 3 AF

Use: WILDLIFE STORAGE

01/01 to 12/31; 3 AF

Use: DIVERSION TO STORAGE

01/01 to 12/31; 0.2 CFS

Total Diversion: 0.2 CFS; 3 AF

Date Filed: 09-25-2023

Place Of Use: AESTHETIC STORAGE, WILDLIFE STORAGE

T18N R03E S27 NESW

Permits will be subject to all prior water rights. For additional information concerning the property location, contact the Western

Region office at (208)334-2190; or for a full description of the right(s), please see

<https://idwr.idaho.gov/apps/ExtSearch/WRAApplicationResults/>. Protests may be submitted based on the criteria of Idaho Code § 42-

203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western

Region, 2735 W AIRPORT WAY, BOISE ID 83705-5082 together with a protest fee of \$25.00 for each application on or before

12/26/2023. The protestant must also send a copy of the protest to the applicant.

MATHEW WEAVER, Director

Published on 12/7/2023 and 12/14/2023

Adamson, Jared

From: travislukoic@aol.com
Sent: Monday, November 27, 2023 8:57 PM
To: Adamson, Jared
Subject: 48 Pearson Application for Permit 65-24264
Attachments: Doc_11272023113841.pdf

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

Hi Jared, attached is the amended application as requested. Sorry for the lag in getting back to you, just got super busy with travels and holiday get togethers. If there's anything else you need, please let me know.

Thanks again!

Travis Lukoic
208-941-6620

----- Forwarded Message -----

From: "remaxscanner23@gmail.com" <remaxscanner23@gmail.com>
To: "travislukoic@aol.com" <travislukoic@aol.com>
Sent: Monday, November 27, 2023 at 12:35:49 PM MST
Subject: Scan

Please open the attachment

Number of Images: 1
Attachment File Type: PDF

Device Name: VersaLink C405
Device Location:

Adamson, Jared

From: Adamson, Jared
Sent: Monday, November 13, 2023 3:30 PM
To: travislukoic@gmail.com
Subject: Application for Permit 65-24264
Attachments: Application for Permit 65-24264 Amended.pdf

Hi Travis,

I have received the amended application you submitted on Thursday last week. I think I have one final question that I should have addressed in the letter dated on October 5. You have put a diversion rate of 3.0 CFS, did you mean to have that as the volume amount? 3.0 CFS is equivalent to 1346.5 gallons per minute. I believe this number is more suitable for the storage volume of 3 acre-feet annually (AFA). If this is correct, can you please make a change on the application to show that volume amount being 3 AFA. The rate can remain the same, but it might make more sense to have the rate be a lesser amount, 0.2 CFS is common on many spring/storage rights such as this. Feel free to call me with any questions. Attached is the latest amended application. You can make the changes and send me a copy via email or drop off the application again at our office. My apologies for the inconvenience.

Respectfully,

Jared Adamson



IDAHO DEPARTMENT OF
WATER RESOURCES

Western Region • 2735 W Airport Way • Boise, ID 83705-5082
Phone: 208-334-2190 • Fax: 208-334-2348 • Email: westerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Mathew Weaver

~~October 5, 2022~~ * Mailed 11/6/23

TRAVIS LUKOIC
1309 W SHERINGTON CT
EAGLE, ID 83616

Re: Notice of Intent to Void Application For Permit 65-24264

Dear Applicant(s),

On September 25, 2023 the Department of Water Resources (IDWR) received your Application for Permit to appropriate water. The Department requested additional information via a letter dated October 5, 2023. The letter stated that a written reply must be made within thirty (30) days or the Department will void the application. As of November 6, 2023, no written correspondence was received by the Department. If it is your intent to further pursue your application, please provide a written response to the original letter or request additional time to respond. It is the intent of the Department to void your application within the next fourteen (14) days if no response is received.

IDWR forms and other information are available on the Internet at www.idwr.idaho.gov. Please contact me at 208-334-2190 if you need more information. Thank you for your attention to these matters.

Sincerely,

Jared Adamson
Water Resource Agent, Sr.



Western Region • 2735 W Airport Way • Boise, ID 83705-5082

Phone: 208-334-2190 • Fax: 208-334-2348 • Email: westerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Mathew Weaver

October 5, 2023

TRAVIS LUKOIC
1309 W. SHERINGTON CT
EAGLE, ID 83616

Re: Application for permit 65-24264

Dear Applicant:

The Idaho Department of Water Resources is attempting to process your application. Unfortunately, this process is unable to proceed without your attention to the following matters concerning your application:

1. Amend the source under item 4 "Location of Point(s) of Diversion) to **Spring**.
2. Identify the tributary of the spring water. Does the water from the spring make it to a creek or river? If so, identify the named tributary. If the water from the spring sinks back into the ground and never makes it to a stream, write in **Sinks** as the tributary.
3. Write in **NE** in front of "NW/SW" under "QQQ/QQ/Q."
4. Please amend the purposes under item 5 "Water will be used for the following purposes" to what the storage water is going to be used for. What is the end use of the water? Here are some examples, Stock water storage, recreation storage, aesthetic storage, and/or wildlife storage.

Enclosed is a copy of the application with the needed corrections highlighted. Please cross out the errors, write in the corrections and initial and date the changes. After the changes have been made, you may return the amended application via mail or email it to file@idwr.idaho.gov. If emailing, ensure the amended copy is formatted as a PDF and Cc me on that email to expedite the processing of the application.

Please submit the requested information and the amended application and processing of your application may continue. You may seek additional time to provide the information by making a written request to interrupt processing for up to six months. The application will be voided without a timely written reply within the next thirty (30) days. Refunds are not issued for voided applications.

Please call me at (208) 605-4627 with any questions.

Respectfully,

Jared Adamson
Water Resource Agent, Sr

Enclosure: Original Application (copy)

REVIEW CHECKLIST -- APPLICATION FOR PERMITApplication # 88552 REVIEWER Adamson, Jared DATE 10/5/2023**1. REQUIRED INFORMATION – COMPLETE & ACCURATE – INITIAL DE**

☒ Name (corporation or partnership, names & addresses for director, officers, &/or other partners must be included – Rule 35.03.b.i) bus. entity # _____

☒ Address _____

☒ Source * (see USGS quad for source/trib names, comment for local name) _____

☒ P/D (10 acres for spring, lot & block info for subdivisions) Spring needs to be identified to 1/8 acre Tract

☒ County * _____

☒ Quantity (flow &/or storage volume) needs storage amount Government Lots _____

☒ Period of use * _____ P/D _____

☒ Nature of use (list details in app. item 8 if non-irrigation) _____ P/U _____

☒ Municipal Checklist _____

☒ Description of diverting works _____

☒ Time required for beneficial use of water _____

☒ P/U _____

☒ Map (show T, R, Sect, POD & POU) _____

☒ Signature (need title of signatory if applicable) _____

☒ Correct fee paid _____

☒ Fee amount, receipt number, receipt date, WR #, and reviewer initials recorded on app _____

☒ Attach proof report & WR Layout Map _____

☒ AdHoc, Application tab: _____ Status = ACTIVE _____ Draft = NO _____

☒ Log APPSLIST for Initial DE _____ and Log File Location _____

* _____ tributary, county &/or irrigation season corrected per dept. standards w/o amended appl. per AP Memo #9

2. PRE-ADVERTISING ANALYSIS

YES ☒ NO ☒

☒ Bs 63 GW? Water bearing zone legal notice remark required

☒ Bs 63 GW between Star & Lucky Peak? Consumptive uses must appropriate deeper than 200' or mitigate, except §42-111 uses

☒ Bs 63 GW Above Lucky Peak? All GW of any depth is directly tributary to Boise River mitigation required for all consumptive uses, except §42-111 uses

☒ Mitigation plan (consumptive use & POD closed area) – legal notice remark + mitigation checklist

☒ Critical Ground Water Area – send letter if cannot process

☒ Ground Water Mngt. Area – send letter if cannot process

☒ Bs 77, 78, 79 – 42-111 D/S any source or community well, normal process; all others use Salmon/Clearwater Area Processing

☒ W&S Rv – Bs 77 or 78 + legal notice remark, W&S Workflow application record

☒ W&S Rv – Bs 51 or 55, attach Bs 51 - 55 W&S Watersheds checklist

☒ Water Dist. 67 – send Bs 67 June 15 cutoff form letter to confirm BU. possible prior to 6/15

☒ Waste Water – send form letter

☒ Trust Water – send form letter (AdHoc/Reports tab) + legal notice remark + TW checklist

☒ South Ada Co. GW Area of Concern – send form letter

☒ South Canyon Co. GW Area of Concern – send form letter

☒ Complaint or Enforcement action with significant nexus? Review Enforcement database for considerations and comment letters

☒ US BLM is POD/POU Property Owner, Verify location with Applicant and check w/ BLM

ADD INFO Requested On: _____ Response Received: Y _____ N _____

Extension Requested On: _____ Response Received: Y _____ N _____

3. ADVERTISING

YES ☒ NO ☒

☒ STATEWIDE ADVERTISING (> 10 cfs or > 1000 af storage)

☒ Legal Notice Remarks (WB Zone, Wild & Scenic, Subdivision Info, Mitigation, etc.) – See attached proof report

4. COMMENT LETTERS

YES ☒ NO ☐
Water Dist # 65 ✓
☒ IDFG [SW "fish live-in" AP Memo #62, Bs 77-79, other] (____ reply in file)
☐ IDEQ [Bs 77-79, Land Application, Basin Recharge, Dairy, PWS, other] (____ reply in file)
☐ Western Dam Safety [Storage Dam (n/a excavated ponds); Complete checklist ____]
☐ IDWR Planning Bureau [Min. Stream Flow Bs 77-79, Protected Stream, other]
☐ IDL [POD/POU Property Owner, other]
☐ US BLM [POD/POU Property Owner, other]
☐ US Forest Service [POD/POU Property Owner, other]
☐ Irrigation Entity [Overlap GW Irr, Waste water, other]: _____
☐ Complainants – list here or see attached
☐ Other [Previous Protestants in Area, ect.] – list here or see attached

COMPLETE TO HERE BEFORE FORWARD FOR ADVERTISING

ADVERTISER COMPLETES

LEGAL NOTICE & PROTEST

Protest Deadline 12/26/23

YES ☒ NO ☐
☒ Protested If Yes: Prepare protest checklist and complete
☐ Affidavit received/published correctly? If No, Re-advertise.

Re-Adv Protest Deadline _____

YES ☐ NO ☐
☐ Protested
☐ Affidavit received/published correctly If No: _____ Re-advertised & published correctly

Re-Adv Comment Letters To: _____

POST-ADVERTISING ANALYSIS

YES ☐ NO ☒
☐ POD overlap – briefly explain _____
☐ POU overlap – briefly explain _____
☐ Large diversion > 5 cfs, > 500 af storage or > 200 acres – attach large diversion checklist
☐ Public Land Access – IDL, BLM, USFS owns POD/POU land, Rule 40.05.e info needed
☐ BLM or USFS Stockwater Appl. – consider Joyce Livestock Decision – send form letter
☐ Municipal – Review AP Memo #18 and/or AP Memo #74
☐ Commercial, Heating/Cooling, Industrial, WQI, etc. – Rate request justified in file
☐ Storage Use – AP Memo #76 complete for explanation/justification of volume request in file
☐ Power residency affidavit – send power letter for other factors if needed
☐ DP fee upgrade : ____ Paid ____ WR & WC Files Documented ____ Not Paid = SO follow up

ADD INFO Requested On: _____ Response Received: Y ____ N ____
Extension Requested On: _____ Response Received: Y ____ N ____

DRAFT PERMIT

YES ☐ NO ☒
☐ W&S Rv – Bs 51, 55, 77 or 78 W&S Workflow/spreadsheet update for permit record
☐ Memo To File Re: _____
☐ Draft approval created w/ Map (WRLayouts - 'Print Attachment Page') & saved to backfile