State of Idaho
Department of Water Resources

Water Right License

Water Right No. 97-8748

Priority: September 26, 2022 **Maximum Diversion Rate:** 0.03 CFS

It is hereby certified that:

SCOTT RALPH 14101 E BURNETT RD SPOKANE WA 99217-8802

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 26, 2022, and has submitted Proof of Beneficial Use on November 24, 2023. An examination confirms water is diverted from:

Source : PEND OREILLE RIVER **Tributary:** COLUMBIA RIVER

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
IRRIGATION	04/01 to 10/31	0.01 CFS	
STOCKWATER	01/01 to 12/31	0.02 CFS	0.1 AF

Location of Point(s) of Diversion
PEND OREILLE RIVER NW¼ SE¼, Sec. 32, Twp 56N, Rge 04W, B.M. BONNER County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	04W	32														0.4 L6			0.4

Total Acres: 0.4

Place of Use: STOCKWATER

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	04W	32														X L6	X L5	X L5	

Conditions of Approval

1. This right when combined with all other rights shall provide no more than 0.01 cfs nor more than 1.2 afa at the field headgate for irrigation of the place of use.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 7th day of February, 2024.

PHILL HUMMER
Water Rights Section Manager

State of Idaho
Department of Water Resources

Attachment to Water Right

97-8748

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



0 0.035 0.07 0.14 Miles

- Place Of Use Boundary
- Townships
- PLS Sections
- Quarter Quarters
- Point of Diversion
- State Outline

N

State of Idaho
Department of Water Resources

Attachment to Water Right

97-8748

This map depicts the STOCKWATER place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



0 0.035 0.07 0.14 Miles

- Place Of Use Boundary
- Townships
- PLS Sections
- Quarter Quarters
- Point of Diversion
- State Outline

N

Form 42-217 Rev. 6/22

RECEIVED
NOV 24 2023
DEPARTMENT OF WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEMENT OF COMPLETION

FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY	
Amt. of Fee $	50.00
Receipt No.	C117597
Receipted By	KM
Date Receipted	11.24.23

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 97-08748 Name of Permit Holder(s) Scott Ralph

Telephone No. 509-879-5773 Email scott@drscottralph.com

Mailing Address 14101 E Burnett Rd City Spokane State WA Zip 99217

2. Source of Water Pend O'Reille River If Ground Water (well), Date Drilled mo. _____ / yr. _____

Drilling Permit/Tag No. _____ Drilling Company's Name _____

3. Extent of use(s) completed **as authorized by the water right permit**:

Domestic (No. households) 1 Irrigation (No. acres) 2 Stockwater (No. and stock type) 2 GOATS NONE AS OF NOW

Other NO WATER STORED

4. Total diversion rate or volume (storage only) for which proof is submitted 0.12 cfs OR _____ af

If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.

5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)

PUMP WITH PRESSURE TANK. WATER IS DRAWN THROUGH A FOOT VALVE 100 FEET FROM HIGH WATER MARK. THE INTAKE LINE IS 1 1/2 INCH POLY.

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required?	Yes	No	(If "Yes", attach required data, evidence of compliance, or evidence of installation)
☐	☐	☐	Ground water level data, pumping information, or other diversion data
☐	☐	☐	Mitigation plan
☐	☐	☐	Lockable controlling works
☐	☐	☐	Measuring device
☒	☒	☐	Fish screen
☐	☐	☐	Other requirements of the water right permit _____
	☐	☐	Reasonably Anticipated Future Needs ("RAFN") Municipal use

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

7. Fee Enclosed $ 50.00 or ☐ CWRE field report attached or ☐ No fee required

See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: _____ Telephone No. _____ Email _____

Mailing Address _____ City _____ State _____ Zip _____

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

Scott Ralph — Scott Ralph — 10/28/2023

SIGNATURE OF PERMIT HOLDER* PRINTED NAME AND TITLE DATE

*Attach power of attorney if completing on behalf of permit holder.

Explanation Of Attached Photos:

Each photo has a page number on the bottom right corner to coincide with the page numbers below.

Page 1: The yellow border is the property border. The blue border is the area currently irrigated.

Page 2: This picture shows the pressure tank and jet pump. The pump is a 1 gallon per minute model. The intake line is 1 ½" schedule 80 PVC. There is one outtake line going to a sprinkler system. There are two hose faucets, shown on page 6.

Page 3: This picture shows the intake line, from the foot valve, traveling through 1 ½" schedule 80 poly, connecting to 1 ½" PVC at a connection that is drained in the Fall to prevent freezing. The extra line is old and disconnected. The vertical lift is 10 feet into the pump.

Page 4: This picture shows the lawn being irrigated.

Page 5: More lawn being irrigated only to the front edge of the fifth wheel.

Page 6: Hose faucets and more lawn being irrigated. The fifth wheel is also connected to the nearest hose faucet during the summer.


currently irrigated





(2)









State of Idaho
Department of Water Resources

Permit to Appropriate Water

No. 97-8748

Priority: September 26, 2022 **Maximum Diversion Rate:** 0.12 CFS

This is to certify that

SCOTT RALPH 14101 E BURNETT RD SPOKANE WA 99217-8802

has applied for a permit to appropriate water from:

Source : PEND OREILLE RIVER **Tributary:** COLUMBIA RIVER

and a permit is APPROVED for development of water as follows:

Beneficial Use	Period of Use	Rate of Diversion
IRRIGATION	4 /1 to 10/31	0.10 CFS
STOCKWATER	01/1 to 12/31	0.02 CFS

Location of Point(s) of Diversion

PEND OREILLE RIVER NW¼ SE¼, Sec. 32, Twp 56N, Rge 04W, B.M. BONNER County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	04W	32														0.3 L6	0.5	0.6 L5	1.4
56N	04W	32														1.7	X L5	0.3	2.0

Total Acres: 3.4

Place of Use: STOCKWATER

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	04W	32														X L6	X	X L5	
56N	04W	32														X	X L5	X	

Conditions of Approval

1. Proof of application of water to beneficial use shall be submitted on or before **December 01, 2023.**
2. Subject to all prior water rights.
3. Prior to the diversion and use of water under this approval, the right holder shall comply with all fish screening and/or fish passage requirements of the Idaho Department of Fish and Game.
4. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the place of use.
5. Stockwater use is for 2 goats.
6. This right does not grant any right-of-way or easement across the land of another.

SCANNED
DEC 0 2 2022

State of Idaho
Department of Water Resources

Permit to Appropriate Water

No. 97-8748

This permit is issued pursuant to the provisions of Idaho Code § 42-204.

Signed this 01 day of December, 2022.

LUKE BATES
Interim Water Rights Supervisor


SCANNED
DEC 0 2 2022

State of Idaho
Department of Water Resources

Attachment to Permit to Appropriate Water

97-8748

This map depicts the IRRIGATION & STOCKWATER place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



Place Of Use Boundary
Townships
PLS Sections
Quarter Quarters
Point of Diversion

0 0.035 0.07 0.14 Miles

N

SCANNED
DEC 0 2 2022

RECEIVED
Sep 26, 2022
DEPARTMENT OF
WATER RESOURCES

86905

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho
No. 97-8748

1. **Applicants**
Scott Ralph
14101 E Burnett Rd
Spokane, WA 99217
(509) 879-5773
scott@drscottralph.com

2. Representatives
Submitter is one of the applicants

3. **Source of Water Supply**
Source : PEND OREILLE RIVER tributary to COLUMBIA RIVER

4. **Location of Point(s) of Diversion**

POD #	Source	Tributary Of	Diversion Type	Township	Range	Section	Govt Lot	QQQ/QQ/Q	County
1	PEND OREILLE RIVER RIVER	COLUMBIA		56N	04W	32		/NW/SE	BONNER

5. **Water will be used for the** following purposes:

Purposes	Season	Rate	Volume	Description
IRRIGATION	4/1 to 10/31	~~0.01 cfs~~ 0.10 cfs	0.00 afa	Lawn and Field
STOCKWATER	~~04~~01 to ~~10~~12/31	~~0.01 cfs~~ 0.02 cfs	0.00 afa	To help with weed control.

6. **Total quantity to be appropriated is (a)** ~~0.01 cfs~~ 0.12 cfs **and/or** 0 afa

7. **Proposed Diverting Works:**
POD No :1
Description: Electric pump, 2' water line, foot valve.
Drill Date :
Metal Tag :
Drilled By :
Drilled For :
Drilling Permit :
GeothermalWater :False

I made the above changes in red. SWR 9/26/2022

8. Description of Place **Of Use:**

IRRIGATION

Township	Range	Section	QQ	Q	County	Govt Lot	Acres
56N	04W	32	NW	SE	BONNER	6	
56N	04W	32	SE	SE	BONNER	5	0.60
56N	04W	32	NW	SE	BONNER	6	0.30
56N	04W	32	SW	SE	BONNER	5	
56N	04W	32	SW	SE	BONNER		0.50
56N	04W	32	SE	SE	BONNER		0.30
56N	04W	32	NW	SE	BONNER		1.70

STOCKWATER

Township	Range	Section	QQ	Q	County	Govt Lot	Acres
56N	04W	32	NW	SE	BONNER	6	
56N	04W	32	SE	SE	BONNER	5	
56N	04W	32	NW	SE	BONNER	6	

T112976 $100.00

56N	04W	32	SW	SE	BONNER	5	
56N	04W	32	SW	SE	BONNER		
56N	04W	32	SE	SE	BONNER		
56N	04W	32	NW	SE	BONNER		

10. **Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping.**
None

11. **Land Ownership**
    - **Who owns the land to be irrigated or place of use?** Applicant
    - **Who owns the land at the point of diversion?** Applicant

12. **Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if** necessary.
There is an existing 2" water line that extends 100 feet into the Pend O'reille River that is connected to a sprinkler system.

13. **Time required for completion of works and application of water to proposed beneficial use is** 1 years **(minimum is 1 year).**

SCANNED
OCT 03 2022

State of Idaho
Department of Water Resources

Application For Permit

97-8748



Point of Diversion
Place Of Use Boundary
Townships
PLS Sections
Quarter Quarters

0 0.035 0.07 0.14 Miles

N

SCANNED
OCT 03 2022

Prepared By: Web User

86905

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho
No. 97-8748

SUPERSEDED

1. **Applicants**
Scott Ralph
14101 E Burnett Rd
Spokane, WA 99217
(509) 879-5773
scott@drscottralph.com

2. **Representatives**
Submitter is one of the applicants

3. **Source of Water Supply**
Source : PEND OREILLE RIVER tributary to COLUMBIA RIVER

4. **Location of Point(s) of Diversion**

POD #	Source	Tributary Of	Diversion Type	Township	Range	Section	Govt Lot	QQQ/QQ/Q	County
1	PEND OREILLE RIVER	COLUMBIA RIVER		56N	04W	32		/NW/SE	BONNER

5. **Water will be used for the following purposes:**

Purposes	Season	Rate	Volume	Description
IRRIGATION	4/1 to 10/31	0.01 cfs	0.00 afa	Lawn and Field
STOCKWATER	04/01 to 10/31	0.01 cfs	0.00 afa	To help with weed control.

6. **Total quantity to be appropriated is (a)** 0.01 cfs **and/or** 0 afa

7. **Proposed Diverting Works:**
POD No :1
Description: Electric pump, 2' water line, foot valve.
Drill Date :
Metal Tag :
Drilled By :
Drilled For :
Drilling Permit :
GeothermalWater : False

8. **Description of Place Of Use:**

IRRIGATION							
Township	Range	Section	QQ	Q	County	Govt Lot	Acres
56N	04W	32	NW	SE	BONNER	6	
56N	04W	32	SE	SE	BONNER	5	0.60
56N	04W	32	NW	SE	BONNER	6	0.30
56N	04W	32	SW	SE	BONNER	5	
56N	04W	32	SW	SE	BONNER		0.50
56N	04W	32	SE	SE	BONNER		0.30
56N	04W	32	NW	SE	BONNER		1.70

STOCKWATER							
Township	Range	Section	QQ	Q	County	Govt Lot	Acres
56N	04W	32	NW	SE	BONNER	6	
56N	04W	32	SE	SE	BONNER	5	
56N	04W	32	NW	SE	BONNER	6	

T 112976 $100.00

SCANNED
OCT 03 2007

56N	04W	32	SW	SE	BONNER	5	
56N	04W	32	SW	SE	BONNER		
56N	04W	32	SE	SE	BONNER		
56N	04W	32	NW	SE	BONNER		

10. **Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping.**
None

11. **Land Ownership**
    - **Who owns the land to be irrigated or place of use?** Applicant
    - **Who owns the land at the point of diversion?** Applicant

12. **Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary.**
There is an existing 2" water line that extends 100 feet into the Pend O'reille River that is connected to a sprinkler system.

13. **Time required for completion of works and application of water to proposed beneficial use is** 1 years **(minimum is 1 year).**

SUPERSEDED

SCANNED
OCT 03 2022

IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little Director Mathew Weaver

February 09, 2024

SCOTT RALPH
14101 E BURNETT RD
SPOKANE WA 99217-8802

RE: License No. 97-8748

ISSUANCE OF LICENSE

Dear Water Right Holder(s):

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,

Phill Hummer

Phill Hummer
Water Rights Section Manager

Enclosure(s)

CERTIFICATE OF SERVICE

I hereby certify that on February 09, 2024, I served a true and correct copy of Water Right License No. 97-8748 by U.S. Mail, postage prepaid, to the following:

SCOTT RALPH (Current Owner)
14101 E BURNETT RD
SPOKANE WA 99217-8802

Debra Mansfield
Technical Records Specialist 1

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

> Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:
>
> (a) The petition for reconsideration is disposed of; or
> (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

i. A hearing was held,
ii. The final agency action was taken,
iii. The party seeking review of the order resides, or
iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Permit No: 97-8748

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Exam Date: 12/7/2023

1. Does this qualify for an in-office field exam (IDAPA 37.03.02.035.01.r)? X Y ____N
   a. X Irrigation of 5 acres or less
   b. ____ Storage of up to 14.6 AF for stockwater purposes only
   c. ____ Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
   d. ____ Other < >

2. Current Owner: Scott Ralph
   Owner of Record Correct? _____N
   Address of Record Correct? _____N
   If No Explain: N/A

3. Beneficial Use Fees have been paid: X Y ____N Receipt No: C117397

4. Source: Pend Oreille River
   Tributary: Columbia River

Method of Determination: GIS, Tax Parcel Data, and the permit holders Statement of Completion for Proof of Beneficial Use.
Change in Source: ____Y X N

B. OVERLAP REVIEW

1. Other water rights with the same place of use: X No Overlap

Water Right No.	Source	Purpose of Use	Basis
N/A			

Comments: N/A

2. Other water rights with the same point of diversion: X No Overlap

Water Right No.	Source	Purpose of Use	Basis
N/A			

Comments: N/A

C. DIVERSION AND DELIVERY SYSTEM

1. Location of Point(s) of Diversion:

Source	Govt. Lot	¼	¼	¼	Sec.	Twp.	Rge.		County
Pend Oreille River			NW	SE	32	56N	04W	B.M.	Bonner
								B.M.	
								B.M.	

Method of Determination: GIS and Tax Parcel Data.

Change in POD? ___Y X N Amendment Required? ____Y X N

2. Place of Use: Irrigation, Stockwater

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	04W	32														0.4, S	X	S	0.4
		Lot #														6	5	5	
																Total Acres =			0.4

Method of Determination: GIS, Tax Parcel Data, photographs provided by the permit holder, and 2023 Bonner County Aerial Imagery.

Change in POU? ____Y __X__N Amendment Required? ____Y __X__N

___ Delivery System Diagram Attached (required). Indicate all major components and distances between components.

Indicate weir size/pipe as applicable:

_X__ Aerial Photo Attached (required for irrigation of 10+ acres).

___ Photo of Diversion and System Attached

3. Diversion Id No.*	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
N/A					

**Code to correspond with No. on map and aerial photo*

D. FLOW MEASUREMENTS

1. Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A						

2. Measurement Comments: The permit holder did not provide pump horsepower. Therefore, a diversion rate calculation was not possible.

E. FLOW CALCULATIONS ___Additional Computation Sheets Attached

Measured Method: Since the permit holder did not provide a pump horsepower a diversion rate calculation is not possible. According to Administrative Processing Memo #17 the standard diversion rate/acre for the irrigation of 5 acres or less is 0.03 cfs/acre, 0.4 acres * 0.03 cfs/acre = 0.012 cfs or 0.01 cfs rounded. According to the 1982 Annual Stockwater Use Table the standard diversion rate for 0-25 goats is 0.02 cfs. The permit authorizes 0.12 cfs total. I am recommending a 0.03 cfs total diversion rate.

F. VOLUME CALCULATIONS

2. Volume Calculations for Other Uses: According to the IDAPA Beneficial Use Examination Rules 37.03.02.35. 01j.viii if a permit authorizes diversion from a natural flowing stream/river or spring a diversion volume is not required at licensing. According to the 1982 Annual Stockwater Use Table the standard diversion volume for 2 goats is 0.1 af. I am recommending a 0.1 af stockwater diversion volume.

G. PURPOSE OF USE

Irrigation __X__Y ____N # Stock__2 Goats__ Domestic # of Homes _N/A_

Change in Purpose of Use? ____Y __X__N

Method of Determination: GIS, Tax Parcel Data, Photographs provided by the permit holder, and 2023 Bonner County Aerial Imagery.

If Yes: From Use _____To Use _____Amount _____CFS _____AFA_____

H. NARRATIVE/REMARKS/COMMENTS

This permit qualifies for an in-office examination. The permit authorizes stockwater and the irrigation of 3.4 acres. According to 2023 Bonner County Aeiral Imagery and photographs provided by the permit holders 0.4 acres were irrigated during the development period. The legal description for the place of use is within Quarter/Quarters that are outside Government lots but are actually within the government lots because of changes in river levels. According to the permit holders Statement of Completion for Proof of Beneficial Use a fish screen was installed that meets the fish passage and screening requirements of the Idaho Department of Fish and Game.

Since the permit holder did not provide a pump horsepower a diversion rate calculation was not possible. The standards set in Administrative Processing Memos #17 and 3 were used to make a diversion rate and volume recommendation. According to the IDAPA Beneficial Use Examination Rules 37.03.02.35. 01j.viii a diversion volume is not required if diversion is from a natural flowing stream/river or spring. All of the conditions have been met and it has been confirmed a beneficial use was developed within authorization on the permit. Therefore, I am recommending a 0.03 cfs diversion rate and 0.1 af stockwater diversion volume.

No conditions on the permit should move to the license. Condition R66 should be changed to X31 because irrigation was less than one acre. Condition 004 should be removed because it was confirmed there are no legal access concerns to the point of diversion or place of use. Condition 029 should be removed because a fish screen was installed meeting the fish passage and screening requirements of the Idaho Department of Fish and Game. Condition X02 should be removed as standard with licensing.

Have conditions of permit approval been met? __X__Yes ____No

I. RECOMMENDATIONS

1. Recommended Amounts:

BENEFICIAL USE	PERIOD OF USE	DIVERSION RATE	ANNUAL VOLUME
Irrigation	04/01-10/31	0.01 CFS	
Stockwater	01/01-12/30	0.02 CFS	0.1 AF
	Totals:	0.03 CFS	

2. Recommended Amendments:

___Change P.D. as reflected above ___Add P.D. as reflected above __X_None

___Change P.U. as reflected above ___Add P.U. as reflected above __X_None

J. AUTHENTICATION

Field Examiner - Skyler Cheever

Field Examiner's _____ Date 12/7/2023

Reviewer _____ Date 2/7/24

Field Exam Map

Map showing the authorized point of diversion (yellow point), irrigated place of use (orange outline), and stockwater place of use (green outline).



Permit No: 97-8748

2023 Bonner County Aerial Imagery

Imagery indicating 0.4 acres of irrigation likely occurred.

97-8748 Irrigation Map



Beneficial Use Proof Evaluation

Permit Number: 97-8748 Reviewer: AVeibell Review Date: 11/28/2023

Acceptability

1) Is the contact on the request the current permit holder? Yes
2) Does the address of record need to be updated? No
3) Proof Submitted Date: 11/24/2023
4) Proof Due Date: 12/1/2023
5) Days added for weekend due date? 0
6) Days added for holiday due date? 0
7) Number of days late: -7
8) Proof received timely? Yes

Analysis

1) Are the water uses correct? Yes
2) Are one of the following items required?
    a. Measuring Device -- No
    b. Lockable Device --No
    c. Fish Screen -- No
3) Are the required items installed? Yes
    a. Measuring Device -- No
    b. Lockable Device --No
    c. Fish Screen -- Yes
4) Is there a request to waive the required items? No
5) Drilling Permit Number:
6) Is a drilling permit upgrade needed? No
7) Was a well drillers report filed? No
8) Is proof accepted? Yes

Fees

1) Is a licensing exam fee required? Yes
2) Was proof submitted with an exam report from a CWE? No
3) Filing fee due: $50.00
4) Filing fee submitted: $50.00
5) Remaining fee or (refund): $0.00

Receipt IDs

T112976

Comments

Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing

IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Mathew Weaver

September 29, 2023

SCOTT RALPH
14101 E BURNETT RD
SPOKANE WA 99217-8802

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit No. 97-08748

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holder(s):

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **December 01, 2023**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a $50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this department on or before the above proof due date. If neither is received, the department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Amanda Veibell
Technical Records Specialist

Enclosure(s)

SCANNED
OCT 0 2 2023

IDAHO DEPARTMENT OF
WATER RESOURCES

Northern Region • 7600 N Mineral Drive, Suite 100 • Coeur D'Alene, ID 83815-7763
Phone: 208-762-2800 • Fax: 208-762-2819 • Email: northerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

December 01, 2022

SCOTT RALPH
14101 E BURNETT RD
SPOKANE WA 99217-8802

RE: Permit No. 97-8748

Permit Approval Notice

Dear Permit Holder(s):

The Department of Water Resources ("Department") has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review all the conditions of approval listed on your permit. The conditions include requirements that you must accomplish, such as timely submittal of proof of beneficial use or installation of a measuring device, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district. Failure to comply with the conditions of approval may result in your permit lapsing or being canceled.

The permit is a PRELIMINARY ORDER issued pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

The final step in the water right process is issuance of a water right license. To receive a water right license, you must divert and use water to the full extent intended and submit a *Statement of Completion for Submitting Proof of Beneficial Use* by the date shown in condition no. 1 of your permit. The Department will send you a *Proof Due Notice* approximately 60 days prior to the date listed in condition no. 1 of your permit.

You may also require approvals from other Department programs, such as Ground Water Protection, Safety of Dams, or Stream Channel Protection, to accomplish your proposed development. Please call or visit any Department office or see the Department's website at idwr.idaho.gov for more information about these programs.

SCANNED
DEC 0 2 2022

Please be advised that Idaho Code § 42-248, requires you or the owner of this water permit to maintain current ownership and address records on file with the Department. Forms to file an assignment of permit and/or a change in the address of the permit owner are available from any Department office or at the Department's website at www.idwr.idaho.gov.

If you have any questions concerning the enclosed information, please contact the Northern Region Office at (208) 762-2800.

Sincerely,

Luke Bates
Interim Water Right Supervisor

Enclosure(s)

SCANNED
DEC 0 2 2022

CERTIFICATE OF SERVICE

I hereby certify that on December 01, 2022, I served a true and correct copy of Permit to Appropriate Water No. 97-8748 by U.S. Mail, postage prepaid, to the following:

SCOTT RALPH (Current Owner)
14101 E BURNETT RD
SPOKANE WA 99217-8802

Tammy Alleman
Administrative Assistant 1

SCANNED
DEC 0 2 2022

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

SCANNED
DEC 0 2 2022

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

> Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:
>
> (a) The petition for reconsideration is disposed of; or
> (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

i. A hearing was held,
ii. The final agency action was taken,
iii. The party seeking review of the order resides, or
iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

SCANNED
DEC 0 2 2022

MEMORANDUM


December 01, 2022

Water Permit: 97-8748

Author: LBates LB 12/1/2022

Subject: POU description

Irrigation POU includes 0.03 acres in the SWSE5 legal description; Arcmap aerial imagery doesn't quantify this value as 0.1 acres. Irrigation POU has been designated with "X" in the SWSE5 to represent part of the entirety and the minor fraction of acreage is included in the SWSE allotment.



SCANNED
DEC 0 2 2022

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Bonner)

Italia Jimenez, being first duly sworn on oath, deposes and states:

1. I am a citizen of the United States of America, over the age of 18 years, a resident of Bonner County, Idaho, and am not a party to the proceedings referred to in the attached Legal Notice.
My business address is P.O. Box 159, Sandpoint, Idaho.

2. I am the bookkeeper of the Bonner County Daily Bee, a newspaper of general publication in Bonner County, Idaho;

3. Said newspaper has been continuously and uninterruptedly published in Bonner County, Idaho during a period of 12 months prior to the first publication of said Notice, and thereafter.

4. The attached Notice was published in the regular and entire issue of the Bonner County Daily Bee for a period of 2 consecutive weeks, commencing on the 12th day of October, 2022, and ending on the 26th day of October, 2022

Italia Jimenez

State of Idaho, county of Bonner ss.
On this 28th day of October, in the year of 2022 before me, Katrina George, Notary Public, personally appeared Italia Jimenez known or identified to me to be the person whose name is subscribed to the within instrument, and acknowledged to me that he/she (or they) executed the same.

Katrina George
Notary Public
Residing at: Kootenai County

My Commission Expires 8/29/23

KATRINA GEORGE NOTARY PUBLIC COMM. NO. 58974 STATE OF IDAHO

SCANNED
DEC 0 2 2022

LEGAL NOTICE

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

97-8748
SCOTT RALPH
14101 E BURNETT RD
SPOKANE, WA 99217-8802
Point of Diversion NWSE
S32 T56N R04W
BONNER County
Source PEND OREILLE RIVER
Tributary COLUMBIA RIVER
Use: IRRIGATION
4 /1 to 10/31 0.1 CFS
Use: STOCKWATER
01/1 to 12/31 0.02 CFS
Total Diversion: 0.12 CFS
Date Filed: 09-26-2022
Place Of Use: IRRIGATION,STOCKWATER T56N R04W S32 L6(NWSE),L5(SESE),L6(NWSE),L5(SWSE),SWSE,SESE,NWSE
Total Acres: 3.4

97-8818
CARLOS F LANDA
PO BOX 22
SPOKANE, WA 99210-0022
Point of Diversion SESW
S25 T60N R05W
BONNER County
Source GROUND WATER
Use: DOMESTIC
1 /1 to 12/31
Total Diversion: 0.08 CFS
Date Filed: 06-17-2022
Place Of Use: DOMESTIC
T60N R05W S25 SESW

97-9572
MICHAEL KREAGER
406 WEST SETTLEMENT RD
PRIEST RIVER, ID 83856-9792
Point of Diversion SENE
S24 T56N R05W
BONNER County
Source PRIEST RIVER
Tributary PEND OREILLE RIVER
Use: IRRIGATION
04/01 to 10/31
Total Diversion: 0.03 CFS
Date Filed: 09-14-2022
Place Of Use: IRRIGATION
T56N R05W S24 SENE
Total Acres: 1

Permits will be subject to all prior water rights. For additional information concerning the property location, contact the Northern office at (208)762-2800; or for a full description of the right(s), please see https://idwr.idaho.gov/apps/ExtSearch/WRApplicationResults/. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 N MINERAL DR STE 100, COEUR D ALENE ID 83815-7763 together with a protest fee of $25.00 for each application on or before 11/7/2022. The protestant must also send a copy of the protest to the applicant.
GARY SPACKMAN, Director
Legal#4625
AD#566817
October 19, 26, 2022

SCANNED
DEC 0 2 2022

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

OK to Publish ____ AF

APPLICATION ID # 86905 ENT. YB BCA JR

R. # 97 - 8748 INITIAL REVIEW BY YB DATE 9/26/2022

APPLICANT Scott Ralph

PROCESSING PRIORITY DATE 9/26/2022

ITEM	REQUIRED INFORMATION	(Yes)(No) PROCESSING
1	(✓) Name and Address	
2	(✓) Source	
3	(✓) Point of Diversion & County	
4	(✓) Quantity	
5	(✓) Nature of Proposed Use	
6	(✓) Period of Use	
7	(✓) Total Quantity	
8	(✓) Description of diverting works	
9	(✓) Time required for b/u	
10	(✓) Proposed use	
11	(✓) Place of use or acres irrigated	
12	(✓) Other water Rights	
13	(✓) Ownership	
14	(✓) Map	
15	(✓) Signature	
16	(✓) Fee (Amt. receipt, acknowledgement) online filing	✓ (Include Moratorium Remark)
		✓ Statewide Advertising (Diversion rate greater than 10 cfs or 1,000 af)

*** Send info sheet Y ( ) N ( )

ADVERTISE IN Newspaper Bonner County BCOB Priest River Version
Dates scheduled for publication 10-19-22 & 10-26-22
Affidavit of Publication received 11-8-22
Dates actually published 10-19-22 & 10-26-22
Application published correctly Yes X No ____
If not, action taken ____
Final Date for Protest NOVEMBER 7, 2022
Protests Received Yes ____ No X

LETTERS SENT REQUESTING
( ) Dam Information ( ) Fish Information
( ) Power Information ( ) Other ____

INFORMATION RECEIVED
( ) Dam Information ( ) Fish Information
( ) Power Information ( ) Other ____

ADDITIONAL INFORMATION
(Yes)(No)
✓ ___ Shape File Created Date Verified 9/26/22 By: YB
___ ___ Field check by ____
___ ___ Field report attached
___ ___ Analysis Supp Attached (>5cfs/500af)
___ ___ Water delivered by water master? Water District # ____

IOL, F+G, Deq, WB

GROUNDWATER SECTION

WD Permit No.'s ____ Tag # ____ Type Dom ___ Non-Dom ___ Fees Paid $____ Receipt No ____ Upgrade Needed? Y ( ) N ( )
____ ____ Dom ___ Non-Dom ___ Paid $____ ____ Y ( ) N ( )
____ ____ Dom ___ Non-Dom ___ Paid $____ ____ Y ( ) N ( )

___ ___ Groundwater management area
___ ___ Critical ground water area
___ ___ Well Drilling Permit required
___ ___ Well Drilling Application and Fees received
___ ___ Well Drilling Application approved?

Remarks ____

FINAL REGIONAL PROCESSING/REVIEW

(Yes)(No)
___ ___ Notice of pending void order issued
___ ___ Further information required from applicant ____
Final order response date ____/____/____

___ ___ Measuring device required ~~Condition~~
___ ___ Measuring port required
___ ___ Special conditions ____
___ ___ Special conditions of approval supplement and/or cover letter attached ____

9/26 Priority date revised due to increase of diversion Rates.

Approval Recommended by ____ Date 11/10/2022 Sr Agent Initial YB Interim Supervisor

IDAHO DEPARTMENT OF
WATER RESOURCES

Northern Region • 7600 N Mineral Drive, Suite 100 • Coeur D'Alene, ID 83815-7763
Phone: 208-762-2800 • Fax: 208-762-2819 • Email: northerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

October 3, 2022

SCOTT RALPH
14101 E BURNETT RD
SPOKANE, WA 99217-8802

RE: Application for Permit No. 97-8748

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the BONNER COUNTY DAILY BEE, PRIEST RIVER VERSION on 10/19/2022 and 10/26/2022. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Tammy Alleman
Administrative Assistant

Alleman, Tammy

From: Alleman, Tammy
Sent: Monday, October 3, 2022 12:26 PM
To: Chantilly Higbee; Anna Moody; Horsmon,Merritt; IWRB Water Use Reviews; 'Mike Ahmer'
Subject: Request for Comments for 97-8748
Attachments: 97-8748 Application for Permit.pdf

Dear Interested Agencies:

The Department of Water Resources is seeking written comment and/or recommendations from your agency regarding the above referenced Water Right Permit application. You can find copies of the application at: http://www.idwr.idaho.gov/apps/ExtSearch/WRAJSearch/WRADJSearch.aspx.

This office can publish notice of the application as soon as the initial review is completed; therefore, your prompt response to this request is appreciated. If your agency desires to formally protest the approval of the application(s), you may do so after the notice is published by filing a written protest along with a $25.00 filing fee within 10 days after final publication. The deadline for comments on the applications is November 7, 2022.

Please contact the Northern Region Office at (208) 762-2800 if you have any questions regarding the Permit application.

Thank you,

IDAHO DEPARTMENT OF WATER RESOURCES

Tammy Alleman | Administrative Assistant
Idaho Department of Water Resources
Northern Regional Office
7600 N Mineral Drive, Suite 100
Coeur d'Alene, ID 83815-7763
Phone: (208) 762-2800

SCANNED
OCT 03 2022

Alleman, Tammy

From: Alleman, Tammy
Sent: Monday, October 3, 2022 12:02 PM
To: bcdblegals@cdapress.com
Subject: Legal Notice
Attachments: Legal Notice for 97-8748, 97-8818, & 97-9572.docx

Please publish the enclosed legal notice in the **Bonner County Daily Bee, Priest River Version** on the dates indicated **October 19th & October 26th, 2022** (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

Please send a proof once you have the article ready for print for our review.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before **November 7, 2022.** Your cooperation is appreciated.

Thank you,

IDAHO DEPARTMENT OF WATER RESOURCES

Tammy Alleman | Administrative Assistant
Idaho Department of Water Resources
Northern Regional Office
7600 N Mineral Drive, Suite 100
Coeur d'Alene, ID 83815-7763
Phone: (208) 762-2800

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

97-8748
SCOTT RALPH
14101 E BURNETT RD
SPOKANE, WA 99217-8802
Point of Diversion NWSE
S32 T56N R04W
BONNER County
Source PEND OREILLE RIVER
Tributary COLUMBIA RIVER
Use: IRRIGATION
4 /1 to 10/31 0.1 CFS
Use: STOCKWATER
01/1 to 12/31 0.02 CFS
Total Diversion: 0.12 CFS
Date Filed: 09-26-2022
Place Of Use: IRRIGATION,STOCKWATER
T56N R04W S32
L6(NWSE),L5(SESE),L6(NWSE),L5(SWSE),SWSE,SESE,NWSE
Total Acres: 3.4

97-8818
CARLOS F LANDA
PO BOX 22
SPOKANE, WA 99210-0022
Point of Diversion SESW
S25 T60N R05W
BONNER County
Source GROUND WATER
Use: DOMESTIC
1 /1 to 12/31
Total Diversion: 0.08 CFS
Date Filed: 06-17-2022
Place Of Use: DOMESTIC
T60N R05W S25 SESW

97-9572
MICHAEL KREAGER
406 WEST SETTLEMENT RD
PRIEST RIVER, ID 83856-9792
Point of Diversion SENE
S24 T56N R05W
BONNER County
Source PRIEST RIVER
Tributary PEND OREILLE RIVER
Use: IRRIGATION
04/01 to 10/31
Total Diversion: 0.03 CFS
Date Filed: 09-14-2022
Place Of Use: IRRIGATION
T56N R05W S24 SENE
Total Acres: 1

Permits will be subject to all prior water rights. For additional information concerning the property location, contact the Northern office at (208)762-2800; or for a full description of the right(s), please see https://idwr.idaho.gov/apps/ExtSearch/WRApplicationResults/. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 N MINERAL DR STE 100, COEUR D ALENE ID 83815-7763 together with a protest fee of $25.00 for each application on or before 11/7/2022. The protestant must also send a copy of the protest to the applicant.
GARY SPACKMAN, Director Published on 10/19/2022 and 10/26/2022

SCANNED
OCT 03 2022

Bates, Luke

From: Bates, Luke
Sent: Monday, September 26, 2022 10:31 AM
To: scott@drscottralph.com
Subject: IDWR application for permit 97-8748
Attachments: Ralph, Scott - original application for permit filing doc.pdf; Ralph - recommended revisions.pdf

Scott Ralph – good morning.

I am requesting a courtesy response to this correspondence; it will let me know I didn't error in entering your email address. Thank you!

IDWR has received your filing for application for permit 97-8748, and during initial review I note very low diversion rates annotated on the form that I recommend you change prior to processing. These changes will ensure there are not additional fees required later if your diversion pump drafts greater than 5 gpm.

I have attached the 2PG application for permit form you submitted – please print off this form and make handwritten changes to the form as follows:

Step 5 – Water uses – IDWR has department standard rates of diversion for irrigation & stockwater. I recommend increasing the diversion rate for each of your two designated uses. Please reference the PG1 revision PDF attached for visual reference

Step 6 – Total quantity to be appropriated – If you increase values in step 5 you will need to increase the maximum diversion rate in step 6.

Please consider lining through and making corrections for each. Please do initial and date next to the corrections when made.

Once corrected, you may then scan and email the corrected forms C/O Luke Bates to the email address listed below (**not my personal email**)

file@idwr.idaho.gov

Please do give me a call if you've any questions related to these changes. I recommend carbon copying me on the email you send to the state office file@idwr.idaho.gov .

Thank you,

Luke Bates
Sr. Water Resource Agent
Northern Region
P: 208-762-2817

IDAHO DEPARTMENT OF
WATER RESOURCES
7600 N. Mineral Dr., Suite 100
Coeur D'Alene, ID 83815-7763

SCANNED
OCT 03 2022

Idaho Department of Water Resources Receipt

Receipt ID: C117397

Payment Amount	$50.00	Date Received	11/24/2023	Region	STATE
Payment Type	Check	Check Number	8281		
Payer	RALPH. SCOTT W				
Comments	STATEMENT OF COMPLETION FOR SUBMITTING PROOF OF BENEFICIAL USE PERMIT # 97-08748 FOR: SCOTT RALPH				

Fee Details

Amount	Description	PCA	Fund	Fund Detail	Subsidiary	Object
$50.00	BENEFICIAL USE	56104	0229	21		1155

Signature Line (Department Representative)