

RECEIVED

NOV 14 2022

DEPARTMENT OF
WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY

Amt. of Fee \$ 50
Receipt No. 0119832
Received By km
Date Received 12/8/22

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete an Assignment of Permit form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 97-08077 Name of Permit Holder(s) Ellen M. Archer + Jeff T. Archer

Telephone No. 253-208-5100 Email archervalleyranchllc@yahoo.com

Mailing Address 1686 Peterson Rd City Priest River State ID Zip 83856

2. Source of Water Ground Water/unnamed stream If Ground Water (well), Date Drilled mo. ____ / yr. ____

Drilling Permit/Tag No. N/A Drilling Company's Name _____

3. Extent of use(s) completed as authorized by the water right permit:

Domestic (No. households) _____ Irrigation (No. acres) _____ Stockwater (No. and stock type) _____

Other Stock Water AND FIRE Protection

4. Total diversion rate or volume (storage only) for which proof is submitted _____ cfs OR 9.2 af
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.

5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)

Underground Spring

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

- | | | | |
|--------------------------|--------------------------|--------------------------|---|
| ☐ | ☐ | ☐ | Ground water level data, pumping information, or other diversion data |
| ☐ | ☐ | ☐ | Mitigation plan |
| ☐ | ☐ | ☐ | Lockable controlling works |
| ☐ | ☐ | ☐ | Measuring device |
| ☐ | ☐ | ☐ | Fish screen |
| ☐ | ☐ | ☐ | Other requirements of the water right permit _____ |
| ☐ | ☐ | ☐ | Reasonably Anticipated Future Needs ("RAFN") Municipal use |

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

7. Fee Enclosed \$ 50 or ☐ CWRE field report attached or ☐ No fee required

See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: Jeff Archer Telephone No. 208-597-4562 Email archervalleyranchllc@yahoo.com

Mailing Address 1686 Peterson Rd City Priest River State ID Zip 83856

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

Ellen M. Archer

SIGNATURE OF PERMIT HOLDER*

Ellen M. Archer

PRINTED NAME AND TITLE

11/9/22

DATE

*Attach power of attorney if completing on behalf of permit holder.

RECEIVED

DEC 08 2022

DEPARTMENT OF
WATER RESOURCESRECEIVED
DEC 14 2022

RECEIVED

NOV 14 2022

DEPARTMENT OF
WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY

Amt. of Fee \$ _____

Receipt No. _____

Received By _____

Date Received _____

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete an Assignment of Permit form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 97-08077 Name of Permit Holder(s) Ellen M. Archer + Jeff T. Archer

Telephone No. 253-208-5100 Email archervalleyranchllc@yahoo.com

Mailing Address 1686 Peterson Rd City Priest River State ID Zip 83856

2. Source of Water Ground Water/unnamed stream If Ground Water (well), Date Drilled mo. _____ / yr. _____

Drilling Permit/Tag No. N/A Drilling Company's Name _____

3. Extent of use(s) completed as authorized by the water right permit:

Domestic (No. households) _____ Irrigation (No. acres) _____ Stockwater (No. and stock type) _____

Other Stock Water AND FIRE Protection

4. Total diversion rate or volume (storage only) for which proof is submitted _____ cfs OR 9.2 af
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.

5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)

Underground Spring

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

- | | | | |
|--------------------------|--------------------------|--------------------------|---|
| ☐ | ☐ | ☐ | Ground water level data, pumping information, or other diversion data |
| ☐ | ☐ | ☐ | Mitigation plan |
| ☐ | ☐ | ☐ | Lockable controlling works |
| ☐ | ☐ | ☐ | Measuring device |
| ☐ | ☐ | ☐ | Fish screen |
| ☐ | ☐ | ☐ | Other requirements of the water right permit _____ |
| ☐ | ☐ | ☐ | Reasonably Anticipated Future Needs ("RAFN") Municipal use |
- If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

7. Fee Enclosed \$ 50.00 or ☐ CWRE field report attached or ☐ No fee required

See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: Jeff Archer Telephone No. 208-597-4562 Email archervalleyranchllc@yahoo.com

Mailing Address 1686 Peterson Rd City Priest River State ID Zip 83856

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

Ellen M. Archer

Ellen M. Archer

11/9/22

SIGNATURE OF PERMIT HOLDER*

PRINTED NAME AND TITLE

DATE

*Attach power of attorney if completing on behalf of permit holder.

SCANNED
DEC 14 2022

State of Idaho
Department of Water Resources

Water Right License

Water Right No. 97-8077

Priority: November 12, 2021

Maximum Diversion Volume: 7.0 AF

It is hereby certified that:

ELLEN M ARCHER 1686 PETERSON RD PRIEST RIVER ID 83856-4907 AND/OR
JEFFREY T ARCHER 1686 PETERSON RD PRIEST RIVER ID 83856-4907

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 12, 2021, and has submitted Proof of Beneficial Use on December 08, 2022. An examination confirms water is diverted from:

Source : GROUND WATER
Source : UNNAMED STREAM

Tributary: SINKS
Tributary: SINKS

<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>	<u>Annual Volume</u>
STOCKWATER STORAGE	01/01 to 12/31		1.3 AF
FIRE PROTECTION STORAGE	01/01 to 12/31		7.0 AF

Location of Point(s) of Diversion

GROUND WATER NE¼ NW¼, Sec. 23, Twp 57N, Rge 05W, B.M. BONNER County
UNNAMED STREAM NW¼ NW¼, Sec. 23, Twp 57N, Rge 05W, B.M. BONNER County

Place of Use: STOCKWATER STORAGE and FIRE PROTECTION STORAGE

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
57N	05W	23					X	X											

Conditions of Approval

1. Water shall not be diverted from fire protection storage except to fight or repel an existing fire.
2. Right 97-8077 authorizes a total annual storage volume of 9.2 acre-feet, 6.0 acre-feet to be used for the initial filling or carryover storage of the pond(s), 1.9 acre-feet for the replacement of losses caused by seepage and evaporation, and 1.3 acre-feet for stockwater storage use(s).
3. The two (2) ponds established by the storage of water under this right shall not exceed a total capacity of 6.0 acre-feet or a total surface area of 1.0 acres.
4. Stockwater storage use is for 100 head of mixed stock.
5. Water stored under this right is subject to fluctuations of the water table caused by changes in the flow of local streams and by diversions under prior ground water rights. This right does not guarantee the maintenance of any particular ground water level.

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 97-8077

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this _____ day of _____, 2023.

PHIL HUMMER
Water Rights Section Manager

[illegible]

Method of Determination:

3.

Delivery System Diagram Attached (required). Indicate all major components and distances between components. Indicate weir size/pipe as applicable.

Map Attached Showing Location(s) of point(s) of diversion and place(s) of use (required). Scale must be 1:24,000 or greater.

Aerial Photo Attached (required for irrigation of 10+ acres).

Photo of Diversion and System Attached

4. None

Well or Diversion ID No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None taken

E. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

F. VOLUME CALCULATIONS

1. Volume Calculations for irrigation: No irrigation

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$$

2. Volume Calculations for Other Uses: See attached pond spreadsheet

G. NARRATIVE/REMARKS/COMMENTS

There was no water flowing into the larger pond during the field exam. There is also no channel connecting the two ponds. During the spring water flows from the northeast into the larger pond and from the north into the smaller pond to the southwest.

Have conditions of permit approval been met? Yes

H. RECOMMENDATIONS**1. Recommended Amounts**

<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>	<u>Annual Volume</u>
STOCKWATER STORAGE	01/01 to 12/31		1.3 AF
FIRE PROTECTION STORAGE	01/01 to 12/31		7.9 AF

Totals:

9.2 AF


2. Recommended Amendments

_____ Change P.D. as reflected above _____ Add P.D. as reflected above X None

_____ Change P.U. as reflected above _____ Add P.U. as reflected above X None

I. AUTHENTICATION

Sandra Thiel -

Field Examiner's Name  Date 4/20/2023

Reviewer _____ Date _____

Seepage Loss Calculations

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total annual seepage losses from a pond.

FILE NUMBER	97-8077
REVIEWER	Sandra Thiel
DATE	8/28/2023

User Input
Calculated value
Formula Explanations

INPUTS

Pond Surface Area (AC.)	0.5	AC.
-------------------------	-----	-----

Pond Surface Area (SQ. FT.)	21780	SQ. FT.
-----------------------------	-------	---------

I used the following method to obtain my Soil Classification information:	NRCS Web Soil Survey	
My Soil Classification is	GP	
Suggested Seepage Rate (FT./DAY)	0.0000	FT./DAY

Formula: (Surface Area X Seepage Rate) X 7.48 = Gallons Per Day Loss
--

Convert to GPD	0	GPD
----------------	---	-----

Total Seepage Loss (AFA)	0.0	AFA
--------------------------	-----	-----

The permitted source is ground water.
This is for 2 small ponds.

Though sand and gravel seepage rates may actually be higher, the maximum allowable rate is 0.2 ft/day, pursuant to Administrative Memo "Seepage Loss Standards for Ponds and Reservoirs."

Suggested Seepage Rates for Different Soil Types:

GW, GP, GM, GC, SW, SP and SM (silty sand, sand silt mixtures and gravel mixtures) = **0.2 ft per day**

OL and ML (inorganic silts - very fine sands, silty, or clayey fine sands) = **0.02 ft per day**

SC (clayey sands, sand clay mixtures) = **0.007 ft per day**

CL (Low to medium plasticity clays) = **0.003 ft per day**

MH, OH, PT and CH (high plasticity clays) = **0.0003 ft per day**

LINED PONDS (liners can be chemical, fabric, or bentonite) = **0 ft per day**

Ponds Intercepting Groundwater (excavated ponds filled by ground water) = **0 ft per day**

PLEASE NOTE: The initial basis for the Suggested Seepage Rates in the table above is found on Page 16 of Seepage from Fish Ponds, Bulletin 599, August 1989 Alabama Agricultural experiment Station, Auburn University, Auburn University Alabama. If you don't know the soil type, please refer to the map provided at the NRCS Web Soil Survey (Tab #1), an ArcMap Soil Classification Map (Tab #1.1), or published NRCS Soil Survey (Tab #1.2). Use "0" if the pond fill relies on the water table.

Evaporation Loss Calculations

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the annual evaporation losses from a pond.

FILE NUMBER	97-8077
REVIEWER	Sandra Thiel
DATE	8/28/2023

User Input
Calculated value
Formula Explanations

The acronyms used on the Kimberly Research Center website are defined below:
P = Precipitation
ET= Evapotranspiration
P _d = Precipitation deficit
P _d =ET-P

USING THIS SPREADSHEET

Use the link below to access the Kimberly Research Center website. This website provides the Precipitation Deficit for a station most representative of the pond under examination. The Precipitation Deficit is the total amount of free water surface evaporation minus the precipitation for a given area, which gives the total amount of evaporative losses incurred by the pond. There are several weather sites that are used throughout the state. IDWR staff can find the nearest site using Arc Map. The shape file containing the sites can be found at <X:/Spatial/Climate/ETIdahostations.shp>.

Instructions:

1. Use the link below to navigate to ET Idaho 2012.
2. Select the station which is most representative to your pond location.
3. Click Submit Query.
4. Under "Land Covers with Evapotranspiration Estimates," select "Open Water - Shallow Systems (ponds, streams)" or "Open Water - small stock ponds" depending on the pond size.
5. Click the link to "Precipitation Deficit."
6. Reference and copy (ctrl + C) the first subheading "Mean" values.
7. Click the "Paste Values from ET Idaho" button. The table will automatically enter a zero (0) for any negative precipitation deficit values.

Found at: <http://data.kimberly.uidaho.edu/ETIdaho/>

Precipitation Deficit

Station: Twin Falls 2 NNE (NWS -- 109294)

Month	mm/day ¹	Days per month	mm/Month
Jan	-2.93	31	0.00
Feb	-1.73	28	0.00
March	-1.74	31	0.00
April	0.25	30	7.50
May	0.97	31	30.07
June	1.65	30	49.50
July	3.62	31	112.22
August	3.02	31	93.62
September	1.39	30	41.70
October	-1.32	31	0.00
November	-3.39	30	0.00
December	-3.4	31	0.00

PLEASE NOTE: The seasonal average for precipitation deficit should not be used for calculations because precipitation often exceeds evaporation during wetter months of the year. If the pond is kept full, excess precipitation during wetter months does not serve to refill the pond during drier months.

For example, see Sandpoint KSPT (NWS -- 108137), the annual precipitation deficit is -106 mm. However, April through September have positive precipitation deficit values. To properly estimate the annual volume of water necessary to refill a pond due to evaporation losses, the table will automatically enter a zero (0) for each month that the precipitation value is reported as a negative value.

As described above, precipitation offsets evaporation in winter months, so the net effect is that wintertime precipitation deficit is usually zero.

Total mm/year = 334.61

$$[(334.61 \text{ mm/yr}) \div (\text{convert to feet})] \times (\text{Surface area of pond, in acres}) = \text{Evaporation Loss in Acre Feet}$$

(334.61 ÷ 304.8) X 0.50 = 0.5 AFA

Surface Area of Pond is automatically carried over from the Seepage Loss Sheet.

Total Storage Calculations

FILE NUMBER	97-8077
REVIEWER	Sandra Thiel
DATE	8/28/2023

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond.

User Input
Calculated value
Formula Explanations

Surface Area (AC.)	0.5	"Surface Area" is automatically carried over from the "Seepage Loss" sheet.
Average Pond Depth (FT.)	5	"Average Pond Depth" depicts the actual depth of the pond either measured or estimated. Note: If you know the maximum depth and not the average depth, the Field Examiner's Handbook suggests multiplying the maximum depth by 0.4 to get the average depth, or you can use any method that seems reasonable to attain average depth.
Pond Capacity (AF)	2.5	Pond Capacity is calculated by multiplying the Pond Surface Area by the Average Pond Depth. If you know the capacity, divide the capacity by surface area and enter the average pond depth in the space above. Note: If pond capacity is determined using a method shown on the "Pond Capacity" sheet, the user may need to modify the value of "Pond Capacity" (cell B9) manually. Note that if the value is modified manually, the formula will be altered for future use.
Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills" (AF)	5	The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water required to meet a <i>from storage</i> component if the <i>from storage</i> component exceeds a one time fill. This section should not include the amount of water needed to fill the pond initially or the amount of water needed to maintain the pond level due to evaporation or seepage. For example: if a pond has a capacity of 5 acre feet and 2.5 acre feet of seepage and evaporation, but the pond is used for irrigation that requires 10 acre feet of from storage for the irrigation use, then you would insert 5 acre feet into this location (10 acre feet needed - 5 acre feet from the initial fill = 5 acre feet of additional storage needed). Note: You must have a "From Storage" component exceeding the initial fill on the permit to include a volume in this space.
Estimated Seepage Loss (AF)	0.0	The "Estimated Seepage Loss" is automatically carried over from the "Seepage Loss" sheet.
Estimated Evaporation Loss (AF)	0.5	The "Estimated Evaporation Loss" is automatically carried over from the "Evaporation Loss" sheet.
Total Volume Required (AF)	8.0	The "Total Volume Required" is calculated by adding the Pond Capacity, Multiple Fills, Seepage Loss, and Evaporation Loss amounts to determine the total amount of storage required.

Flow Rate into Pond (CFS)		The "Flow Rate into Pond" depicts the actual flow, either measured or estimated, into the pond. For offstream facilities, this will be equivalent to "diversion to storage" rate.
Highest Daily Evaporation Rate From Evaporation Tab. (mm/Day)	3.62	This number is carried over from the "Evaporation Loss" sheet. It is the highest recorded number in the "Precipitation Deficit Table".
Required Daily Maintenance Volume (AF/Day)	0.01	"Required Daily Maintenance Volume" is the maximum volume of water needed on any given day during the year to maintain pond volume. It is calculated by adding the highest daily evaporation loss to the average daily seepage loss in acre feet. The average daily seepage loss is calculated by dividing the "Estimated Seepage Loss" by 365 days. This is acceptable, since the seepage rate shouldn't vary throughout the season unless the pond completely freezes over during the winter months. The highest daily evaporation loss is calculated by dividing the Highest Daily Evaporation Rate by the 304.8 conversion factor and multiplying this number by the pond surface area to attain a combined daily acre feet requirement.
Minimum Maintenance Flow (CFS)	0.00	The "Minimum Maintenance Flow" is the minimum amount of flow required to maintain the level of the pond. This number is determined by dividing the "Maximum Required Daily Maintenance Volume" by 1.9835. This flow can be used to determine if the flow rate into the pond is adequate to maintain the pond level.
Days Required to Fill the Pond	-421	The "Days Required to Fill the Pond" is calculated by dividing the "Pond Capacity" by the "Flow Rate" minus "Minimum Maintenance Flow" multiplied by 1.9835. This section will assist you in determining if the flow rate being diverted to the pond is adequate to fill the pond while maintaining the pond level. The length of time to fill the pond will help determine if the flow rate is adequate for the size of pond being proposed. If this number is approximately 6 months (180 days) or more, the reviewer should have a discussion with the applicant to make sure he/she understands that it will take a significant length of time to fill the pond.
Days Required to Fill the Pond at 13,000 Gallons per Day	74	Some water users may want to fill a pond under the 13,000 gallons per day domestic exemption. The "Days Required to Fill the Pond at 13,000 Gallons per Day" is calculated by converting the "Pond Capacity" and the "Required Daily Maintenance Volume" to gallons. The "Pond Capacity" is then divided by 13,000 gallons minus the "Required Daily Maintenance Volume" in gallons to determine the number of days to fill pond. If this number is approximately 6 months (180 days) or more, the reviewer should have a discussion with the applicant to make sure he/she understands that it will take a significant length of time to fill the pond. Negative values indicate that the supply of 13,000 gallons per day is not enough volume to overcome the required daily maintenance volume; the pond will never fill.



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little
December 13, 2022

Director Gary Spackman

ELLEN M ARCHER
JEFFREY T ARCHER
1686 PETERSON RD
PRIEST RIVER ID 83856-4907

PROOF ACKNOWLEDGEMENT LETTER

RE: Permit Nos. 97-8076 and 97-8077

Dear Permit Holders:

The Department acknowledges receipt of the proof of beneficial use forms submitted for the above referenced permits. The next step in the process of developing a water right is for the Department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that Idaho Code § 42-248, requires you or the owner of this water right to maintain current ownership and address records on file with the Department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any Department office or at the Department's website at www.idwr.idaho.gov.

If you have any questions concerning the field examination, please contact the Northern Region Office of the Department located in Coeur d'Alene at (208) 762-2800.

Sincerely,

Debbi Judd
Technical Records Specialist

Enclosures

SCANNED
DEC 14 2022

Beneficial Use Proof Evaluation

Permit Number: 97-8077 Reviewer: djudd Review Date: 12/8/2022

Acceptability

- 1) Is the contact on the request the current permit holder? Yes
- 2) Does the address of record need to be updated? No
- 3) Proof Submitted Date: 12/8/2022
- 4) Proof Due Date: 1/1/2023
- 5) Days added for weekend due date? 0
- 6) Days added for holiday due date? 0
- 7) Number of days late: -24
- 8) Proof received timely? Yes

Analysis

- 1) Are the water uses correct? Yes
- 2) Are one of the following items required?
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- No
- 3) Are the required items installed?
 - a. Measuring Device --
 - b. Lockable Device --
 - c. Fish Screen --
- 4) Is there a request to waive the required items?
- 5) Drilling Permit Number:
- 6) Is a drilling permit upgrade needed?
- 7) Was a well drillers report filed?
- 8) Is proof accepted? Yes

Fees

- 1) Is a licensing exam fee required? Yes
- 2) Was proof submitted with an exam report from a CWE? No
- 3) Filing fee due: \$50.00
- 4) Filing fee submitted: \$50.00
- 5) Remaining fee or (refund): \$0.00

Receipt IDs

N037819

Comments

Proof acknowledged.



322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little
November 18, 2022

Director Gary Spackman

ELLEN M ARCHER
JEFFREY T ARCHER
1686 PETERSON RD
PRIEST RIVER ID 83856-4907

PROOF DEFICIENCY LETTER

RE: Permit Nos. 97-8076 and 97-8077

Dear Permit Holders:

The Department received the proof of beneficial use (proof) forms submitted for the above referenced permits. The proofs are not acceptable without the correct fee. Copies of the forms are enclosed for your reference.

Permit 97-8076 authorizes a diversion volume of 2.2 cfs acre feet requiring a license examination fee of \$50.00. Permit 97-8077 authorizes a diversion volume of 9.2 cfs acre feet requiring a license examination fee of \$50.00.

Please submit the required fees at your earliest convenience before the proof due date of **January 01, 2023** to avoid the possibility of your permits lapsing. If you have any questions concerning this matter, please contact me at (208) 287-4920 or debby.judd@idwr.idaho.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Debby Judd".

Debby Judd
Technical Records Specialist

Enclosures

SCANNED
NOV 21 2022



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

October 31, 2022

ELLEN M ARCHER
JEFFREY T ARCHER
1686 PETERSON RD
PRIEST RIVER ID 83856-4907

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit No. 97-08076 & 97-08077

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holder(s):

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **January 01, 2023**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a \$50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this department on or before the above proof due date. If neither is received, the department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Debbi Judd
Technical Records Specialist

Enclosure(s)



SCANNED

NOV 02 2022