State of Idaho
Department of Water Resources

Water Right License

Water Right No. 96-12830

Priority: January 09, 2023 **Maximum Diversion Rate:** 0.03 CFS

It is hereby certified that:

WW LLC 415 E BRIDLEWOOD LN SPOKANE WA 99224-8285

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 29, 2022, and has submitted Proof of Beneficial Use on March 27, 2024. An examination confirms water is diverted from:

Source : PEND OREILLE RIVER **Tributary:** COLUMBIA RIVER

Beneficial Use	Period of Use	Rate of Diversion
IRRIGATION	04/01 to 10/31	0.03 CFS

Location of Point(s) of Diversion
PEND OREILLE RIVER L4(SE¼ NE¼), Sec. 9, Twp 56N, Rge 03W, B.M. BONNER County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	03W	9			0.1 L4	1.0 L4													1.1

Total Acres: 1.1

Conditions of Approval

1. Place of use is located within Lot 7; Easy Livin Subdivision.
2. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the place of use.
3. This right does not grant any right-of-way or easement across the land of another.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 19th day of April, 2024.


PHILL HUMMER
Water Rights Section Manager

State of Idaho
Department of Water Resources

Attachment to Water Right

96-12830

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



0 0.035 0.07 0.14 Miles

Place Of Use Boundary
Townships
PLS Sections
Quarter Quarters
Point of Diversion
State Outline

N

Form 42-217 Rev. 6/22

RECEIVED

MAR 27 2024

DEPT. OF WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEMENT OF COMPLETION

FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY	
Amt. of Fee $	50
Receipt No.	C118038
Receipted By	KM
Date Receipted	3.27.24

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 96-12830 Name of Permit Holder(s) WW LLC

Telephone No. 406-544-0466 Email wriggy21@gmail.com

Mailing Address 415 E Bridlewood Ln City Spokane State WA Zip 99224

2. Source of Water Pond Orella River If Ground Water (well), Date Drilled mo. _____ / yr. _____

Drilling Permit/Tag No. _____ Drilling Company's Name _____

3. Extent of use(s) completed **as authorized by the water right permit**:

Domestic (No. households) _____ Irrigation (No. acres) 1.6 Stockwater (No. and stock type) _____

Other _____

4. Total diversion rate or volume (storage only) for which proof is submitted 0.06 cfs OR _____ af

If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.

5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)

See typed attachment "#5 statement of Completion Description"

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required?	Yes	No	(If "Yes", attach required data, evidence of compliance, or evidence of installation)
☐	☐	☒	Ground water level data, pumping information, or other diversion data
☐	☐	☒	Mitigation plan
☐	☐	☒	Lockable controlling works
☐	☐	☒	Measuring device
☒	☒	☐	Fish screen
☐	☐	☒	Other requirements of the water right permit _____
	☐	☒	Reasonably Anticipated Future Needs ("RAFN") Municipal use

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

7. Fee Enclosed $ 50 or ☐ CWRE field report attached or ☐ No fee required

See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: William Wrigglesworth Telephone No. 406-544-0466 Email wriggy21@gmail.com

Mailing Address 415 E Bridlewood Ln City Spokane State WA Zip 99224

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

SIGNATURE OF PERMIT HOLDER*	PRINTED NAME AND TITLE	DATE
	William Wrigglesworth	3/24/24

*Attach power of attorney if completing on behalf of permit holder.


Statement #5


The Diversion- Pump Intake is a 6" PVC Well Casing with perforations covered by a ¼" mesh fish screen. The Pump is a Submersible 3 HP with a 2 ½" Discharge Pipe/ Mainline that feeds Irrigation Manifolds throughout the yard areas. The Pump is controlled with a Pump Start Relay by the Irrigation Controller which activates the pump by the scheduled program. When the Pump is activated, the Controller moves through the electric Irrigation Valves by Zone running the programmed schedule for the Lawn, Plants, Shrubs and Trees. Irrigation water is distributed through Hunter Rotary Heads with adjustable Nozzles and a Micro Drip System that feeds the foundation Plant Material and Decorative Trees. The Irrigation is typically started and utilized June through September. Average Run time for the system is a total of 2 Hours every other day. The Pump has a lift of 25' to the highest point of irrigation on the property.


Area of Irrigation
Lot 7 Easy Livin Subdivision


Location Point of Diversion



BENEFICIAL USE - IRRIGATED FRONT
YARD & FOUNDATION PLANTINGS


BENEFICIAL USE - IRRIGATED FRONT
YARD & FOUNDATION PLANTINGS


BENEFICIAL USE - IRRIGATED FRONT YARD & FOUNDATION PLANTINGS


BENEFICIAL USE - IRRIGATED BACKYARD
FOUNDATION PLANTINGS


BENEFICIAL USE - IRRIGATED BACKYARD


Diversion Intake/ Pump Manifold with Fish Screen


Diversion Intake/ Pump Manifold with Fish Screen

State of Idaho
Department of Water Resources

Permit to Appropriate Water

No. 96-12830

Priority: January 09, 2023 **Maximum Diversion Rate:** 0.06 CFS

This is to certify that

WW LLC 415 E BRIDLEWOOD LN SPOKANE WA 99224-8285

has applied for a permit to appropriate water from:

Source : PEND OREILLE RIVER **Tributary:** COLUMBIA RIVER

and a permit is APPROVED for development of water as follows:

Beneficial Use	Period of Use	Rate of Diversion
IRRIGATION	4 /1 to 10/31	0.06 CFS

Location of Point(s) of Diversion

PEND OREILLE RIVER L4 (SE¼ NE¼), Sec. 9, Twp 56N, Rge 03W, B.M. BONNER County
PEND OREILLE RIVER L4 (SE¼ NE¼), Sec. 9, Twp 56N, Rge 03W, B.M. BONNER County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	03W	9			0.8 L4	1.3 L4													2.1

Total Acres: 2.1

Conditions of Approval

1. Proof of application of water to beneficial use shall be submitted on or before **April 01, 2024.**
2. Subject to all prior water rights.
3. Prior to the diversion and use of water under this approval, the right holder shall comply with all fish screening and/or fish passage requirements of the Idaho Department of Fish and Game.
4. Place of use is located within Lot 7; Easy Livin Subdivision.
5. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the place of use.
6. This right does not grant any right-of-way or easement across the land of another.

This permit is issued pursuant to the provisions of Idaho Code § 42-204.

Signed this 12 day of April, 2023.

LUKE BATES
Interim Water Rights Supervisor


SCANNED
APR 14 2023

State of Idaho
Department of Water Resources

Attachment to Permit to Appropriate Water

96-12830

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



SCANNED
APR 14 2023

RECEIVED
Jan 09, 2023
DEPARTMENT OF
WATER RESOURCES

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

87112

AMENDED **APPLICATION FOR PERMIT**

To appropriate the public waters of the State of Idaho
No. 96-12830

1. Applicants ~~wwlc~~ WW LLC (WJH/1-9-23)
415 E Bridlewood Ln
Spokane WA 99224
406-544-0466

2. **Representatives**
Application submitted on behalf of one of the applicants

3. **Source of Water Supply**
Source : PEND OREILLE RIVER tributary to PEND OREILLE LAKE

4. **Location of Point(s) of Diversion**

POD #	Source	Tributary Of	Diversion Type	Township	Range	Section	Govt Lot	QQQ/QQ/Q	County
1	PEND OREILLE RIVER	PEND OREILLE LAKE	Columbia River (WJH/1-9-23)	56N	03W	9	4	/SE/NE	BONNER

2. Pend Oreille River Columbia River (WJH/1-9-23)

5. **Water will be used for the following purposes:**

Purposes	Season	Rate	Volume	Description
IRRIGATION	4/1 to 10/31	0.06 cfs	0.00 afa	grass and shrubs

6. **Total quantity to be appropriated is (a)** 0.06 cfs **and/or** 0 afa

7. **Proposed Diverting Works:**
POD No :1
Description: 3 hp pump plus small1/2hp pump. irrigation use only

8. **Description of Place Of Use:**

IRRIGATION							
Township	Range	Section	QQ	Q	County	Govt Lot	Acres
56N	03W	9	SE	NE	BONNER	4	1.30
56N	03W	9	SW	NE	BONNER	4	0.80

9. **Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping.**
none

10. **Land Ownership**
- **Who owns the land to be irrigated or place of use?** Applicant
- **Who owns the land at the point of diversion?** Applicant

11. **Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary.**
We have had these two small irrigation pumps for over 20 years. other than routine maintenance theyve worked nicely to irrigate our lawn and shrubs

12. **Time required for completion of works and application of water to proposed beneficial use is** 1 years **(minimum is 1 year).**


T114111 $100.00 9/29/2022

SCANNED
JAN 27 2023

State of Idaho
Department of Water Resources

Application For Permit

96-12830



Prepared By: Web User

SCANNED

JAN 27 2023

STATE OF IDAHO
Office of the secretary of state, Lawerence Denney
ANNUAL REPORT
Idaho Secretary of State
PO Box 83720
Boise, ID 83720-0080
(208) 334-2301
Filing Fee: $0.00

For Office Use Only
-FILED-
File #: 000472557
Date Filed: 5/3/2022 11:43:03 AM

Entity Name and Mailing Address

Entity Name: AVA LLC

This file number of this entity on the records of the Idaho Secretary of State is: 000507540

Address: WILLIAM J WRIGGLESWORTH
415 E BRIDLEWOOD LN
SPOKANE WA 99224-8295

Entity Details

Entity Status: Active-Existing

This entity is organized under the laws of: IDAHO

If applicable, the old file number of this entity on the records of the Idaho Secretary of State was: IW167396

The registered agent on record is:

Registered Agent: WILLIAM J WRIGGLESWORTH
Registered Agent
Physical Address
203 EASY LIVIN ACRES DR
SAGLE ID 83860
Mailing Address
703 E WILDFLOWER LN
SPOKANE WA 99224-8517

Limited Liability Company Managers and Members

Name	Title	Business Address
william wrigglesworth	Member	415 E BRIDLEWOOD LN SPOKANE WA 99224

The annual report must be signed by an authorized signer of the entity.

Job Title: Partner

SCANNED
JAN 27 2023

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

87112

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho
No. 96-12830

1. **Applicants**
wwllc
415 E Bridlewood Ln
Spokane, WA 99224
406-544-0466

2. **Representatives**
Application submitted on behalf of one of the applicants

3. **Source of Water Supply**
Source : **PEND OREILLE RIVER tributary to PEND OREILLE LAKE**

4. **Location of Point(s) of Diversion**

POD #	Source	Tributary Of	Diversion Type	Township	Range	Section	Govt Lot	QQQ/QQ/Q	County
1	PEND OREILLE RIVER	PEND OREILLE LAKE		56N	03W	9	4	/SE/NE	BONNER

5. **Water will be used for the following purposes:**

Purposes	Season	Rate	Volume	Description
IRRIGATION	4/1 to 10/31	0.06 cfs	0.00 afa	grass and shrubs

6. **Total quantity to be appropriated is (a)** 0.06 cfs **and/or** 0 afa

7. **Proposed Diverting Works:**
POD No :1
Description: 3 hp pump plus small1/2hp pump. irrigation use only

8. **Description of Place Of Use:**

IRRIGATION							
Township	Range	Section	QQ	Q	County	Govt Lot	Acres
56N	03W	9	SE	NE	BONNER	4	1.30
56N	03W	9	SW	NE	BONNER	4	0.80

9. **Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping.**
none

10. **Land Ownership**
   - **Who owns the land to be irrigated or place of use?** Applicant
   - **Who owns the land at the point of diversion?** Applicant

11. **Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary.**
We have had these two small irrigation pumps for over 20 years. other than routine maintenance theyve worked nicely to irrigate our lawn and shrubs

12. **Time required for completion of works and application of water to proposed beneficial use is** 1 years **(minimum is 1 year).**

SUPERSEDED

T114111 $100.00 9/29/2022

SCANNED
JAN 27 2023

State of Idaho
Department of Water Resources

Application For Permit

96-12830



Point of Diversion
Place Of Use Boundary
Townships
PLS Sections
Quarter Quarters

0 0.035 0.07 0.14 Miles

SUPERSEDED

N

SCANNED
JAN 27 2023

Prepared By: Web User

IDAHO DEPARTMENT
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Mathew Weaver

April 25, 2024

WW LLC
415 E BRIDLEWOOD LN
SPOKANE WA 99224-8285

RE: License No. 96-12830

ISSUANCE OF LICENSE

Dear Water Right Holder(s):

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,

Phill Hummer

Phill Hummer
Water Rights Section Manager

Enclosure(s)

CERTIFICATE OF SERVICE

I hereby certify that on April 25, 2024, I served a true and correct copy of Water Right License No. 96-12830 by U.S. Mail, postage prepaid, to the following:

WW LLC (Current Owner)
415 E BRIDLEWOOD LN
SPOKANE WA 99224-8285

Debra Mansfield
Technical Records Specialist 1

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

> Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:
>
> (a) The petition for reconsideration is disposed of; or
> (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

i. A hearing was held,
ii. The final agency action was taken,
iii. The party seeking review of the order resides, or
iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Exam Date: 4/9/2024

1. Does this qualify for an in-office field exam (IDAPA 37.03.02.035.01.r)? X Y ____N
   a. X Irrigation of 5 acres or less
   b. ____ Storage of up to 14.6 AF for stockwater purposes only
   c. ____ Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
   d. ____ Other < >

2. Current Owner: WW LLC
   Owner of Record Correct? _____N
   Address of Record Correct? _____N
   If No Explain: N/A

3. Beneficial Use Fees have been paid: X Y ____N Receipt No: C118038

4. Source: Tributary:
   Pend Oreille River Columbia River

Method of Determination: GIS, Tax Parcel Data, and the permit holders Statement of Completion for Proof of Beneficial Use.

Change in Source: ____Y X N

B. OVERLAP REVIEW

1. Other water rights with the same place of use: X No Overlap

Water Right No.	Source	Purpose of Use	Basis
N/A			

Comments: N/A

2. Other water rights with the same point of diversion: X No Overlap

Water Right No.	Source	Purpose of Use	Basis
N/A			

Comments: N/A

C. DIVERSION AND DELIVERY SYSTEM

1. Location of Point(s) of Diversion:

Source	Govt. Lot	¼	¼	¼	Sec.	Twp.	Rge.		County
Pend Oreille River	4		SE	NE	9	56N	03W	B.M.	Bonner

Method of Determination: GIS and Tax Parcel Data and documents provided with the permit holders Statement of Completion for Proof of Beneficial Use.

Change in POD? ___Y X N Amendment Required? ____Y X N

2. Place of Use: Irrigation

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	03W	9			0.1	1.0													1.1
		Lot #			4	4													
																Total Acres =			1.1

Method of Determination: GIS, Tax Parcel Data, and 2023 Bonner County Aerial Imagery.

Change in POU? ____Y __X__N Amendment Required? ____Y __X__N

___ Delivery System Diagram Attached (required). Indicate all major components and distances between components.

_X__ Aerial Imagery indicating the location of the POD and POU.

_X__ Aerial Photo Attached (required for irrigation of 10+ acres).

___ Photo of Diversion and System Attached

3. Diversion Id No.*	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		3			

**Code to correspond with No. on map and aerial photo*

D. FLOW MEASUREMENTS

1. Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A						

2. Measurement Comments: The permit holder provided a pump horsepower of 3 and a total lift of 25ft. Therefore, a diversion rate calculation is possible.

E. FLOW CALCULATIONS _X__Additional Computation Sheets Attached

Measured Method: Since the permit holder provided a pump horsepower of 3 and a lift of 25ft a diversion rate calculation was possible. The diversion rate calculation determined the system can handle 0.13 cfs with a 50-psi discharge pressure. According to Administrative Processing Memo #17 the standard rate/acre for the irrigation of 5 acres or less is 0.03 cfs/acre. I am recommending a 0.03 cfs diversion rate.

Q = (3 hp) * (8.8) * (70% efficiency) / (25ft of lift) + (2.31) * (50 psi discharge pressure) = 0.13 cfs
(1.1 acres) * (0.03 cfs/acre) = 0.033 cfs or 0.03 cfs rounded

Diversion Rate Calculation = 0.13 cfs
Administrative Processing Memo #17 Calculation = 0.03 cfs
Permit allowed = 0.06 cfs

F. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.}$ = (Acres Irrigated) x (Irrigation Requirement) = N/A (See Comment)

$V_{D.R.}$ = [Diversion Rate (cfs)] x (Days in Irrigation season) x 1.9835 = N/A

V = Smaller of $V_{I.R.}$ and $V_{D.R.}$ = N/A

Comments: The permit authorized irrigation diverting from a natural flowing stream/river. If a permit authorized irrigation diverting from a natural flowing stream/river or spring a volume is not required at licensing according to the IDAPA Beneficial Use Examination Rule 37.03.02.035.01j. viii.

G. PURPOSE OF USE

Irrigation X Y ___ N # Stock N/A Domestic # of Homes N/A

Change in Purpose of Use? ___ Y X N

Method of Determination: GIS, Tax Parcel Data, 2023 Bonner County Aerial Imagery, and the permit holders Statement of Completion for Proof of Beneficial Use.

H. NARRATIVE/REMARKS/COMMENTS

This permit qualifies for an in-office examination. According to Tax Parcel Data the property was developed in 1990. The permit authorized the irrigation of 2.1 acres diverting from the Pend Oreille River. According to 2023 Bonner County Aerial Imagery 1.1 acres of irrigation occurred within the development period. The permit authorized two points of diversion, both within the SENE Quarter/Quarter. However, the permit holder indicated on their Statement of Completion for Proof of Beneficial Use only one POD was developed within the same Q/Q. I recommend one POD on the permit be removed from the license. According to a condition on the permit the permit holder is required to install a fish screen meeting the fish screening and passage requirements of the Idaho Department of Fish and Game. They confirmed a fish screen was installed on their Proof Statement.

Since the permit holder provided a pump horsepower of 3 and lift of 25ft a diversion rate calculation was possible. According to the calculation the system can handle 0.13 cfs with a 50-psi discharge pressure. The standards set in Administrative Processing Memo #17 were used to determine a diversion rate recommendation. Since the permit authorized irrigation diverting from a natural flowing stream/river or spring a volume is not required at licensing according to the IDAPA Beneficial Use Examination Rule 37.03.02.035.01j. viii. All the conditions have been met and development of the permitted beneficial use was confirmed within authorization on the permit. Therefore, I am recommending a 0.03 cfs diversion rate.

Conditions X60, R66, and 004 should remain on the license. Condition 029 should be removed because the permit holder confirmed they installed a fish screen meeting the fish screening and passage requirements of the Idaho Department of Fish and Game.

Have conditions of permit approval been met? X Yes ___ No

I. RECOMMENDATIONS

1. Recommended Amounts:

BENEFICIAL USE	PERIOD OF USE	DIVERSION RATE
Irrigation	04/01-10/31	0.03 CFS
	Totals:	0.03 CFS

2. Recommended Amendments:

___Change P.D. as reflected above ___Add P.D. as reflected above X None

___Change P.U. as reflected above ___Add P.U. as reflected above X None

J. AUTHENTICATION


Field Examiner: Skyler Cheever – Water Resource Agent

Field Examiner's _____ Date 4/9/2024

Reviewer _____ Date 4/11/24

Field Exam Map

Map showing the authorized point of diversion (yellow point) and irrigated place of use (orange outline).



2023 Bonner County Aerial Imagery

Imagery indicated 1.1 acres of irrigation occurred within the development period.

96-12830 2023 Aerial Imagery



4/9/2024

Road Centerlines
- Primary
- Secondary
- Local; Ramp

Parcels
World Boundaries and Places
World Imagery
Low Resolution 15m Imagery
High Resolution 60cm Imagery
High Resolution 30cm Imagery
Citations
60cm Resolution Metadata

1:2,157
0 0.015 0.03 0.06 mi
0 0.02 0.04 0.08 km

Esri, HERE, Garmin, (c) OpenStreetMap

THEORETICAL HORSEPOWER EQUATION WORKSHEET (cjh 1/92)

Water Right No.: 96-12830
Examiner: Skyler C.
Date of Field Exam: 4/8/2024

P/D No.:	Option 1
PUMP HORSEPOWER	3
BOOSTER HORSEPOWER	0
PUMPING LEVEL	25
DISCHARGE PRESSURE	50
FRICTION	0
RATE OF FLOW (cfs)	0.13
(gpm)	59.0

The above calculates the formula = $Q = \frac{8.8 * (Efficiency) * hp}{\text{depth to water} + 2.31*(psi)+friction}$

Assumptions: %70 efficiency.

Examiners Notes:

Lift and Hp was provided by the permit holder with their Statement of Completion for Proof of Beneficial Use.
A standard psi of 40 to 60 psi was used to estimate the pressure against the pump.

Beneficial Use Proof Evaluation

Permit Number: 96-12830 Reviewer: AVeibell Review Date: 3/27/2024

Acceptability

1) Is the contact on the request the current permit holder? Yes
2) Does the address of record need to be updated? No
3) Proof Submitted Date: 3/27/2024
4) Proof Due Date: 4/1/2024
5) Days added for weekend due date? 0
6) Days added for holiday due date? 0
7) Number of days late: -5
8) Proof received timely? Yes

Analysis

1) Are the water uses correct? Yes
2) Are one of the following items required?
    a. Measuring Device -- No
    b. Lockable Device --No
    c. Fish Screen -- No
3) Are the required items installed? Yes
    a. Measuring Device -- No
    b. Lockable Device --No
    c. Fish Screen -- Yes
4) Is there a request to waive the required items? No
5) Drilling Permit Number:
6) Is a drilling permit upgrade needed? No
7) Was a well drillers report filed? No
8) Is proof accepted? Yes

Fees

1) Is a licensing exam fee required?
2) Was proof submitted with an exam report from a CWE?
3) Filing fee due: $0.00
4) Filing fee submitted: $0.00
5) Remaining fee or (refund): $0.00

Receipt IDs

T114111

Comments

Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing.

IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Mathew Weaver

January 31, 2024

WW LLC
415 E BRIDLEWOOD LN
SPOKANE WA 99224-8285

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit No. 96-12830

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holder(s):

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **April 01, 2024**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a $50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this department on or before the above proof due date. If neither is received, the department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Amanda Veibell

Amanda Veibell
Technical Records Specialist

Enclosure(s)

IDAHO DEPARTMENT OF
WATER RESOURCES

Northern Region • 7600 N Mineral Drive, Suite 100 • Coeur D'Alene, ID 83815-7763
Phone: 208-762-2800 • Fax: 208-762-2819 • Email: northerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

April 14, 2023

WW LLC
415 E BRIDLEWOOD LN
SPOKANE WA 99224-8285

RE: Permit No. 96-12830

Permit Approval Notice

Dear Permit Holder(s):

The Department of Water Resources ("Department") has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review all the conditions of approval listed on your permit. The conditions include requirements that you must accomplish, such as timely submittal of proof of beneficial use or installation of a measuring device, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district. Failure to comply with the conditions of approval may result in your permit lapsing or being canceled.

The permit is a PRELIMINARY ORDER issued pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

The final step in the water right process is issuance of a water right license. To receive a water right license, you must divert and use water to the full extent intended and submit a *Statement of Completion for Submitting Proof of Beneficial Use* by the date shown in condition no. 1 of your permit. The Department will send you a *Proof Due Notice* approximately 60 days prior to the date listed in condition no. 1 of your permit.

You may also require approvals from other Department programs, such as Ground Water Protection, Safety of Dams, or Stream Channel Protection, to accomplish your proposed development. Please call or visit any Department office or see the Department's website at idwr.idaho.gov for more information about these programs.

SCANNED
APR 14 2023

Please be advised that Idaho Code § 42-248, requires you or the owner of this water permit to maintain current ownership and address records on file with the Department. Forms to file an assignment of permit and/or a change in the address of the permit owner are available from any Department office or at the Department's website at www.idwr.idaho.gov.

If you have any questions concerning the enclosed information, please contact the Northern Region Office at (208) 762-2800.

Sincerely,

Luke Bates
Interim Water Rights Supervisor

Enclosure(s)

SCANNED
APR 14 2023

CERTIFICATE OF SERVICE

I hereby certify that on April 14, 2023, I served a true and correct copy of Permit to Appropriate Water No. 96-12830 by U.S. Mail, postage prepaid, to the following:

WW LLC (Current Owner)
415 E BRIDLEWOOD LN
SPOKANE WA 99224-8285

Tammy Alleman
Administrative Assistant 1

SCANNED
APR 14 2023

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

SCANNED
APR 14 2023

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

> Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:
>
> (a) The petition for reconsideration is disposed of; or
> (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

i. A hearing was held,
ii. The final agency action was taken,
iii. The party seeking review of the order resides, or
iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

SCANNED
APR 14 2023

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Bonner)

Italia Jimenez, being first duly sworn on oath, deposes and states:

1. I am a citizen of the United States of America, over the age of 18 years, a resident of Bonner County, Idaho, and am not a party to the proceedings referred to in the attached Legal Notice.
My business address is P.O. Box 159, Sandpoint, Idaho.

2. I am the bookkeeper of the Bonner County Daily Bee, a newspaper of general publication in Bonner County, Idaho;

3. Said newspaper has been continuously and uninterruptedly published in Bonner County, Idaho during a period of 12 months prior to the first publication of said Notice, and thereafter.

4. The attached Notice was published in the regular and entire issue of the Bonner County Daily Bee for a period of 2 consecutive weeks, commencing on the 2nd day of February, 2023, and ending on the 9th day of February, 2023.

State of Idaho, county of Bonner ss.
On this 13th day of February, in the year of 2023, before me, Katrina George, Notary Public, personally appeared Italia Jimenez known or identified to me to be the person whose name is subscribed to the within instrument, and acknowledged to me that he/she (or they) executed the same.

Katrina George
Notary Public
Residing at: Kootenai County

My Commission Expires 8/29/23

RECEIVED
FEB 22 2023
IDWR / NORTH

LEGAL NOTICE
The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-10665
THOMAS WILLINGHAM
RIKKE ANNE WILLINGHAM
3251 ELMIRA RD
SANDPOINT, ID 83864-7017
Point of Diversion SENE S14
T59N R01W BONNER County
Source GROUND WATER Tributary
Use: DOMESTIC
1/1 to 12/31
0.04 CFS
Total Diversion:
0.04 CFS
Date Filed: 12-22-2022
Place Of Use: DOMESTIC
T59N R01W S14
SWNE,SENE

96-12386
THOMAS MARINO
HEATHER MARINO
4864 UPPER PACK RIVER RD
SANDPOINT, ID 83864-5936
Point of Diversion SWSE
S11 T59N R02W
BONNER County
Source GROUND WATER
Use: DOMESTIC
1 /1 to 12/31 0.08 CFS
Use: IRRIGATION
4 /1 to 10/31 0.06 CFS
Total Diversion: 0.08 CFS
Date Filed: 08-22-2022
Place Of Use: DOMESTIC,IRRIGATION
T59N R02W S11 SWSE
Total Acres: 1.3

96-12387
THOMAS MARINO
HEATHER MARINO
4864 UPPER PACK RIVER RD
SANDPOINT, ID 83864-5936
Point of Diversion SWSE
S11 T59N R02W
BONNER County
Source GROUND WATER
Use: DOMESTIC
1 /1 to 12/31 0.06 CFS
Use: IRRIGATION
4 /1 to 10/31 0.13 CFS
Use: STOCKWATER
1 /1 to 12/31 0.02 CFS
Total Diversion: 0.13 CFS
Date Filed: 08-22-2022
Place Of Use: DOMESTIC,IRRIGATION,STOCKWATER
T59N R02W S11 SWSE
Total Acres: 4.2

96-12576
DANIEL JENKINS
372 GOLD HILL CIRCLE
SAGLE, ID 83860

SCANNED
APR 14 2023

MARLO JENKINS
372 GOLD HILL CIRCLE
SAGLE, ID 83860
Point of Diversion SWSW
S29 T57N R01W
BONNER County
Source UNNAMED STREAM
Tributary LAKE PEND OREILLE
Use: IRRIGATION
4 /1 to 10/31 0.03 CFS
Use: STOCKWATER
01/01 to 12/31 0.02 CFS
Total Diversion: 0.05 CFS
Date Filed: 09-02-2022
Place Of Use: IRRIGATION,STOCKWATER
T57N R01W S29 SWSW
Total Acres: 1

96-12830
WW LLC
415 E BRIDLEWOOD LN
SPOKANE, WA 99224-8285
Point of Diversion L4(SENE)
S9 T56N R03W
BONNER County
Source PEND OREILLE RIVER
Tributary COLUMBIA RIVER
Point of Diversion L4(SENE)
S9 T56N R03W
BONNER County
Source PEND OREILLE RIVER
Tributary COLUMBIA RIVER
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.06 CFS
Date Filed: 09-29-2022
Place Of Use: IRRIGATION
T56N R03W S9
L4(SENE),L4(SWNE)
Total Acres: 2.1

96-13427
C RICHARD WENDLE
PO BOX 18898
SPOKANE, WA 99228-0898
Point of Diversion L1(NENE)
S14 T56N R01E
BONNER County
Source LAKE PEND ORIELLE
Tributary PEND OREILLE RIVER
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.03 CFS
Date Filed: 10-25-2022
Place Of Use: IRRIGATION
T56N R01E S14 L1(NENE)
Total Acres: 0.1

96-14290
STEVENS LIVING TRUST
154 STEEL LN
COCOLALLA, ID 83813-6020
Point of Diversion NENW
S17 T55N R02W
BONNER County
Source GROUND WATER
Use: DOMESTIC
01/01 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 12-22-2022
Place Of Use: DOMESTIC
T55N R02W S17
NENW,NWNW

96-14385
JASON PETERSEN
MALOREE PETERSEN
2974 RIVER RD
CLARK FORK, ID 83811-5114
Point of Diversion L2(NENW)
S24 T55N R02E
BONNER County
Source GROUND WATER
Use: DOMESTIC
01/01 to 12/31 0.04 CFS
Use: STOCKWATER
01/01 to 12/31 0.03 CFS
Use: IRRIGATION
04/01 to 10/31 0.2 CFS
Total Diversion: 0.2 CFS
Date Filed: 01-04-2023
Place Of Use: DOMESTIC,IRRIGATION,STOCKWATER
T55N R02E S24
L2(NENW),NWNW,
SWNW,SENW
Total Acres: 10

96-14386
MARC S PETERSEN
KARLA PETERSEN
15277 S MOUNTAINSIDE DR
BLUFFDALE, UT 84065-3017
Point of Diversion L2(NENW)
S24 T55N R02E
BONNER County
Source GROUND WATER
Use: DOMESTIC
01/01 to 12/31 0.04 CFS
Use: STOCKWATER
01/01 to 12/31 0.03 CFS
Use: IRRIGATION
04/01 to 10/31 0.2 CFS
Total Diversion: 0.2 CFS
Date Filed: 01-04-2023
Place Of Use: DOMESTIC,IRRIGATION,STOCKWATER
T55N R02E S24
L2(NENW),NWNW
Total Acres: 10

96-14396
TODD SVETIN
PO BOX 482218
KAUNAKAKAI, HI 96748-2218
Point of Diversion L2(SWNE)
S33 T57N R01W
BONNER County
Source LAKE PEND OREILLE
Tributary PEND OREILLE RIVER
Use: FIRE PROTECTION
01/01 to 12/31 0.2 CFS
Use: IRRIGATION
04/01 to 10/31 0.03 CFS
Total Diversion: 0.2 CFS
Date Filed: 01-05-2023
Place Of Use: FIRE PROTECTION,IRRIGATION
T57N R01W S33
L2(SWNE),L2(SENE)
Total Acres: 10

96-14407
RYAN MCCRERY
3126 N 13TH ST
COEUR D'ALENE, ID 83815
Point of Diversion SENE
S9 T56N R02W
BONNER County
Source GROUND WATER Tributary
Use: IRRIGATION
4 /1 to 10/31 0.2 CFS
Use: DOMESTIC
1 /1 to 12/31 0.06 CFS
Total Diversion: 0.2 CFS
Date Filed: 01-06-2023
Place Of Use: DOMESTIC,IRRIGATION
T56N R02W S9 SENE
Place Of Use: IRRIGATION
T56N R02W S9 NENE
Total Acres: 9.8

96-14476
STRATTON E III KERNODLE
KIMBERLY P KERNODLE
2021 HELEN THOMPSON RD
SANDPOINT, ID 83864-7375
Point of Diversion NESE
S31 T57N R03W
BONNER County
Source UNNAMED STREAM
Tributary JOHNSON CREEK
Point of Diversion NWSW
S32 T57N R03W
BONNER County
Source UNNAMED STREAM
Tributary JOHNSON CREEK
Use: DOMESTIC
01/01 to 12/31 0.08 CFS
Use: STOCKWATER
01/01 to 12/31 0.02 CFS
Use: IRRIGATION
04/01 to 10/31 0.2 CFS
Total Diversion: 0.2 CFS
Date Filed: 01-12-2023
Place Of Use: DOMESTIC,IRRIGATION,STOCKWATER
T57N R03W S31
NESE,L7(SESE)
Place Of Use: DOMESTIC,IRRIGATION,STOCKWATER
T57N R03W S32
NWSW,L4(SWSW)
Total Acres: 20

96-14480
CRAIG BOLTON
JAN BOLTON
59 BIRCH BANKS RD
SAGLE, ID 83860-8697
Point of Diversion SWSW
S34 T57N R01E
BONNER County
Source LAKE PEND OREILLE
Tributary PEND OREILLE RIVER
Use: DOMESTIC
01/01 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 01-12-2023
Place Of Use: DOMESTIC
T57N R01E S34 SWSW

96-14481
CRAIG BOLTON
JAN BOLTON
59 BIRCH BANKS RD
SAGLE, ID 83860-8697
Point of Diversion SENW
S2 T56N R02W
BONNER County
Source SAGLE SLOUGH
Tributary LAKE PEND OREILLE
Use: DOMESTIC
01/01 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 01-12-2023
Place Of Use: DOMESTIC
T56N R02W S2 SENW

96-14484
JOHN J KEARNS
MELODY A KEARNS
PO BOX 2026
COEUR D ALENE, ID 83816-2026
Point of Diversion L1(NENE)
S19 T56N R01E
BONNER County
Source LAKE PEND OREILLE
Tributary PEND OREILLE RIVER
Use: DOMESTIC
01/01 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 01-12-2023
Place Of Use: DOMESTIC
T56N R01E S19
L1(NENE),NENE

96-14485
CAMP BAY LLC
PO BOX 2026
COEUR D ALENE, ID 83816-2026
Point of Diversion NWNE
S19 T56N R01E
BONNER County
Source LAKE PEND OREILLE
Tributary PEND OREILLE RIVER
Use: DOMESTIC
01/01 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 01-12-2023
Place Of Use: DOMESTIC
T56N R01E S19 L2(NWNE)

96-14496
GARY FAST
PATRICIA FAST
FAST FAMILY TRUST
4376 COCOLALLA LOOP RD
COCOLALLA, ID 83813-9621
Point of Diversion NESW
S19 T55N R02W
BONNER County
Source GROUND WATER
Use: DOMESTIC
01/01 to 12/31 0.04 CFS
Use: COMMERCIAL
01/01 to 12/31 0.2 CFS
Use: IRRIGATION
04/01 to 10/31 0.2 CFS
Total Diversion: 0.2 CFS
Date Filed: 01-13-2023
Place Of Use: COMMERCIAL,IRRIGATION
T55N R02W S19
NESW,SESW
Place Of Use: DOMESTIC,IRRIGATION
T55N R02W S19 L4(SWSW)
Total Acres: 11

96-14497
GARY FAST
FAST FAMILY TRUST
4376 COCOLALLA LOOP RD
COCOLALLA, ID 83813-9621
Point of Diversion SESW
S19 T55N R02W
BONNER County
Source GROUND WATER
Use: IRRIGATION STORAGE
01/01 to 12/31 6.7 AF
Use: IRRIGATION FROM STORAGE
04/01 to 10/31 6.7 AF
Use: RECREATION STORAGE
01/01 to 12/31 12.2 AF
Use: FIRE PROTECTION STORAGE
01/01 to 12/31 12.2 AF
Use: STOCKWATER STORAGE

SCANNED
APR 14 2023

01/01 to 12/31 1.1 AF
Use: STOCKWATER FROM STORAGE
01/01 to 12/31 1.1 AF
Total Diversion: 20 AF
Date Filed: 01-13-2023
Place Of Use: FIRE PROTECTION STORAGE,IRRIGATION FROM STORAGE,IRRIGATION STORAGE,RECREATION STORAGE,STOCKWATER FROM STORAGE,STOCKWATER STORAGE
T55N R02W S19
NESW,SESW
Total Acres: 6.7

96-14498
GARY FAST
4376 COCOLALLA LOOP RD
COCOLALLA, ID 83813-9621
Point of Diversion L4(SWSW)
S19 T55N R02W
BONNER County
Source UNNAMED STREAM
Tributary SINKS
Point of Diversion L4(SWSW)
S19 T55N R02W
BONNER County
Source UNNAMED STREAM
Tributary SINKS
Point of Diversion L4(SWSW)
S19 T55N R02W
BONNER County
Source UNNAMED STREAM
Tributary SINKS
Use: RECREATION STORAGE
01/01 to 12/31 6.2 AF
Use: FIRE PROTECTION STORAGE
01/01 to 12/31 6.2 AF
Use: STOCKWATER STORAGE
01/01 to 12/31 1.1 AF
Use: STOCKWATER FROM STORAGE
01/01 to 12/31 1.1 AF
Total Diversion: 7.3 AF
Date Filed: 01-13-2023
Place Of Use: FIRE PROTECTION STORAGE,RECREATION STORAGE,STOCKWATER FROM STORAGE,STOCKWATER STORAGE
T55N R02W S19 L4(SWSW)

96-14521
BRUCE HICKMAN
SALLY SMITH
125 BIRCH BANKS RD
SAGLE, ID 83860-8667
Point of Diversion SENW
S2 T56N R02W
BONNER County
Source SAGLE SLOUGH
Tributary LAKE PEND OREILLE
Use: IRRIGATION
04/01 to 10/31
Total Diversion: 0.03 CFS
Date Filed: 03-17-2022
Place Of Use: IRRIGATION
T56N R02W S2 SENW
Total Acres: 0.8

Permits will be subject to all prior water rights. For additional information concerning the property location, contact the Northern office at (208)762-2800; or for a full description of the right(s), please see https://idwr.idaho.gov/apps/ExtSearch/WRApplicationResults/. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 N MINERAL DR STE 100, COEUR D ALENE ID 83815-7763 together with a protest fee of $25.00 for each application on or before 2/21/2023. The protestant must also send a copy of the protest to the applicant.
GARY SPACKMAN, Director
Legal#4848
AD#5035
February 2, 9, 2023

SCANNED
APR 14 2023

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

W.R. # 96-12830 APPLICATION ID # 87112 ENT. _____ BCA Ja OK to Publish YB

INITIAL REVIEW

APPLICANT: WW LLC BY: dm DATE: 01 / 11 / 2023

ITEM	REQUIRED INFORMATION
1	(✓) Name and Address
2	(✓) Source
3	(✓) Point of Diversion & County
4	(✓) Quantity
5	(✓) Nature of Proposed Use
6	(✓) Period of Use
7	(✓) Total Quantity
8	(✓) Description of diverting works
9	(✓) Time required for b/u
10	(✓) Proposed use
11	(✓) Place of use or acres irrigated
12	(✓) Other water Rights
13	(✓) Ownership
14	(✓) Map
15	(✓) Signature
16	(✓) Fee (Amt, receipt, acknowledgement)

*** Send info sheet Y ( ) N (✓)

PROCESSING

(Yes)(No)

___ ✓ PRIORITY DATE: 01 / 09 / 2023

___ ✓ (Include Moratorium Remark)

Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af)

ADVERTISE IN: BONNER County

Newspaper: Bonner County Daily Bee

Dates scheduled for publication 2-2-23 & 2-9-23

Affidavit of Publication received _____

Dates actually published _____

Application published correctly Yes_____ No_____

If not, action taken _____

Final Date for Protest: February 21, 2023

Protests Received Yes_____ No_____

IPOL, IDFG WRB, DEQ

LETTERS SENT REQUESTING

( ) Dam Information ( ) Fish Information

( ) Power Information ( ) Other: _____

INFORMATION RECEIVED

( ) Dam Information ( ) Fish Information

( ) Power Information ( ) Other: _____

ADDITIONAL INFORMATION

(Yes)(No)

✓ ___ Shape File Created Date 1/11/23 By: dm

___ ___ Field check by _____

___ ___ Field report attached

___ ___ Analysis Supp Attached (>5cfs/500af)

___ ___ Water delivered by water master? Water District # _____

GROUNDWATER SECTION

WD Permit No.'s	Tag #	Type	Fees	Receipt No	Upgrade Needed?
_____	_____	Dom ___ Non-Dom ___	Paid $_____	_____	Y ( ) N ( )
_____	_____	Dom ___ Non-Dom ___	Paid $_____	_____	Y ( ) N ( )
_____	_____	Dom ___ Non-Dom ___	Paid $_____	_____	Y ( ) N ( )

___ ___ Groundwater management area

___ ___ Critical ground water area

___ ___ Well Drilling Permit required

___ ___ Well Drilling Application and Fees received

___ ___ Well Drilling Application approved?

Pend Oreille River tributary to Columbia River

Remarks: APPLICANT STATED PUMPS ARE AT SEPARATE LOCATIONS AND NOT PART OF COMMON SYSTEM WITH SEPARATE PLACES OF USE.

FINAL REGIONAL PROCESSING/REVIEW

(Yes)(No)

___ ___ Notice of pending void order issued. Final order response date: ____/____/_____

___ ___ Further information required from applicant _____

___ ___ Measuring device required

___ ___ Measuring port required

___ ___ Special conditions: _____

___ ___ Special conditions of approval supplement and/or cover letter attached: _____

✓ X60 Lot 7; Easy Livin Acres Sub

Approval Recommended by: _____ Date 4 / 12 / 23 Sr. Agent initial: YB Interim Supervisor

IDAHO DEPARTMENT OF
WATER RESOURCES

Northern Region • 7600 N Mineral Drive, Suite 100 • Coeur D'Alene, ID 83815-7763
Phone: 208-762-2800 • Fax: 208-762-2819 • Email: northerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

January 26, 2023

WW LLC
415 E BRIDLEWOOD LN
SPOKANE, WA 99224-8285

RE: Application for Permit No. 96-12830

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the BONNER COUNTY DAILY BEE on 2/2/2023 and 2/9/2023. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Tammy Alleman
Administrative Assistant

SCANNED
JAN 27 2023

Alleman, Tammy

From: Alleman, Tammy
Sent: Friday, January 27, 2023 8:35 AM
To: Chantilly Higbee; Anna Moody; Horsmon,Merritt; 'Mike Ahmer'; IWRB Water Use Reviews
Subject: Request for Comments for WR#96-12830
Attachments: 96-12830 Application for Permit.pdf

Dear Interested Agencies:

The Department of Water Resources is seeking written comment and/or recommendations from your agency regarding the above referenced Water Right Permit application. You can find copies of the application at: http://www.idwr.idaho.gov/apps/ExtSearch/WRAJSearch/WRADJSearch.aspx.

This office can publish notice of the application as soon as the initial review is completed; therefore, your prompt response to this request is appreciated. If your agency desires to formally protest the approval of the application(s), you may do so after the notice is published by filing a written protest along with a $25.00 filing fee within 10 days after final publication. The deadline for comments on the applications is February 21, 2023.

Please contact the Northern Region Office at (208) 762-2800 if you have any questions regarding the Permit application.

Thank you,

IDAHO DEPARTMENT OF WATER RESOURCES

Tammy Alleman | Administrative Assistant
Idaho Department of Water Resources
Northern Regional Office
7600 N Mineral Drive, Suite 100
Coeur d'Alene, ID 83815-7763
Phone: (208) 762-2800

SCANNED
JAN 27 2023

Alleman, Tammy

From: Alleman, Tammy
Sent: Thursday, January 26, 2023 3:22 PM
To: bcdblegals@cdapress.com
Subject: Legal Notice for Bonner County Daily Bee
Attachments: Legal Notice BCDB 020223 & 022923.docx

Please publish the enclosed legal notice in the **Bonner County Daily Bee** on the dates indicated **February 2nd & February 9th, 2023** (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

Please send a proof once you have the article ready for print for our review.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before **February 21, 2023.** Your cooperation is appreciated.

Sincerely,

IDAHO DEPARTMENT OF WATER RESOURCES

Tammy Alleman | Administrative Assistant
Idaho Department of Water Resources
Northern Regional Office
7600 N Mineral Drive, Suite 100
Coeur d'Alene, ID 83815-7763
Phone: (208) 762-2800

SCANNED
JAN 27 2023

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-10665
THOMAS WILLINGHAM
RIKKE ANNE WILLINGHAM
3251 ELMIRA RD
SANDPOINT, ID 83864-7017
Point of Diversion SENE S14 T59N R01W BONNER County
Source GROUND WATER Tributary
Use: DOMESTIC
1 /1 to 12/31
0.04 CFS
Total Diversion:
0.04 CFS
Date Filed: 12-22-2022
Place Of Use: DOMESTIC
T59N R01W S14
SWNE,SENE

96-12386
THOMAS MARINO
HEATHER MARINO
4864 UPPER PACK RIVER RD
SANDPOINT, ID 83864-5936
Point of Diversion SWSE
S11 T59N R02W
BONNER County
Source GROUND WATER
Use: DOMESTIC
1 /1 to 12/31 0.08 CFS
Use: IRRIGATION
4 /1 to 10/31 0.06 CFS
Total Diversion: 0.08 CFS
Date Filed: 08-22-2022
Place Of Use: DOMESTIC,IRRIGATION
T59N R02W S11 SWSE
Total Acres: 1.3

96-12387
THOMAS MARINO
HEATHER MARINO
4864 UPPER PACK RIVER RD
SANDPOINT, ID 83864-5936
Point of Diversion SWSE
S11 T59N R02W
BONNER County
Source GROUND WATER
Use: DOMESTIC
1 /1 to 12/31 0.06 CFS
Use: IRRIGATION
4 /1 to 10/31 0.13 CFS
Use: STOCKWATER
1 /1 to 12/31 0.02 CFS
Total Diversion: 0.13 CFS
Date Filed: 08-22-2022
Place Of Use: DOMESTIC,IRRIGATION,STOCKWATER
T59N R02W S11 SWSE
Total Acres: 4.2

96-12576
DANIEL JENKINS
372 GOLD HILL CIRCLE
SAGLE, ID 83860
MARLO JENKINS
372 GOLD HILL CIRCLE
SAGLE, ID 83860
Point of Diversion SWSW
S29 T57N R01W
BONNER County
Source UNNAMED STREAM
Tributary LAKE PEND OREILLE
Use: IRRIGATION
4 /1 to 10/31 0.03 CFS
Use: STOCKWATER
01/01 to 12/31 0.02 CFS
Total Diversion: 0.05 CFS
Date Filed: 09-02-2022
Place Of Use: IRRIGATION,STOCKWATER
T57N R01W S29 SWSW
Total Acres: 1

SCANNED
JAN 27 2023

96-12830
WW LLC
415 E BRIDLEWOOD LN
SPOKANE, WA 99224-8285
Point of Diversion L4(SENE)
S9 T56N R03W
BONNER County
Source PEND OREILLE RIVER
Tributary COLUMBIA RIVER
Point of Diversion L4(SENE)
S9 T56N R03W
BONNER County
Source PEND OREILLE RIVER
Tributary COLUMBIA RIVER
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.06 CFS
Date Filed: 09-29-2022
Place Of Use: IRRIGATION
T56N R03W S9
L4(SENE),L4(SWNE)
Total Acres: 2.1

96-13427
C RICHARD WENDLE
PO BOX 18898
SPOKANE, WA 99228-0898
Point of Diversion L1(NENE)
S14 T56N R01E
BONNER County
Source LAKE PEND ORIELLE
Tributary PEND OREILLE RIVER
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.03 CFS
Date Filed: 10-25-2022
Place Of Use: IRRIGATION
T56N R01E S14 L1(NENE)
Total Acres: 0.1

96-14290
STEVENS LIVING TRUST
154 STEEL LN
COCOLALLA, ID 83813-6020
Point of Diversion NENW
S17 T55N R02W
BONNER County
Source GROUND WATER
Use: DOMESTIC
01/01 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 12-22-2022
Place Of Use: DOMESTIC
T55N R02W S17
NENW,NWNW

96-14385
JASON PETERSEN
MALOREE PETERSEN
2974 RIVER RD
CLARK FORK, ID 83811-5114
Point of Diversion L2(NENW)
S24 T55N R02E
BONNER County
Source GROUND WATER
Use: DOMESTIC
01/01 to 12/31 0.04 CFS
Use: STOCKWATER
01/01 to 12/31 0.03 CFS
Use: IRRIGATION
04/01 to 10/31 0.2 CFS
Total Diversion: 0.2 CFS
Date Filed: 01-04-2023
Place Of Use: DOMESTIC,IRRIGATION,STOCKWATER
T55N R02E S24
L2(NENW),NWNW,SWNW,SENW
Total Acres: 10

SCANNED
JAN 2 7 2023

96-14386
MARC S PETERSEN
KARLA PETERSEN
15277 S MOUNTAINSIDE DR
BLUFFDALE, UT 84065-3017
Point of Diversion L2(NENW)
S24 T55N R02E
BONNER County
Source GROUND WATER
Use: DOMESTIC
01/01 to 12/31 0.04 CFS
Use: STOCKWATER
01/01 to 12/31 0.03 CFS
Use: IRRIGATION
04/01 to 10/31 0.2 CFS
Total Diversion: 0.2 CFS
Date Filed: 01-04-2023
Place Of Use: DOMESTIC,IRRIGATION,STOCKWATER
T55N R02E S24
L2(NENW),NWNW
Total Acres: 10

96-14396
TODD SVETIN
PO BOX 482218
KAUNAKAKAI, HI 96748-2218
Point of Diversion L2(SWNE)
S33 T57N R01W
BONNER County
Source LAKE PEND OREILLE
Tributary PEND OREILLE RIVER
Use: FIRE PROTECTION
01/01 to 12/31 0.2 CFS
Use: IRRIGATION
04/01 to 10/31 0.03 CFS
Total Diversion: 0.2 CFS
Date Filed: 01-05-2023
Place Of Use: FIRE PROTECTION,IRRIGATION
T57N R01W S33
L2(SWNE),L2(SENE)
Total Acres: 10

96-14407
RYAN MCCRERY
3126 N 13TH ST
COEUR D'ALENE, ID 83815
Point of Diversion SENE
S9 T56N R02W
BONNER County
Source GROUND WATER Tributary
Use: IRRIGATION
4 /1 to 10/31 0.2 CFS
Use: DOMESTIC
1 /1 to 12/31 0.06 CFS
Total Diversion: 0.2 CFS
Date Filed: 01-06-2023
Place Of Use: DOMESTIC,IRRIGATION
T56N R02W S9 SENE
Place Of Use: IRRIGATION
T56N R02W S9 NENE
Total Acres: 9.8

96-14476
STRATTON E III KERNODLE
KIMBERLY P KERNODLE
2021 HELEN THOMPSON RD
SANDPOINT, ID 83864-7375
Point of Diversion NESE
S31 T57N R03W
BONNER County
Source UNNAMED STREAM
Tributary JOHNSON CREEK
Point of Diversion NWSW
S32 T57N R03W
BONNER County
Source UNNAMED STREAM
Tributary JOHNSON CREEK
Use: DOMESTIC
01/01 to 12/31 0.08 CFS

SCANNED
JAN 27 2023

Use: STOCKWATER
01/01 to 12/31 0.02 CFS
Use: IRRIGATION
04/01 to 10/31 0.2 CFS
Total Diversion: 0.2 CFS
Date Filed: 01-12-2023
Place Of Use: DOMESTIC,IRRIGATION,STOCKWATER
T57N R03W S31
NESE,L7(SESE)
Place Of Use: DOMESTIC,IRRIGATION,STOCKWATER
T57N R03W S32
NWSW,L4(SWSW)
Total Acres: 20

96-14480
CRAIG BOLTON
JAN BOLTON
59 BIRCH BANKS RD
SAGLE, ID 83860-8697
Point of Diversion SWSW
S34 T57N R01E
BONNER County
Source LAKE PEND OREILLE
Tributary PEND OREILLE RIVER
Use: DOMESTIC
01/01 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 01-12-2023
Place Of Use: DOMESTIC
T57N R01E S34 SWSW

96-14481
CRAIG BOLTON
JAN BOLTON
59 BIRCH BANKS RD
SAGLE, ID 83860-8697
Point of Diversion SENW
S2 T56N R02W
BONNER County
Source SAGLE SLOUGH
Tributary LAKE PEND OREILLE
Use: DOMESTIC
01/01 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 01-12-2023
Place Of Use: DOMESTIC
T56N R02W S2 SENW

96-14484
JOHN J KEARNS
MELODY A KEARNS
PO BOX 2026
COEUR D ALENE, ID 83816-2026
Point of Diversion L1(NENE)
S19 T56N R01E
BONNER County
Source LAKE PEND OREILLE
Tributary PEND OREILLE RIVER
Use: DOMESTIC
01/01 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 01-12-2023
Place Of Use: DOMESTIC
T56N R01E S19
L1(NENE),NENE

96-14485
CAMP BAY LLC
PO BOX 2026
COEUR D ALENE, ID 83816-2026
Point of Diversion NWNE
S19 T56N R01E
BONNER County
Source LAKE PEND OREILLE
Tributary PEND OREILLE RIVER
Use: DOMESTIC
01/01 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 01-12-2023

SCANNED
JAN 27 2023

Place Of Use: DOMESTIC
T56N R01E S19 L2(NWNE)

96-14496
GARY FAST
PATRICIA FAST
FAST FAMILY TRUST
4376 COCOLALLA LOOP RD
COCOLALLA, ID 83813-9621
Point of Diversion NESW
S19 T55N R02W
BONNER County
Source GROUND WATER
Use: DOMESTIC
01/01 to 12/31 0.04 CFS
Use: COMMERCIAL
01/01 to 12/31 0.2 CFS
Use: IRRIGATION
04/01 to 10/31 0.2 CFS
Total Diversion: 0.2 CFS
Date Filed: 01-13-2023
Place Of Use: COMMERCIAL,IRRIGATION
T55N R02W S19
NESW,SESW
Place Of Use: DOMESTIC,IRRIGATION
T55N R02W S19 L4(SWSW)
Total Acres: 11

96-14497
GARY FAST
FAST FAMILY TRUST
4376 COCOLALLA LOOP RD
COCOLALLA, ID 83813-9621
Point of Diversion SESW
S19 T55N R02W
BONNER County
Source GROUND WATER
Use: IRRIGATION STORAGE
01/01 to 12/31 6.7 AF
Use: IRRIGATION FROM STORAGE
04/01 to 10/31 6.7 AF
Use: RECREATION STORAGE
01/01 to 12/31 12.2 AF
Use: FIRE PROTECTION STORAGE
01/01 to 12/31 12.2 AF
Use: STOCKWATER STORAGE
01/01 to 12/31 1.1 AF
Use: STOCKWATER FROM STORAGE
01/01 to 12/31 1.1 AF
Total Diversion: 20 AF
Date Filed: 01-13-2023
Place Of Use: FIRE PROTECTION STORAGE,IRRIGATION FROM STORAGE,IRRIGATION STORAGE,RECREATION STORAGE,STOCKWATER FROM STORAGE,STOCKWATER STORAGE
T55N R02W S19
NESW,SESW
Total Acres: 6.7

96-14498
GARY FAST
4376 COCOLALLA LOOP RD
COCOLALLA, ID 83813-9621
Point of Diversion L4(SWSW)
S19 T55N R02W
BONNER County
Source UNNAMED STREAM
Tributary SINKS
Point of Diversion L4(SWSW)
S19 T55N R02W
BONNER County
Source UNNAMED STREAM
Tributary SINKS
Point of Diversion L4(SWSW)
S19 T55N R02W
BONNER County
Source UNNAMED STREAM
Tributary SINKS
Use: RECREATION STORAGE
01/01 to 12/31 6.2 AF
Use: FIRE PROTECTION STORAGE

SCANNED
JAN 27 2023

01/01 to 12/31 6.2 AF
Use: STOCKWATER STORAGE
01/01 to 12/31 1.1 AF
Use: STOCKWATER FROM STORAGE
01/01 to 12/31 1.1 AF
Total Diversion: 7.3 AF
Date Filed: 01-13-2023
Place Of Use: FIRE PROTECTION STORAGE,RECREATION STORAGE,STOCKWATER FROM STORAGE,STOCKWATER STORAGE
T55N R02W S19 L4(SWSW)

96-14521
BRUCE HICKMAN
SALLY SMITH
125 BIRCH BANKS RD
SAGLE, ID 83860-8667
Point of Diversion SENW
S2 T56N R02W
BONNER County
Source SAGLE SLOUGH
Tributary LAKE PEND OREILLE
Use: IRRIGATION
04/01 to 10/31
Total Diversion: 0.03 CFS
Date Filed: 03-17-2022
Place Of Use: IRRIGATION
T56N R02W S2 SENW
Total Acres: 0.8

Permits will be subject to all prior water rights. For additional information concerning the property location, contact the Northern office at (208)762-2800; or for a full description of the right(s), please see https://idwr.idaho.gov/apps/ExtSearch/WRApplicationResults/. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 N MINERAL DR STE 100, COEUR D ALENE ID 83815-7763 together with a protest fee of $25.00 for each application on or before 2/21/2023. The protestant must also send a copy of the protest to the applicant.
GARY SPACKMAN, Director Published on 2/2/2023 and 2/9/2023

SCANNED
JAN 2 7 2023

MEMORANDUM

January 11, 2023

Application for Permit: 96-12830

Author: smaxey

Subject: PRIORITY

PRIORITY ADVANCED TO 1/9/2023 BEACUSE APPLICANT ADDED SECOND POINT OF DIVERSION TO ORIGINAL APPLICATION, CHANGED TRIBUTARY, AND CHANGED APPLICANT NAME.

SCANNED
JAN 2 7 2023

[redacted]

From: william wrigglesworth <wriggy21@gmail.com>
Sent: Monday, January 9, 2023 4:51 PM
To: IDWR File
Cc: Maxey, Shaun
Subject: amended application
Attachments: IMGwwllcwaterrights_20230109_0001.pdf

Follow Up Flag: Follow up
Flag Status: Completed

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

Hello,
Attached please find our amended application for permit.

Thank you,
WW LLC

--
William J Wrigglesworth
406-544-0466 cell
wriggy21@gmail.com

SCANNED
JAN 27 2023

Maxey, Shaun

From: Maxey, Shaun
Sent: Monday, January 9, 2023 4:16 PM
To: wriggy21@gmail.com
Subject: FW: Required Corrections / Amendments to Idaho Application For Permit 96-12830
Attachments: 96-12830 WW LLC APP.pdf; 96-12830 WW LLC Amended APP.pdf; 96-12830 WW LLC IDAHO SOS RPT.pdf

Dear Applicant:

Please review the e-mail attachments to this message and phone me at (208) 762.2816 about corrections / amendments to the Applicant name shown on Line 1 of Application 96-12830 and the number/location of Points of Diversion (POD) shown on your on-line Application For Permit (96-12830). You may also need to initial and date changes to the color map the hat is attached to your Application. I have been unable to reach you via phone but have left a voicemail message requesting that you provide.

A correction to the name shown on the Application and the number /location of PODs is required IDWR personnel are forbidden from making changes to your Application that will be printed in upcoming newspaper legal notices.

You can send the copy of the corrected / Amended Application and Application map 96-12830 with your initialed and dated corrections, via U.S. mail to the address shown below, or via e-mail in PDF format to the following address: file@idwr.idaho.gov

Thanks,

Shaun Maxey

Shaun M. Maxey | Sr. Water Resource Agent
Idaho Department of Water Resources
Northern Regional Office
7600 N Mineral Drive, Suite 100
Coeur d'Alene, ID 83815-7763
Phone: (208) 762-2800

SCANNED
JAN 27 2023